



PhD Sarah Haile

Kontakt

PhD Sarah Haile

Bereiche

Clinical Trials Unit

Publikationen (45)

Benden C, Parvex P, Mueller T, Hadaya K, Golshayan D, Binet F, Aubert J, Beyeler F, Kruegel N, Haile S, Immer F. SARS-CoV-2 / COVID-19 in patients on the Swiss national transplant waiting list. *Swiss Med Wkly* 2020; 150:w20451.

Kraus M, Overkleeft H, Kisselev A, Li N, Appenzeller C, van Rooden E, Haile S, de Bruin G, van der Linden W, Shabaneh T, Silzle T, Mirabella A, Weyburne E, Geurink P, Bader J, Driessen C. The novel β 2-selective proteasome inhibitor LU-102 synergizes with bortezomib and carfilzomib to overcome proteasome inhibitor resistance of myeloma cells. *Haematologica* 2015; 100:1350-60.

Müller R, von Kempis J, Haile S, Schiff M. Effectiveness, tolerability, and safety of subcutaneous methotrexate in early rheumatoid arthritis: A retrospective analysis of real-world data from the St. Gallen cohort. *Semin Arthritis Rheum* 2015; 45:28-34.

Panje C, Panje T, Putora P, Kim S, Haile S, Aebersold D, Plasswilm L. Guidance of treatment decisions in risk-adapted primary radiotherapy for prostate cancer using multiparametric magnetic resonance imaging: a single center experience. *Radiat Oncol* 2015; 10:47.

Niederer-Wuest S, Stöckli S, ess s, Haile S, Müller J, Oettli R, Clerici T, Bilz S, Brändle M, Förbs D, Jochum W, Broglie Däppen M. Impact of clinical risk scores and BRAF V600E mutation status on outcome in papillary thyroid cancer. *Surgery* 2015; 157:119-25.

Abt D, Warzinek E, Schmid H, Haile S, Engeler D. Influence of patient education on morbidity caused by ureteral stents. *Int J Urol* 2015; 22:679-83.

Domeisen Benedetti F, Forster M, Haile S, Limacher A, Eychmuller S (2014). Diagnosing dying - Entwicklung eines Instruments zum Erkennen der Sterbephase. Präsentiert bei: Jahreskongress palliative.ch, Biel

Mukherjee R, Müller M, Amstad H, Fournier J, Haile S, Stöckli S, Litschel R. [Dysphonia and dysphagia after anterior cervical spine surgery]. *HNO* 2014; 62:575-81.

Piegeler T, Dreessen P, Graber S, Haile S, Schmid D, Beck-Schimmer B. Impact of intraoperative fluid administration on outcome in patients undergoing robotic-assisted laparoscopic prostatectomy - a retrospective analysis. *BMC Anesthesiol* 2014; 14:61.

Müller R, Schiff M, Kaegi T, Finckh A, Haile S, Schulze-Koops H, von Kempis J, Swiss Clinical Quality Management (SCQM) physicians. The new 2010 ACR/EULAR criteria as predictor of clinical and radiographic response in patients with early arthritis. *Clin Rheumatol* 2014; 34:51-9.

Greutmann M, Silversides C, Oechslin E, Williams W, Ivanov J, Held L, Haile S, Greutmann-Yantiri M, Kovacs A, Tobler D, Colman J. Increasing Mortality Burden among Adults with Complex Congenital Heart Disease. *Congenit Heart Dis* 2014

Denoth S, Broglie Däppen M, Haerle S, Huber G, Haile S, Soltermann A, Jochum W, Stöckli S. Histopathological mapping of metastatic tumor cells in sentinel lymph nodes of oral and oropharyngeal squamous cell carcinomas. *Head & neck* 2014

Broglie Däppen M, Soltermann A, Haile S, Huber G, Stöckli S. Human papilloma virus and survival of oropharyngeal cancer patients treated with surgery and adjuvant radiotherapy. *Eur Arch Otorhinolaryngol* 2014

Rothermundt C, Whelan J, Dileo P, Strauss S, Coleman J, Briggs T, Haile S, Seddon B. What is the role of routine follow-up for localised limb soft tissue sarcomas? A retrospective analysis of 174 patients. *Br J Cancer* 2014; 110:2420-6.

Sze L, Neidert M, Bernays R, Zwimpfer C, Wiesli P, Haile S, Brändle M, Schmid C. Gender dependence of serum soluble Klotho in acromegaly. *Clin Endocrinol (Oxf)* 2014; 80:869-73.

Müller R, Kaegi T, Finckh A, Haile S, Schulze-Koops H, von Kempis J, on behalf of the SCQM physicians. Is radiographic progression of late-onset rheumatoid arthritis different from young-onset rheumatoid arthritis? Results from the Swiss prospective observational cohort. *Rheumatology (Oxford)* 2013

Hitz F, Diem S, Haile S, ess s, Cerny T, Mey U. Outcome of mantle cell lymphoma patients treated at a single institution over the past decade. *Hematol Oncol* 2013

Eychmuller S, Domeisen Benedetti F, Forster M, Haile S (2013). Diagnosing dying – development of a tool for identifying the last days of life.

Samaras P, Renner C, Stahel R, Knuth A, Taverna C, Schäfer N, Mischo A, Schanz U, Siciliano R, Honegger H, Haile S, Buset E, Petrausch U, Zardavas D, Stenner-Liewen F. Prognostic factors for survival in lymphoma patients after autologous stem cell transplantation. *Swiss Med Wkly* 2013; 143:w13791.

Woernle C, Winkler K, Burkhardt J, Haile S, Bellut D, Neidert M, Bozinov O, Krayenbühl N, Bernays R. Hydrocephalus in 389 patients with aneurysm-associated subarachnoid hemorrhage. *J Clin Neurosci* 2013; 20:824-6.

Omlin A, Blum D, Wierecky J, Haile S, Ottery F, Strasser F. Nutrition impact symptoms in advanced cancer patients: frequency and specific interventions, a case-control study. *J Cachexia Sarcopenia Muscle* 2013; 4:55-61.

Bonabi S, Schmidt F, Broglie Däppen M, Haile S, Stöckli S. Thyroid incidentalomas in FDG-PET/CT: prevalence and clinical impact. *Eur Arch Otorhinolaryngol* 2012; 269:2555-60.

Broglie Däppen M, Soltermann A, Haile S, Rössli C, Huber G, Schmid S, Stöckli S. Quality of life of oropharyngeal cancer patients with respect to treatment strategy and p16-positivity. *Laryngoscope* 2012; 123:164-70.

Schuberth P, Renner C, Fox B, Bifulco C, Tinguely M, Thiel M, Held G, Mischo A, Haile S, Haley D, Gautschi F, Wadle A, Jensen S, Jakka G, Petrausch U. Effector memory and central memory NY-ESO-1-specific re-directed T cells for treatment of multiple myeloma. *Gene Ther* 2012

Broglie Däppen M, Haerle S, Huber G, Haile S, Stöckli S. Occult metastases detected by sentinel node biopsy in patients with early oral and oropharyngeal squamous cell carcinomas: Impact on survival. *Head & neck* 2012

Vorburger M, Broglie Däppen M, Soltermann A, Haerle S, Haile S, Huber G, Stöckli S. Validity of frozen section in sentinel lymph node biopsy for the staging in oral and oropharyngeal squamous cell carcinoma. *J Surg Oncol* 2012; 106:816-9.

Hauptle R, Weilenmann D, Schneider T, Haile S, Ammann P, Knellwolf C, Borovicka J. Individualised PPI prescription in patients on combination antiplatelet therapy and upper gastrointestinal events after percutaneous coronary intervention: a cohort study. *Wien Med Wochenschr* 2012; 162:67-73.

Forster N, Nuñez D, Zingg M, Haile S, Künzi W, Giovanoli P, Guggenheim M. Attempted Suicide by Self-Immolation is a Powerful Predictive Variable for Survival of Burn Injuries. *J Burn Care Res* 2012

Enseleit F, Ruschitzka F, Lüscher T, Neidhart M, Högger P, Uhlenhut K, Matter C, Krasniqi N, Haile S, Hirt A, Kaiser P, Fröhlich G, Flammer A, Wolfrum M, Winnik S, Périat D, Sudano I, Noll G. Effects of Pycnogenol on endothelial function in patients with stable coronary artery disease: a double-blind, randomized, placebo-controlled, cross-over study. *Eur Heart J* 2012

Aeberli I, Gerber P, Hochuli M, Kohler S, Haile S, Gouni-Berthold I, Berthold H, Spinaz G, Berneis K. Low to moderate sugar-sweetened beverage consumption impairs glucose and lipid metabolism and promotes inflammation in healthy young men: a randomized controlled trial. *Am J Clin Nutr* 2011; 94:479-85.

Samaras P, Stenner-Liewen F, Knuth A, Bauer S, Taverna C, Stussi G, Schanz U, Honegger H, Zweifel M, Mischo A, Petrusch U, Siciliano R, Haile S, Blickenstorfer M, Renner C. Validation of prognostic factors and survival of patients with multiple myeloma in a real-life autologous stem cell transplantation setting: a Swiss single centre experience. *Swiss Med Wkly* 2011; 141:w13203.

Stöckli S, Haerle S, Strobel K, Haile S, Hany T, Schuknecht B. Initial staging of the neck in head and neck squamous cell carcinoma: A comparison of CT, PET/CT, and ultrasound-guided fine-needle aspiration cytology. *Head & neck* 2011; 34:469-76.

Brogli Däppen M, Haile S, Stöckli S. Long-term experience in sentinel node biopsy for early oral and oropharyngeal squamous cell carcinoma. *Ann Surg Oncol* 2011; 18:2732-8.

Forster N, Zingg M, Haile S, Künzi W, Giovanoli P, Guggenheim M. 30 years later--does the ABSI need revision?. *Burns* 2011; 37:958-63.

Meier T, Guggenheim M, Vetter S, Husmann M, Haile S, Amann-Vesti B. Microvascular regeneration in meshed skin transplants after severe burns. *Burns* 2011; 37:1010-4.

Samaras P, Pestalozzi B, Knuth A, Renner C, Feilchenfeldt J, Heinrich S, Stenner-Liewen F, Haile S, Breitenstein S, Clavien P. Selective intra-arterial chemotherapy with floxuridine as second- or third-line approach in patients with unresectable colorectal liver metastases. *Ann Surg Oncol* 2011; 18:1924-31.

Murer K, Huber G, Haile S, Stöckli S. Comparison of morbidity between sentinel node biopsy and elective neck dissection for treatment of the n0 neck in patients with oral squamous cell carcinoma. *Head & neck* 2010; 33:1260-4.

Samaras P, Renner C, Knuth A, Stahel R, Stussi G, Schanz U, Pestalozzi B, Honegger H, Mischo A, Petrusch U, Haile S, Siciliano R, Buset E, Stenner-Liewen F. Equivalence of Pegfilgrastim and Filgrastim in Lymphoma Patients Treated with BEAM Followed by Autologous Stem Cell Transplantation. *Oncology* 2010; 79:93-97.

Sudano I, Nussberger J, Mocharla P, Landmesser U, Haile S, Corti R, Vanhoutte P, Lüscher T, Noll G, Holzmeister J, Gay S, Neidhart M, Flammer A, Périat D, Enseleit F, Hermann M, Wolfrum M, Hirt A, Kaiser P, Hurlimann D, Ruschitzka F. Acetaminophen increases blood pressure in patients with coronary artery disease. *Circulation* 2010; 122:1789-96.

Feldmeyer L, Benden C, Haile S, Boehler A, Speich R, French L, Hofbauer G. Not all intravenous immunoglobulin preparations are equally well tolerated. *Acta Derm Venereol* 2010; 90:494-7.

Samaras P, Stenner-Liewen F, Knuth A, Stahel R, Stussi G, Schanz U, Honegger H, Mischo A, Petrusch U, Buset E, Haile S, Siciliano R, Blickenstorfer M, Renner C. Pegfilgrastim reduces the length of hospitalization and the time to engraftment in multiple myeloma patients treated with melphalan 200 and auto-SCT compared with filgrastim. *Ann Hematol* 2010; 90:89-94.

Samaras P, Stenner-Liewen F, Knuth A, Zweifel M, Mischo A, Meisel A, Siciliano R, Schaefer N, Petrusch U, Haile S, Heider H, Renner C. Concomitant statin use does not impair the clinical outcome of patients with diffuse large B cell lymphoma treated with rituximab-CHOP. *Ann Hematol* 2010; 89:783-7.

Petrusch U, Renner C, Mischo A, Hany T, Knuth A, Soyka J, Veit-Haibach P, Haile S, Samaras P, Schaefer N. Risk-adapted FDG-PET/CT-based follow-up in patients with diffuse large B-cell lymphoma after first-line therapy. *Ann Oncol* 2010; 21:1694-8.

Land S, Ritter M, Costantino J, Julian T, Cronin W, Haile S, Wolmark N, Ganz P. Compliance with patient-reported outcomes in multicenter clinical trials: methodologic and practical approaches. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007; 25:5113-20.

Julian T, Land S, Fourchotte V, Haile S, Fisher E, Mamounas E, Costantino J, Wolmark N. Is sentinel node biopsy necessary in conservatively treated DCIS?. *Annals of surgical oncology* 2007; 14:2202-8.

Projekte (8)

SINGLE ARM OPEN LABEL PHASE II PILOT STUDY OF CARBOPLATIN

Klinische Forschung - 02.12.2014 - 31.12.2017

Automatisch geschlossen

Prostatic Artery Embolization vs. conventional TUR-P in the Treatment of Benign Prostatic Hyperplasia: A prospective randomized trial

Klinische Forschung - 05.02.2014 - 05.04.2023

Automatisch geschlossen

Influence of patient education on symptoms caused by ureteral stents

Klinische Forschung - 07.07.2013 - 18.07.2015

Abgeschlossen

Eine Untersuchung der Pathogenese des Terson Syndroms und der Rolle der Liquorproteine Gesamt-Tau / Amyloid- β 40 und 42 bei der aneurysmatischen Subarachnoidalblutung

Klinische Forschung - 15.03.2013 - 31.03.2015

Abgeschlossen

Molecular and mutational profiling in Papillary Thyroid Carcinoma with special emphasis on the influence of BRAFV600E Mutation on Tumor Stage, Outcome and nuclear imaging

Klinische Forschung - 21.01.2011 - 30.12.2013

Abgeschlossen

First in human clinical development of the MC4 receptor antagonist scFv 1E8a (Obexia) - MFZ 2010_012

Klinische Forschung - 10.11.2010 - 31.12.2011

Abgebrochen

Morphologische Hautfaltendokumentation im Gesicht vor und nach Applikation von Hyaluronsäurefillern (Restylane)

Klinische Forschung - 07.01.2010 - 30.11.2010

Abgeschlossen

KIDSSTEP Obesity Studie: Evaluation der Behandlung von adipösen und übergewichtigen Kindern und Jugendlichen in multiprofessionellen Therapieprogrammen in der Schweiz

Klinische Forschung - 01.10.2009 - 01.12.2013

Automatisch geschlossen