



**Michael Mark**

**Kontakt**

Michael Mark

## Publikationen (15)

Schmid S, Holer L, Gysel K, Koster K, Rothschild S, Boos L, Frehner L, Cardoso Almeida S, Britschgi C, Metaxas Y, Mark M, Froesch P, Janthur W, Allemann A, Waibel C, Von der Mühl-Schill C, Früh M, Mauti L. Real-World Outcomes of Patients With Malignant Pleural Mesothelioma Receiving a Combination of Ipilimumab and Nivolumab as First- or Later-Line Treatment. *JTO Clin Res Rep* 2024; 5:100735.

Mark M, Froesch P, Gysel K, Rothschild S, Addeo A, Ackermann C, Chiquet S, Schneider M, Ribí K, Maranta A, Bastian S, von Moos R, Jörgen M, Früh M, Swiss Group for Clinical Cancer Research (SAKK). First-line durvalumab in patients with PD-L1 positive, advanced non-small cell lung cancer (NSCLC) with a performance status of 2 (PS2). Primary analysis of the multicenter, single-arm phase II trial SAKK 19/17. *Eur J Cancer* 2024; 200:113600.

Addeo A, Rothschild S, Holer L, Schneider M, Waibel C, Haefliger S, Mark M, Fernandez E, Mach N, Mauti L, Jermann P, Alborelli I, Calgua B, Savic-Prince S, Joerger M, Früh M. Fibroblast growth factor receptor (FGFR) inhibitor rogaratinib in patients with advanced pretreated squamous-cell non-small cell lung cancer over-expressing FGFR mRNA: The SAKK 19/18 phase II study. *Lung Cancer* 2022; 172:154-159.

Rothschild S, Cathomas R, Ochsenbein A, Janthur W, Waibel C, Mach N, Froesch P, Buess M, Bohanes P, Godar G, Rusterholz C, Gonzalez M, Pless M, Mark M, Peters S, Zippelius A, Eboulet E, Savic Prince S, Betticher D, Bettini A, Früh M, Jörgen M, Lardinois D, Gelpke H, Mauti L, Britschgi C, Weder W, Swiss Group for Clinical Cancer Research (SAKK). SAKK 16/14: Durvalumab in Addition to Neoadjuvant Chemotherapy in Patients With Stage IIIA(N2) Non-Small-Cell Lung Cancer-A Multicenter Single-Arm Phase II Trial. *J Clin Oncol* 2021; 39:2872-2880.

Froesch P, Früh M, Gautschi O, Sessa C, König D, Metaxas Y, Colombo I, Schmid S, Oppliger Leibundgut E, Rusterholz C, Godar G, Li Q, Rothschild S, Mark M, Swiss Group for Clinical Cancer Research (SAKK). Binimetinib, pemetrexed and cisplatin, followed by maintenance of binimetinib and pemetrexed in patients with advanced non-small cell lung cancer (NSCLC) and KRAS mutations. The phase 1B SAKK 19/16 trial. *Lung Cancer* 2021; 156:91-99.

Ribi K, von Moos R, Caspar C, Mannhart M, von Burg P, Blum V, Bohanes P, Anchisi S, von Briel T, Zürrer-Härdi U, Cathomas R, Dietrich D, Schär C, Thürlimann B, Mark M. Quality of life and pain in patients with metastatic bone disease from solid tumors treated with bone-targeted agents- a real-world cross-sectional study from Switzerland (SAKK 95/16). *BMC cancer* 2021; 21:182.

Mark M, Früh M, Biaggi-Rudolf C, Weindler S, Baudoux N, Schwitler M, Wannesson L, Jörgen M, Metaxas Y, Schneider M, Friedlaender A, Burmeister H, Janthur W, Rothschild S, Pless M, Addeo A, Eboulet E, Froesch P, Swiss Group for Clinical Cancer Research (SAKK). SAKK 19/17: safety analysis of first-line durvalumab in patients with PD-L1 positive, advanced nonsmall cell lung cancer and a performance status of 2. *Cancer Immunol Immunother* 2020

Mark M, Caspar C, Mannhart M, von Burg P, Blum V, Bohanes P, Anchisi S, von Briel T, Zürrer-Härdi U, Cathomas R, Dietrich D, Schär C, Ribí K, Thürlimann B, von Moos R. Patterns of care for patients with metastatic bone disease in solid tumors: A cross-sectional study from Switzerland (SAKK 95/16). *J Bone Oncol* 2019; 21:100273.

Jörgen M, Sessa C, Stuedeli S, Levy N, Hafner P, Lane H, Larger P, Engelhardt M, Kaindl T, Volden M, Mark M, Mantiero M, Hess D, Metaxas Y, Stathis A, von Moos R. A Phase 1 study of BAL101553, a novel tumor checkpoint controller targeting microtubules, administered as 48-h infusion in adult patients with advanced solid tumors. *Invest New Drugs* 2019

Mark M, Strebel R, Manetsch G, Pollak M, von Moos R, Gillesen Sommer S, Rothermundt C, Winterhalder R, Mey U, Klingbiel D, Cathomas R. Impact of Addition of Metformin to Abiraterone in Metastatic Castration-Resistant Prostate Cancer Patients With Disease Progressing While Receiving Abiraterone Treatment (MetAb-Pro): Phase 2 Pilot Study. *Clin Genitourin Cancer* 2019

Früh M, Guckenberger M, Rothschild S, Lardinois D, Mach N, Mark M, Gautschi O, Thierstein S, Biaggi Rudolf C, Weder W, Stahel R, Matzinger O, Betticher D, Stupp R, Xyrafas A, Peters S, Ris H, Mirimanoff R, Ochsenbein A, Schmid R, Pless M. Multimodal Treatment in Operable Stage III NSCLC: A Pooled Analysis on Long-Term Results of Three SAKK trials (SAKK 16/96, 16/00, and 16/01). J Thorac Oncol 2018

Schmid S, Diebold J, Jochum W, Reichegger H, Klingbiel D, Froesch P, Mark M, Rothschild S, Gautschi O, Früh M. Clinical Outcome of ALK-Positive Non-Small Cell Lung Cancer (NSCLC) Patients with De Novo EGFR or KRAS Co-Mutations Receiving Tyrosine Kinase Inhibitors (TKIs). J Thorac Oncol 2016

Cathomas R, Gillessen Sommer S, Manetsch G, Bernhard J, Mohaupt M, Roggero E, Rauch D, Vilei S, Hayoz S, Kenner H, von Burg P, Elliott T, Rothermundt C, Winterhalder R, Mark M, Crabb S, Swiss Group for Clinical Cancer Research SAKK. Orteronel Switch Maintenance Therapy in Metastatic Castration Resistant Prostate Cancer After First-Line Docetaxel: A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial (SAKK 08/11). Prostate 2016; 76:1519-1527.

Templeton A, Thürlimann B, Baumann M, Mark M, Stoll S, Schwizer M, Dietrich D, Ruhstaller T. Cross-sectional study of self-reported physical activity, eating habits and use of complementary medicine in breast cancer survivors. BMC cancer 2013; 13:153.

Mark M, Thürlimann B. Fatal pneumonitis after treatment with pegylated liposomal doxorubicin in a patient with metastatic breast cancer in complete remission. Med Oncol 2011

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)