



Karen E Morrison

Kontakt

Karen E Morrison

Publikationen (15)

Van Daele S, Moisse M, Farei-Campagna J, Zwamborn R, van der Spek R, van Rheenen W, van Eijk K, Kenna K, Corcia P, Vourc'h P, Couratier P, Hardiman O, McLaughlin R, Gotkine M, Drory V, Ticozzi N, Silani V, Ratti A, de Carvalho M, Mora J, Povedano M, Andersen P, Weber M, Başak N, Shaw C, Openshaw P, Morrison K, Landers J, Glass J, van Es M, van den Berg L, Al-Chalabi A, Veldink J, Van Damme P. Genetic variability in sporadic amyotrophic lateral sclerosis. *Brain* 2023; 146:3760-3769.

Adey B, Cooper-Knock J, Al Khleifat A, Fogh I, Van Damme P, Corcia P, Couratier P, Hardiman O, McLaughlin R, Gotkine M, Drory V, Silani V, Ticozzi N, Veldink J, van den Berg L, de Carvalho M, Pinto S, Mora J, Povedano Panades M, Andersen P, Weber M, Başak N, Shaw C, Openshaw P, Morrison K, Landers J, Glass J, Vourc'h P, Dobson R, Breen G, Al-Chalabi A, Jones A, Iacoangeli A. Large-scale analyses of CAV1 and CAV2 suggest their expression is higher in post-mortem ALS brain tissue and affects survival. *Front Cell Neurosci* 2023; 17:1112405.

Al Khleifat A, Iacoangeli A, Jones A, Van Vugt J, Moisse M, Shatunov A, Zwamborn R, van der Spek R, Cooper-Knock J, Topp S, van Rheenen W, Kenna B, van Eijk K, Kenna K, Byrne R, López V, Opie-Martin S, Vural A, Campos Y, Weber M, Smith B, Fogh I, Silani V, Morrison K, Dobson R, van Es M, McLaughlin R, Vourc'h P, Chio A, Corcia P, de Carvalho M, Gotkine M, Panades M, Mora J, Shaw P, Landers J, Glass J, Shaw C, Başak N, Hardiman O, Robberecht W, Van Damme P, van den Berg L, Veldink J, Al-Chalabi A. Telomere length analysis in amyotrophic lateral sclerosis using large-scale whole genome sequence data. *Front Cell Neurosci* 2022; 16:1050596.

van Rheenen W, van der Spek R, Bakker M, Van Vugt J, Hop P, Zwamborn R, de Klein N, Westra H, Bakker O, Deelen P, Shireby G, Hannon E, Moisse M, Baird D, Restuadi R, Dolzhenko E, Dekker A, Gawor K, Westeneng H, Tazelaar G, van Eijk K, Kooyman M, Byrne R, Doherty M, Heverin M, Al Khleifat A, Iacoangeli A, Shatunov A, Ticozzi N, Cooper-Knock J, Smith B, Gromicho M, Chandran S, Pal S, Morrison K, Shaw P, Hardy J, Orrell R, Sendtner M, Meyer T, Başak N, van der Kooi A, Ratti A, Fogh I, Gellera C, Lauria G, Corti S, Cereda C, Sproviero D, D'Alfonso S, Sorarù G, Siciliano G, Filosto M, Padovani A, Chio A, Calvo A, Moglia C, Brunetti M, Canosa A, Grassano M, Beghi E, Pupillo E, Logroscino G, Nefussy B, Osmanovic A, Nordin A, Lerner Y, Zabari M, Gotkine M, Baloh R, Bell S, Vourc'h P, Corcia P, Couratier P, Millecamps S, Meininger V, Salachas F, Mora Pardina J, Assialioui A, Rojas-García R, Dion P, Ross J, Ludolph A, Weishaupt J, Brenner D, Freischmidt A, Bensimon G, Brice A, Dürr A, Payan C, Saker-Delye S, Wood N, Topp S, Rademakers R, Tittmann L, Lieb W, Franke A, Ripke S, Braun A, Kraft J, Whiteman D, Olsen C, Uitterlinden A, Hofman A, Rietschel M, Cichon S, Nöthen M, Amouyel P, SLALOM Consortium, PARALS Consortium, SLAGEN Consortium, SLAP Consortium, Traynor B, Singleton A, Mitne Neto M, Cauchi R, Ophoff R, Wiedau-Pazos M, Lomen-Hoerth C, Van Deerlin V, Grosskreutz J, Roediger A, Gaur N, Jörk A, Barthel T, Theele E, Ilse B, Stubendorff B, Witte O, Steinbach R, Hübner C, Graff C, Brylev L, Fominykh V, Demeshonok V, Ataulina A, Rogelj B, Koritnik B, Zidar J, Ravnik-Glavač M, Glavač D, Stević Z, Drory V, Povedano M, Blair I, Kiernan M, Benyamin B, Henderson R, Furlong S, Mathers S, McCombe P, Needham M, Ngo S, Nicholson G, Pamphlett R, Rowe D, Steyn F, Williams K, Mather K, Sachdev P, Henders A, Wallace L, de Carvalho M, Pinto S, Petri S, Weber M, Rouleau G, Silani V, Curtis C, Breen G, Glass J, Brown R, Landers J, Shaw C, Andersen P, Groen E, van Es M, Pasterkamp R, Fan D, Garton F, McRae A, Davey Smith G, Gaunt T, Eberle M, Mill J, McLaughlin R, Hardiman O, Kenna K, Wray N, Tsai E, Runz H, Franke L, Al-Chalabi A, Van Damme P, van den Berg L, Veldink J. Author Correction: Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. *Nat Genet* 2022; 54:361.

Hop P, Zwamborn R, Hannon E, Shireby G, Nabais M, Walker E, van Rheenen W, Van Vugt J, Dekker A, Westeneng H, Tazelaar G, van Eijk K, Moisse M, Baird D, Al Khleifat A, Iacoangeli A, Ticozzi N, Ratti A, Cooper-Knock J, Morrison K, Shaw P, Basak A, Chio A, Calvo A, Moglia C, Canosa A, Brunetti M, Grassano M, Gotkine M, Lerner Y, Zabari M, Vourc'h P, Corcia P, Couratier P, Mora Pardina J, Salas T, Dion P, Ross J, Henderson R, Mathers S, McCombe P, Needham M, Nicholson G, Rowe D, Pamphlett R, Mather K, Sachdev P, Furlong S, Garton F, Henders A, Lin T, Ngo S, Steyn F, Wallace L, Williams K, Neto M, Cauchi R, Blair I, Kiernan M, Drory V, Povedano M, de Carvalho M, Pinto S, Weber M, Rouleau G, Silani V, Landers J, Shaw C, Andersen P, McRae A, van Es M, Pasterkamp R, Wray N, McLaughlin R, Hardiman O, Kenna K, Tsai E, Runz H, Al-Chalabi A, van den Berg L, Van Damme P, Mill J, Veldink J. Genome-wide study of DNA methylation shows alterations in metabolic, inflammatory, and cholesterol pathways in ALS. *Sci Transl Med* 2022; 14:eabj0264.

Al Khleifat A, Iacoangeli A, Van Vugt J, Bowles H, Moisse M, Zwamborn R, van der Spek R, Shatunov A, Cooper-Knock J, Topp S, Byrne R, Gellera C, López V, Jones A, Opie-Martin S, Vural A, Campos Y, van Rheenen W, Kenna B, van Eijk K, Kenna K, Weber M, Smith B, Fogh I, Silani V, Morrison K, Dobson R, van Es M, McLaughlin R, Vourc'h P, Chio A, Corcia P, de Carvalho M, Gotkine M, Panadés M, Mora J, Shaw P, Landers J, Glass J, Shaw C, Başak N, Hardiman O, Robberecht W, Van Damme P, van den Berg L, Veldink J, Al-Chalabi A. Structural variation analysis of 6,500 whole genome sequences in amyotrophic lateral sclerosis. *NPJ Genom Med* 2022; 7:8.

van Rheenen W, van der Spek R, Bakker M, Farei-Campagna J, Hop P, Zwamborn R, de Klein N, Westra H, Bakker O, Deelen P, Shireby G, Hannon E, Moisse M, Baird D, Restuadi R, Dolzhenko E, Dekker A, Gawor K, Westeneng H, Tazelaar G, van Eijk K, Kooyman M, Byrne R, Doherty M, Heverin M, Al Khleifat A, Iacoangeli A, Shatunov A, Ticozzi N, Cooper-Knock J, Smith B, Gromicho M, Chandran S, Pal S, Morrison K, Openshaw P, Hardy J, Orrell R, Sendtner M, Meyer T, Başak N, van der Kooi A, Ratti A, Fogh I, Gellera C, Lauria G, Corti S, Cereda C, Sproviero D, D'Alfonso S, Sorarù G, Siciliano G, Filosto M, Padovani A, Chio A, Calvo A, Moglia C, Brunetti M, Canosa A, Grassano M, Beghi E, Pupillo E, Logroscino G, Nefussy B, Osmanovic A, Nordin A, Lerner Y, Zabari M, Gotkine M, Baloh R, Bell S, Vourc'h P, Corcia P, Couratier P, Millecamps S, Meininger V, Salachas F, Mora J, Assialioui A, Rojas-García R, Dion P, Ross J, Ludolph A, Weishaupt J, Breen D, Freischmidt A, Bensimon G, Brice A, Dürr A, Payan C, Saker-Delye S, Wood N, Topp S, Rademakers R, Tittmann L, Lieb W, Klein-Franke A, Ripke S, Braun A, Kraft J, Whiteman D, Olsen C, Uitterlinden A, Hofman A, Rietschel M, Cichon S, Nöthen M, Amouyel P, SLALOM Consortium, PARALS Consortium, SLAGEN Consortium, SLAP Consortium, Traynor B, Singleton A, Mitne Neto M, Cauchi R, Ophoff R, Wiedau-Pazos M, Lomen-Hoerth C, Van Deerlin V, Grosskreutz J, Roediger A, Gaur N, Jörk A, Barthel T, Theele E, Ilse B, Stubendorff B, Witte O, Steinbach R, Hübner C, Graff C, Brylev L, Fominykh V, Demeshonok V, Ataulina A, Rogelj B, Koritnik B, Zidar J, Ravnik-Glavač M, Glavač D, Stević Z, Drory V, Povedano M, Blair I, Kiernan M, Benyamin B, Henderson R, Furlong S, Mathers S, McCombe P, Needham M, Ngo S, Nicholson G, Pamphlett R, Rowe D, Steyn F, Williams K, Mather K, Sachdev P, Henders A, Wallace L, de Carvalho M, Pinto S, Petri S, Weber M, Rouleau G, Silani V, Curtis C, Breen G, Glass J, Brown R, Landers J, Shaw C, Andersen P, Groen E, van Es M, Pasterkamp R, Fan D, Garton F, McRae A, Davey Smith G, Gaunt T, Eberle M, Mill J, McLaughlin R, Hardiman O, Kenna K, Wray N, Tsai E, Runz H, Franke L, Al-Chalabi A, Van Damme P, van den Berg L, Veldink J. Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. *Nat Genet* 2021; 53:1636-1648.

Moisse M, Zwamborn R, Van Vugt J, van der Spek R, van Rheenen W, Kenna B, van Eijk K, Kenna K, Corcia P, Couratier P, Vourc'h P, Hardiman O, McLaughlin R, Gotkine M, Drory V, Ticozzi N, Silani V, de Carvalho M, Mora J, Povedano M, Andersen P, Weber M, Başak N, Chen X, Eberle M, Al-Chalabi A, Shaw C, Openshaw P, Morrison K, Landers J, Glass J, Robberecht W, van Es M, Van den Berg L, Veldink J, Van Damme P, Project MinE Sequencing Consortium. The Effect of SMN Gene Dosage on ALS Risk and Disease Severity. *Ann Neurol* 2021; 89:686-697.

Tazelaar G, Boeynaems S, De Decker M, Farei-Campagna J, Kool L, Goedee H, McLaughlin R, Sproviero W, Iacoangeli A, Moisse M, Jacquemyn M, Daelemans D, Dekker A, Van Der Spek R, Westeneng H, Kenna K, Assialioui A, Da Silva N, PROJECT MINE ALS SEQUENCING CONSORTIUM, Povedano M, Mora J, Hardiman O, Salachas F, Millecamps S, Vourc'h P, Corcia P, Couratier P, Morrison K, Openshaw P, Shaw C, Pasterkamp R, Landers J, Van Den Bosch L, Robberecht W, Al-Chalabi A, van den Berg L, Van Damme P, Veldink J, van Es M. repeat expansions confer risk for amyotrophic lateral sclerosis and contribute to TDP-43 mislocalization. *Brain Commun* 2020; 2:fcaa064.

Van Der Spek R, Hardiman O, Mora J, Morrison K, Mitne-Neto M, Robberecht W, Shaw P, Panadés M, Van Damme P, Silani V, Gotkine M, Weber M, van Es M, Landers J, Al-Chalabi A, van den Berg L, Veldink J, Glass J, Drory V, van Rheenen W, Pulit S, Kenna K, Ticozzi N, Kooyman M, McLaughlin R, Moisse M, van Eijk K, Van Vugt J, Andersen P, Nazli Basak A, Blair I, de Carvalho M, Chio A, Corcia P, Couratier P, PROJECT MINE ALS SEQUENCING CONSORTIUM. Reconsidering the causality of TIA1 mutations in ALS. *Amyotroph Lateral Scler Frontotemporal Degener* 2017:1-3.

Zhang K, Arcuti S, Brunetti M, Moglia C, Calvo A, Ratti A, Tiloca C, Gellera C, Pensato V, Mazzini L, Capozzo R, Zecca C, Blair I, Stuit R, Muller B, Filosto M, Padovani A, Riva N, Penco S, Lunetta C, Sorarù G, Bertolin C, Blauw H, Curtis C, Hofman A, Estrada K, Rivadeneira F, Uitterlinden A, Dartigues J, Tzourio C, Amouyel P, van der Kooi A, de Visser M, D'Alfonso S, Comi G, Del Bo R, Cereda C, Pansarasa O, Smith B, Shaw C, Weber M, Goris A, Nöthen M, McCann E, Veldink J, Corcia P, Andersen P, Hardiman O, Landers J, Glass J, Brown R, Pers T, Franke L, Van Damme P, Vourc'h P, Silani V, van den Berg L, Al-Chalabi A, Breen G, Lewis C, Pasterkamp R, van Es M, de Bakker P, Visscher P, Wray N, Robberecht W, Weishaupt J, Stubendorff B, Prell T, Ringer T, Witte O, Grosskreutz J, Kiernan M, Pamphlett R, Rowe D, Nicholson G, Kurth I, Hübner C, Ludolph A, Powell J, Logroscino G, Tortelli R, Pupillo E, Beghi E, Chio A, Casale F, Leigh P, Fifita J, Chandran S, Koritnik B, Ravnik-Glavač M, Vrabec K, Rogelj B, Lin K, Ticozzi N, Vajda A, Menelaou A, Medic J, Zidar J, Leonardis L, Polak M, Rojas-García R, Mora J, Pinto S, de Carvalho M, Meininger V, Salachas F, Millecamps S, Grošelj L, Brands W, Schellevis R, Robinson M, de Jong S, Vösa U, van der Spek R, Pulit S, Diekstra F, McLaughlin R, Dekker A, Shatunov A, Yang J, Fogh I, Harschnitz O, van Eijk K, Kenna K, Jones A, Sproviero W, Blokhuis A, Koppers M, Tazelaar G, van Doormaal P, van Rheenen W, Colville S, Cichon S, Maurel C, Andres C, Radivojkov-Blagojevic M, Lichtner P, Meitinger T, Parman Y, Hamzeiy H, Tunca C, Basak A, Bensimon G, Landwehrmeyer B, Rietschel M, Franke A, Lieb W, Tittmann L, Wood N, Dürr A, Saker-Delye S, Payan C, Brice A, McCluskey L, Elman L, Topp S, Malaspina A, Fratta P, Sidle K, Pittman A, Orrell R, Hardy J, Shaw P, Morrison K, Petri S, Abdulla S, Trojanowski J, Van Deerlin V, Lomen-Hoerth C, Wiedau-Pazos M, Staats K, Ophoff R, Meyer T, Sendtner M, Drepper C, Swingler R. Genome-wide association analyses identify new risk variants and the genetic architecture of amyotrophic lateral sclerosis. *Nat Genet* 2016; 48:1043-8.

Diekstra F, Meininger V, Shatunov A, Shaw C, Leigh P, Shaw P, Morrison K, Fogh I, Chio A, Traynor B, Czell D, Weber M, Heutink P, de Bakker P, Silani V, Robberecht W, van den Berg L, Melki J, Van Damme P, Van Deerlin V, van Swieten J, Al-Chalabi A, Ludolph A, Weishaupt J, Hardiman O, Landers J, Brown R, van Es M, Pasterkamp R, Koppers M, Andersen P, Estrada K, Rivadeneira F, Hofman A, Uitterlinden A, Veldink J. C9orf72 and UNC13A are shared risk loci for amyotrophic lateral sclerosis and frontotemporal dementia: a genome-wide meta-analysis. *Ann Neurol* 2014; 76:120-33.

van Rheenen W, de Visser M, Weber M, Robberecht W, Hardiman O, Shaw P, Shaw C, Morrison K, Al-Chalabi A, Andersen P, Ludolph A, Veldink J, van der Kooi A, Schelhaas H, Waibel S, Diekstra F, van Doormaal P, Seelen M, Kenna K, McLaughlin R, Shatunov A, Czell D, van Es M, van Vught P, Van Damme P, Smith B, van den Berg L. H63D polymorphism in HFE is not associated with amyotrophic lateral sclerosis. *Neurobiol Aging* 2012; 34:1517.e5-7.

Shaw C, Shaw P, Robberecht W, Van Damme P, Veldink J, Van den Berg L, Ticozzi N, Taroni F, Gellera C, Silani V, Kirby J, Pall H, Morrison K, Al-Chalabi A, Weale M, Brown R, Landers J, Andersen P, Baas F, Vianney de Jong J, de Bellerocche J, Morris A, Asbroek A, Schelhaas H, Scott K, Troakes C, Lee Y, Miller J, Johnson L, Topp S, Vance C, Shatunov A, Newhouse S, Jones A, Gray I, Wright J, Nestor P, Weber M, Sapp P, Lovestone S, Lupton M, Powell J, Rogelj B, Al-Sarraj S, Hortobágyi T, Smith B. The C9ORF72 expansion mutation is a common cause of ALS+/-FTD in Europe and has a single founder. *Eur J Hum Genet* 2012; 21:102-8.

EFNS Task Force on Diagnosis and Management of Amyotrophic Lateral Sclerosis:, Wasner M, Tomik B, Silani V, Pradat P, Petri S, Morrison K, Kollwe K, Hardiman O, Van Damme P, Chio A, de Carvalho M, Borasio G, Abrahams S, Andersen P, Weber M. EFNS guidelines on the clinical management of amyotrophic lateral sclerosis (MALS)--revised report of an EFNS task force. *Eur J Neurol* 2011; 19:360-75.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch