



Michael Hallek

Kontakt

Michael Hallek

Publikationen (5)

Fürstenau M, Thus Y, Robrecht S, Mellink C, van der Kevie-Kersemaekers A, Dubois J, von Tresckow J, Patz M, Gregor M, Thornton P, Staber P, Tadmor T, Levin M, da Cunha-Bang C, Schneider C, Poulsen C, Illmer T, Schöttker B, Janssens A, Christiansen I, Noesslinger T, Baumann M, Hebart H, Gaska T, Regelink J, Dompeling E, Lindstrom V, Juliusson G, Widmer A, Goede J, Goldschmidt N, Simon F, De Silva N, Fink A, Fischer K, Wendtner C, Ritgen M, Brüggemann M, Tausch E, Spaargaren M, Eldering E, Stilgenbauer S, Niemann C, Hallek M, Eichhorst B, Kreuzer K, Kater A. High karyotypic complexity is an independent prognostic factor in patients with CLL treated with venetoclax combinations. *Blood* 2023

Eichhorst B, Niemann C, Kater A, Fürstenau M, von Tresckow J, Zhang C, Robrecht S, Gregor M, Juliusson G, Thornton P, Staber P, Tadmor T, Lindstrom V, da Cunha-Bang C, Schneider C, Poulsen C, Illmer T, Schöttker B, Noesslinger T, Janssens A, Christiansen I, Baumann M, Frederiksen H, Klift M, Jäger U, Leys M, Hoogendoorn M, Lotfi K, Hebart H, Gaska T, Koene H, Enggaard L, Goede J, Regelink J, Widmer A, Simon F, De Silva N, Fink A, Bahlo J, Fischer K, Wendtner C, Kreuzer K, Ritgen M, Brüggemann M, Tausch E, Levin M, van Oers M, Geisler C, Stilgenbauer S, Hallek M, GCLLSG, the HOVON and Nordic CLL Study Groups, the SAKK, the Israeli CLL Association, and Cancer Trials Ireland. First-Line Venetoclax Combinations in Chronic Lymphocytic Leukemia. *N Engl J Med* 2023; 388:1739-1754.

Göckeritz E, Kerwien S, Baumann M, Wigger M, Vondey V, Neumann L, Landwehr T, Wendtner C, Klein C, Liu N, Hallek M, Frenzel L, Krause G. Efficacy of phosphatidylinositol-3 kinase inhibitors with diverse isoform selectivity profiles for inhibiting the survival of chronic lymphocytic leukemia cells. *Int J Cancer* 2015; 137:2234-42.

Behringer K, Lange E, Mahlberg R, Hassler A, Vogelhuber M, Hahn D, Mezger J, Krause S, Skoetz N, Böll B, von Tresckow B, Diehl V, Hallek M, Borchmann P, Stein H, Eich H, Engert A, Bentz M, Vieler T, Kriz J, Goergen H, Tanner A, Zijlstra J, Greil R, Markova J, Sasse S, Fuchs M, Topp M, Soekler M, Mathas S, Meissner J, Wilhelm M, Koch P, Lindemann H, Schalk E, Semrau R. Omission of dacarbazine or bleomycin, or both, from the ABVD regimen in treatment of early-stage favourable Hodgkin's lymphoma (GHSG HD13): an open-label, randomised, non-inferiority trial. *Lancet* 2014; 385:1418-27.

Schwamb J, Feldhaus V, Baumann M, Patz M, Brodesser S, Brinker R, Claasen J, Pallasch C, Hallek M, Wendtner C, Frenzel L. B-cell receptor triggers drug sensitivity of primary CLL cells by controlling glucosylation of ceramides. *Blood* 2012; 120:3978-85.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch