



## **Reto A Schuepbach**

### **Kontakt**

Reto A Schuepbach

## Publikationen (5)

Wendel-Garcia P, Moser A, Jeitziner M, Aguirre-Bermeo H, Arias-Sanchez P, Apolo J, Roche-Campo F, Franch-Llasat D, Kleger G, Schrag C, Pietsch U, Filipovic M, David S, Stahl K, Bouaoud S, Ouyahia A, Fodor P, Locher P, Siegemund M, Zellweger N, Cereghetti S, Schott P, Gangitano G, Wu M, Alfaro-Farias M, Vizmanos-Lamotte G, Ksouri H, Gehring N, Rezoagli E, Turrini F, Lozano-Gómez H, Carsetti A, Rodríguez-García R, Yuen B, Weber A, Castro P, Escos-Orta J, Dullenkopf A, Martín-Delgado M, Aslanidis T, Perez M, Hillgaertner F, Ceruti S, Franchitti Laurent M, Marrel J, Colombo R, Laube M, Fogagnolo A, Studhalter M, Wengenmayer T, Gamberini E, Buerkle C, Buehler P, Keiser S, Elhadi M, Montomoli J, Guerzi P, Fumeaux T, Schuepbach R, Jakob S, Que Y, Hilty M, RISC-19-ICU Investigators. Dynamics of disease characteristics and clinical management of critically ill COVID-19 patients over the time course of the pandemic: an analysis of the prospective, international, multicentre RISC-19-ICU registry. *Crit Care* 2022; 26:199.

Jeitziner M, Moser A, Wendel-Garcia P, Exl M, Keiser S, Schuepbach R, Pietsch U, Cereghetti S, Boroli F, Marrel J, Sigg A, Ksouri H, Schott P, Dullenkopf A, Fleisch I, Heise A, Laurent J, Jakob S, Hilty M, Que Y, RISC-19-ICU Investigators for Switzerland. Critical care staffing ratio and outcome of COVID-19 patients requiring intensive care unit admission during the first pandemic wave: a retrospective analysis across Switzerland from the RISC-19-ICU observational cohort. *Swiss Med Wkly* 2022; 152:w30183.

Hilty M, Keiser S, Wendel Garcia P, Moser A, Schuepbach R, RISC-19-ICU Investigators for Switzerland, Kleger G. mRNA-based SARS-CoV-2 vaccination is associated with reduced ICU admission rate and disease severity in critically ill COVID-19 patients treated in Switzerland. *Intensive Care Med* 2022

RISC-19-ICU Investigators, Selz D, Stephan M, Studhalter M, Redecker H, Hübner T, Marquardt K, Ceruti S, Baltussen Weber A, Perez M, Fleisch I, Marrel J, Bürkle C, Grazioli S, Cereghetti S, Pietsch U, Ristic A, Roche-Campo F, Hilty M, Schuepbach R, Guerzi P, Montomoli J, Fumeaux T, Heuberger D, Colak E, Haberthuer C, Gaspert T, Fodor P, Franchitti Laurent M, Meyer Zu Bentrup F, Heise A, Ksouri H, Dullenkopf A, Hillgaertner F, Potalivo A, Turrini F, Colombo R, Wu M, Kleger G, Fogagnolo A, Korsos A, Wengenmayer T, Tschoellitsch T, David S, Yuen B, Alfaro-Farias M, Buehler P, Aguirre-Bermeo H, Rezoagli E, Rodríguez-García R, Salomon P, Laube M, Jeitziner M, Wiegand J, Merki L, Siegemund M, Schott P, Gehring N, Michot M, Ensner R, Lozano-Gómez H, Martín-Delgado M, Lander-Azcona A, Castro P, Wendel Garcia P. Implications of early respiratory support strategies on disease progression in critical COVID-19: a matched subanalysis of the prospective RISC-19-ICU cohort. *Crit Care* 2021; 25:175.

Frebel H, Ludewig B, Kurrer M, Loffing-Cueni D, Wagner C, Vogel J, Richter K, Braunschweiler T, Schuepbach R, Nindl V, Oxenius A. Programmed death 1 protects from fatal circulatory failure during systemic virus infection of mice. *J Exp Med* 2012; 209:2485-99.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)