



**Stefan Rahm**

## **Kontakt**

Stefan Rahm

## **Bereiche**

Orthopädische Chirurgie und Traumatologie des Bewegungsapparates

## Publikationen (11)

Rahm S, Hoch A, Tondelli T, Fuchs J, Zingg P. Revision rate of THA in patients younger than 40 years depends on primary diagnosis – a retrospective analysis with a minimum follow-up of 10 years. *Eur J Orthop Surg Traumatol* 2021; 31:1335–1344.

Rahm S, Jud L, Jungwirth-Weinberger A, Tondelli T, Falkowski A, Sutter R, Zingg P. Mid-term results after pinning and hip arthroscopy for mild slipped capital femoral epiphysis: a minimum five-year follow-up. *J Child Orthop* 2020; 14:521–528.

Kiarostami P, Dennler C, Roner S, Sutter R, Fürnstahl P, Farshad M, Rahm S, Zingg P. Augmented reality-guided periacetabular osteotomy—proof of concept. *J Orthop Surg Res* 2020; 15:540.

Jud L, Vlachopoulos L, Häller T, Fuentese S, Rahm S, Zingg P. The impact of mal-angulated femoral rotational osteotomies on mechanical leg axis: a computer simulation model. *BMC Musculoskelet Disord* 2020; 21:50.

Rahm S, Ebneter L, Schultz B, Spross C, Külling F, Erhardt J. Comparison of interfragmentary compression in conventional and locked plating of proximal unicondylar tibia fractures : A biomechanical cadaver study. *Acta Orthop Belg* 2016; 82:586–592.

Spross C, Jost B, Rahm S, Winklhofer S, Erhardt J, Benninger E. How many radiographs are needed to detect angular stable head screw cut outs of the proximal humerus – A cadaver study. *Injury* 2014; 45:1557–63.

Gerber C, Rahm S, Catanzaro S, Farshad M, Moor B. Latissimus Dorsi Tendon Transfer for Treatment of Irreparable Posterosuperior Rotator Cuff Tears: Long-Term Results at a Minimum Follow-up of Ten Years. *J Bone Joint Surg Am* 2013; 95:1920–6.

Rahm S, Wieser K, Spross C, Vich M, Gerber C, Meyer D. Standard axillary radiographs of the shoulder may mimic posterior subluxation of the lateral end of the clavicle. *J Orthop Trauma* 2013; 27:622–6.

Meyer D, Rahm S, Farshad M, Lajtai G, Wieser K. Deltoid muscle shape analysis with magnetic resonance imaging in patients with chronic rotator cuff tears. *BMC Musculoskelet Disord* 2013; 14:247.

Rahm S, Spross C, Gerber F, Farshad M, Buck F, Espinosa N. Operative treatment of chronic irreparable achilles tendon ruptures with large flexor hallucis longus tendon transfers. *Foot Ankle Int* 2013; 34:1100–10.

Wieser K, Rahm S, Farshad M, Ek E, Gerber C, Meyer D. Stitch positioning influences the suture hold in supraspinatus tendon repair. *Knee Surg Sports Traumatol Arthrosc* 2012; 21:1587–92.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)