



**Khalil Zaman**

**Kontakt**

Khalil Zaman

## Publikationen (8)

Jörger M, Metaxas Y, Zaman K, Michielin O, Mach N, Bettini A, Schmitt A, Cantoni N, Caspar C, Stettler S, Malval R, Pless M, Britschgi C, Renner C, Koeberle D, Schulz J, Kopp C, Hayoz S, Stathis A, von Moos R, Swiss Group for Clinical Cancer Research (SAKK). Outcome and Prognostic Factors of COVID-19 Infection in Swiss Cancer Patients: Final Results of SAKK 80/20 (CaSA). *Cancers (Basel)* 2022; 14

Schmid S, Zaman K, Weder P, von Moos R, Thürlimann B, Rochlitz C, Pestalozzi B, Pagani O, Oehlschlegel C, Nolè F, Munzone E, Mamot C, Goldhirsch A, Aebi S, Klingbiel D, Ruhstaller T. Long-term responders to trastuzumab monotherapy in first-line HER-2+ advanced breast cancer: characteristics and survival data. *BMC cancer* 2019; 19:902.

Ruhstaller T, Simoncini E, Gianni L, Rochlitz C, Kralidis E, Zaman K, Jassem J, Piccart-Gebhart M, Di Leo A, Gelber R, Coates A, Goldhirsch A, Thürlimann B, Regan M, Veyret C, Del Mastro L, Giobbie-Hurder A, Colleoni M, Jensen M, Ejlertsen B, de Azambuja E, Neven P, Láng I, Jakobsen E, Gladieff L, Bonnefoi H, Harvey V, Spazzapan S, Tondini C, members of the BIG 1-98 Collaborative Group and the International Breast Cancer Study Group. Adjuvant Letrozole and Tamoxifen Alone or Sequentially for Postmenopausal Women With Hormone Receptor-Positive Breast Cancer: Long-Term Follow-Up of the BIG 1-98 Trial. *J Clin Oncol* 2018;JCO1800440.

Rochlitz C, Rordorf T, Rauch D, Müller A, Ruhstaller T, Vetter M, Trojan A, Hasler-Strub U, Cathomas R, Winterhalder R, Borner M, Bärtschi D, Bigler M, von Moos R, Bernhard J, Matter-Walstra K, Wicki A, Zaman K, Anchisi S, Küng M, Na K. SAKK 24/09: safety and tolerability of bevacizumab plus paclitaxel vs. bevacizumab plus metronomic cyclophosphamide and capecitabine as first-line therapy in patients with HER2-negative advanced stage breast cancer - a multicenter, randomized phase III trial. *BMC cancer* 2016; 16:780.

Zaman K, Rondeau S, Hawle H, Rudolf C, Perey L, Wiliders H, Berset C, Mueller A, Rochlitz C, Hasler-Strub U, Mamot C, Winterhalder R, Neven P. Fulvestrant with or without selumetinib, a MEK 1/2 inhibitor, in breast cancer progressing after aromatase inhibitor therapy: a multicentre randomised placebo-controlled double-blind phase II trial, SAKK 21/08. *Eur J Cancer* 2015; 51:1212-20.

Templeton A, Ruhstaller T, Thürlimann B, Zaman K, von Moos R, Rochlitz C, Winterhalder R, von Rohr L, Müller A, Winkler A, Borner M, Dietrich D, Beyeler M, Hsu Schmitz S, Sun H, Surber C, Ribl K, Swiss Group for Clinical Cancer Research (SAKK) Coordinating Center. Prevention of palmar-plantar erythrodysesthesia with an antiperspirant in breast cancer patients treated with pegylated liposomal doxorubicin (SAKK 92/08). *Breast* 2014; 23:244-9.

Decensi A, Coates A, Goldhirsch A, Gelber R, Price K, Johansson H, Zaman K, Schönenberger A, Debled M, Campone M, Monnier A, Tondini C, McIntosh C, Thürlimann B, Guerrieri-Gonzaga A, Sun Z, Aebi S. Bone mineral density and circulating biomarkers in the BIG 1-98 trial comparing adjuvant letrozole, tamoxifen and their sequences. *Breast Cancer Res Treat* 2014; 144:321-9.

Zaman K, Thürlimann B, Aebi S. Optimal sequence of tamoxifen and aromatase inhibitors to prevent bone loss. *J Clin Oncol* 2013; 31:3440-1.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)