



Jim Young

Kontakt

Jim Young

Publikationen (14)

Young J, Bucher H, Günthard H, Vernazza P, Hachfeld A, Cavassini M, Bernasconi E, Tarr P, Calmy A, Scherrer A, Swiss HIV Cohort Study. The comparative effectiveness of NRTI-sparing dual regimens in emulated trials using observational data from the Swiss HIV Cohort Study. *Antivir Ther (Lond)* 2019

Shilaih M, Kouyos R, Günthard H, Thurnheer M, Bernasconi E, Hoffmann M, Battegay M, Darling K, Calmy A, Young J, Kovari H, Scherrer A, Braun D, Marzel A. Factors associated with syphilis incidence in the HIV-infected in the era of highly active antiretrovirals. *Medicine (Baltimore)* 2017; 96:e5849.

Young J, Bucher H, Günthard H, Battegay M, Cavassini M, Schmid P, Staehelin C, Bernasconi E, Calmy A, Rickenbach M, Swiss HIV Cohort Study. Transient detectable viremia and the risk of viral rebound in patients from the Swiss HIV Cohort Study. *BMC Infect Dis* 2015; 15:382.

Young J, Bucher H, Weber R, Cusini A, Cavassini M, Calmy A, Schmid P, Bernasconi E, Klein M, Abrahamowicz M, Moodie E, Xiao Y, Swiss HIV Cohort Study. Effect of Cumulating Exposure to Abacavir on the Risk of Cardiovascular Disease Events in Patients From the Swiss HIV Cohort Study. *J Acquir Immune Defic Syndr* 2015; 69:413-21.

Wang Q, Battegay M, Bucher H, Fehr J, Furrer H, Cavassini M, Calmy A, Vernazza P, Bernasconi E, Young J, Swiss HIV Cohort Study. Virologic and immunologic responses in treatment-naïve patients to ritonavir-boosted atazanavir or efavirenz with a common backbone. *HIV Clin Trials* 2014; 15:92-103.

Wang Q, Fux C, Bucher H, Stoeckle M, Furrer H, Weber R, Hirschel B, Vernazza P, Cavassini M, Bernasconi E, Young J, Swiss HIV Cohort Study. The prevalence of erectile dysfunction and its association with antiretroviral therapy in HIV-infected men: the Swiss HIV Cohort Study. *Antivir Ther (Lond)* 2012; 18:337-44.

Young J, Bucher H, Battegay M, Weber R, Cavassini M, Calmy A, Vernazza P, Bernasconi E, Furrer H, Fux C, Schäfer J, the Swiss HIV Cohort Study. Renal function in patients with HIV starting therapy with tenofovir and either efavirenz, lopinavir or atazanavir. *AIDS* 2012; 26:567-575.

Bucher H, Battegay M, Weber R, Vernazza P, Schiffer V, Fux C, Cavassini M, Bernasconi E, Vallet Y, Glass T, Young J, Rickenbach M, the Swiss HIV Cohort Study. Randomized trial of a computerized coronary heart disease risk assessment tool in HIV-infected patients receiving combination antiretroviral therapy. *Antivir Ther* 2010; 15:31-40.

Young J, Bucher H, Battegay M, Vernazza P, Tarr P, Hirschel B, Furrer H, Rickenbach M, Bernasconi E, Glass T, Swiss HIV Cohort Study. Hierarchical modeling gave plausible estimates of associations between metabolic syndrome and components of antiretroviral therapy. *Journal of clinical epidemiology* 2009; 62:632-41.

Young J, Battegay M, Bernasconi E, Vernazza P, Cavassini M, Hirschel B, Fux C, Rickenbach M, Guenthard H, Bucher H, Swiss HIV Cohort Study. Virological and immunological responses to efavirenz or boosted lopinavir as first-line therapy for patients with HIV. *Antiviral therapy* 2009; 14:771-9.

Young J, Battegay M, Vernazza P, Tarr P, Hirschel B, Bernasconi E, Furrer H, Weber R, Rickenbach M, Bucher H. Body fat changes among antiretroviral-naïve patients on PI- and NNRTI-based HAART in the Swiss HIV cohort study. *Antiviral therapy* 2005; 10:73-81.

Young J, Battegay M, Vernazza P, Tarr P, Hirschel B, Bernasconi E, Furrer H, Rickenbach M, Weber R, Bucher H. Lipid profiles for antiretroviral-naïve patients starting PI- and NNRTI-based therapy in the Swiss HIV cohort study. *Antiviral therapy* 2005; 10:585-91.

Glass T, Bucher H, Battegay M, Hirschel B, Cavassini M, Weber R, Rickenbach M, Vernazza P, Young J, Swiss HIV Cohort Study. Is unsafe sexual behaviour increasing among HIV-infected individuals?. AIDS (London, England) 2004; 18:1707-14.

Young J, Bucher H, Battegay M, Vernazza P, Telenti A, Hirschel B, Bernasconi E, Furrer H, Rickenbach M, Flepp M, Spirig R, De Geest S, Swiss HIV Cohort Study Group. Stable partnership and progression to AIDS or death in HIV infected patients receiving highly active antiretroviral therapy: Swiss HIV cohort study. BMJ (Clinical research ed.) 2004; 328:15.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch