



Thomas Egger

Kontakt

Thomas Egger
Switzerland

T +41 71 494 3128

Bereiche

Infektiologie | Infektionsprävention | Reisemedizin

Publikationen (7)

Kohler P, Babouee Flury B, Güsewell S, Egger T, Leal-Neto O, Brucher A, Lemmenmeier E, Meier Kleeb D, Möller J, Ortner M, Rieder P, Ruetti M, Schmid H, Stocker R, Vuichard-Gysin D, Speer O, Wiggli B, Besold U, McGeer A, Risch L, Friedl A, Schlegel M, Vernazza P, Kahlert C, Kuster S, SURPRISE Study Group. Clinical symptoms of SARS-CoV-2 breakthrough infection during the Omicron period in relation to baseline immune status and booster vaccination-A prospective multicentre cohort of health professionals (SURPRISE study). *Influenza Other Respir Viruses* 2023; 17:e13167.

Babouee Flury B, Güsewell S, Egger T, Leal O, Brucher A, Lemmenmeier E, Meier Kleeb D, Möller J, Rieder P, Rütli M, Schmid H, Stocker R, Vuichard-Gysin D, Wiggli B, Besold U, McGeer A, Risch L, Friedl A, Schlegel M, Kuster S, Kahlert C, Kohler P, SURPRISE Study Group. Risk and symptoms of COVID-19 in health professionals according to baseline immune status and booster vaccination during the Delta and Omicron waves in Switzerland-A multicentre cohort study. *PLoS Med* 2022; 19:e1004125.

Strahm C, Seneghini M, Güsewell S, Egger T, Leal-Neto O, Brucher A, Lemmenmeier E, Meier Kleeb D, Möller J, Rieder P, Ruetti M, Rutz R, Schmid H, Stocker R, Vuichard-Gysin D, Wiggli B, Besold U, Kuster S, McGeer A, Risch L, Friedl A, Schlegel M, Schmid D, Vernazza P, Kahlert C, Kohler P. Symptoms Compatible With Long Coronavirus Disease (COVID) in Healthcare Workers With and Without Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection-Results of a Prospective Multicenter Cohort. *Clin Infect Dis* 2022; 75:e1011-e1019-9.

Haller S, Vuichard-Gysin D, Wiggli B, Besold U, Kuster S, McGeer A, Risch L, Schlegel M, Friedl A, Vernazza P, Kahlert C, Stocker R, Rütli M, Güsewell S, Egger T, Scanferla G, Thoma R, Leal-Neto O, Flury D, Brucher A, Lemmenmeier E, Möller J, Rieder P, Kohler P. Impact of respirator versus surgical masks on SARS-CoV-2 acquisition in healthcare workers: a prospective multicentre cohort. *Antimicrob Resist Infect Control* 2022; 11:27.

Leal-Neto O, Kahlert C, Vernazza P, Kuster S, Babouee Flury B, Albrich W, Sumer J, Flury D, Schlegel M, Egger T, Kohler P. Digital SARS-CoV-2 Detection Among Hospital Employees: Participatory Surveillance Study. *JMIR Public Health Surveill* 2021; 7:e33576.

Kohler P, Wiggli B, Besold U, Kuster S, McGeer A, Risch L, Friedl A, Schlegel M, Vernazza P, Vuichard-Gysin D, Stocker R, Ruetti M, Güsewell S, Seneghini M, Egger T, Leal O, Brucher A, Lemmenmeier E, Möller J, Rieder P, Kahlert C. Impact of baseline SARS-CoV-2 antibody status on syndromic surveillance and the risk of subsequent COVID-19-a prospective multicenter cohort study. *BMC Med* 2021; 19:270.

Kahlert C, Albrich W, Babouee Flury B, Besold U, Fehr J, Kuster S, McGeer A, Risch L, Schlegel M, Friedl A, Vernazza P, Wiggli B, Vuichard-Gysin D, Stocker R, Persi R, Güsewell S, Egger T, Leal-Neto O, Sumer J, Flury D, Brucher A, Lemmenmeier E, Möller J, Rieder P, Kohler P. Non-occupational and occupational factors associated with specific SARS-CoV-2 antibodies among hospital workers - A multicentre cross-sectional study. *Clin Microbiol Infect* 2021; 27:1336-1344.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch