



Christian F Singer

Kontakt

Christian F Singer

Publikationen (3)

Tausch C, Däster K, Hayoz S, Matrai Z, Fitzal F, Henke G, Zwahlen D, Gruber G, Zimmermann F, Andreozzi M, Goldschmidt M, Schulz C, Maggi N, Saccilotto R, Heidinger M, Müller A, Tampaki E, Bjelic-Radisic V, Sávolt Á, Smanyakó V, Hagen D, Müller D, Gnant M, Loibl S, Markellou P, Bekes I, Egle D, Ruhstaller T, Muenst S, Kümmel S, Vrieling C, Satler R, Becciolini C, Bucher S, Kurzeder C, Simonson C, Fehr P, Gabriel N, Maráz R, Sarlos D, Dedes K, Leo C, Berclaz G, Fansa H, Hager C, Reisenberger K, Singer C, Montagna G, Reitsamer R, Winkler J, Lam G, Fehr M, Naydina T, Kohlik M, Clerc K, Ostapenko V, Lelièvre L, Heil J, Knauer M, Weber W. Trends in use of neoadjuvant systemic therapy in patients with clinically node-positive breast cancer in Europe: prospective TAXIS study (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). *Breast Cancer Res Treat* 2023; 201:215-225.

Knauer M, Winkler J, Reinisch M, Reitsamer R, Singer C, Reisenberger K, Hager C, Fansa H, Exner R, Dubsky P, Berclaz G, Leo C, Lam G, Fehr M, Naydina T, Heil J, Egle D, Lelièvre L, Markellou P, Schulz A, Maggi N, Nussbaumer R, Fitzal F, Ostapenko V, Clerc K, Kohlik M, Dedes K, Sarlos D, Muenst S, Ruhstaller T, Maddox C, Seiler S, Zimmermann F, Gruber G, Zwahlen D, Henke G, Tausch C, Hayoz S, Matrai Z, Ackerknecht M, Kuemmel S, Bjelic-Radisic V, Maráz R, Gabriel N, Fehr P, Simonson C, Bucher S, Becciolini C, Meyer I, Satler R, Vrieling C, Újhelyi M, Kurzeder C, Weber W. Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). *Breast* 2021; 60:98-110.

Filipits M, Bauernhofer T, Hubalek M, Knauer M, Trapl H, Fesl C, Schaper C, Ferree S, Liu S, Cowens J, Gnant M, Dubsky P, Mlineritsch B, Singer C, Nielsen T, Rudas M, Greil R, Stöger H, Jakesz R, Bago-Horvath Z, Dietze O, Regitnig P, Gruber-Rossipal C, Müller-Holzner E, Austrian Breast and Colorectal Cancer Study Group. The PAM50 risk-of-recurrence score predicts risk for late distant recurrence after endocrine therapy in postmenopausal women with endocrine-responsive early breast cancer. *Clin Cancer Res* 2014; 20:1298-305.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch