



Stefan Schreiber

Kontakt

Stefan Schreiber

Publikationen (13)

Danese S, Colombel J, Lukas M, Gisbert J, D'Haens G, Hayee B, Panaccione R, Kim H, Reinisch W, Tyrrell H, Oh Y, Tole S, Chai A, Chamberlain-James K, Tang M, Schreiber S, GARDENIA Study Group. Etrolizumab versus infliximab for the treatment of moderately to severely active ulcerative colitis (GARDENIA): a randomised, double-blind, double-dummy, phase 3 study. *Lancet Gastroenterol Hepatol* 2021; 7:118-127.

Flachsbart F, Brand S, Peters A, Strauch K, Müller-Nurasyid M, Hoffmann P, Nöthen M, Lieb W, Franke A, Schreiber S, Büning C, Galan P, Derbois C, Ellinghaus D, Gentschew L, Heinsen F, Caliebe A, Christiansen L, Nygaard M, Christensen K, Blanché H, Deleuze J, Nebel A. Immunochip analysis identifies association of the RAD50/IL13 region with human longevity. *Aging Cell* 2016; 15:585-8.

Fischer A, Nöthen M, Herms S, Gieger C, Strauch K, Winkelmann J, Boehm B, Brand S, Büning C, Schürmann M, Ellinghaus E, Baurecht H, Lieb W, Nebel A, Müller-Quernheim J, Franke A, Schreiber S, Homolka J, Sterclova M, Ellinghaus D, Nutsua M, Hofmann S, Montgomery C, Iannuzzi M, Rybicki B, Petrek M, Mrazek F, Pabst S, Grohé C, Grunewald J, Ronninger M, Eklund A, Padyukov L, Mihailovic-Vucinic V, Jovanovic D. Identification of Immune-Relevant Factors Conferring Sarcoidosis Genetic Risk. *Am J Respir Crit Care Med* 2015; 192:727-36.

Li J, Gieger C, Nöthen M, Büning C, Brand S, Sullivan K, Orange J, Fevang B, Schreiber S, Lieb W, Aukrust P, Chapel H, Cunningham-Rundles C, Franke A, Karlsen T, Grimbacher B, Hakonarson H, Hammarström L, Winkelmann J, Nair R, Elder J, Jørgensen S, Maggadottir S, Bakay M, Warnatz K, Glessner J, Pandey R, Salzer U, Schmidt R, Perez E, Resnick E, Goldacker S, Buchta M, Witte T, Padyukov L, Videm V, Folseraas T, Atschekzei F, Ellinghaus E. Association of CLEC16A with human common variable immunodeficiency disorder and role in murine B cells. *Nat Commun* 2015; 6:6804.

Baurecht H, Mrowietz U, Nair R, Nöthen M, Novak N, O'Regan G, Schreiber S, Smith C, Strauch K, Stuart P, Trembath R, Tsoi L, Weichenthal M, Barker J, Elder J, Weidinger S, Cordell H, Morris D, McLean W, Marenholz I, Hotze M, Brand S, Büning C, Cormican P, Corvin A, Ellinghaus D, Ellinghaus E, Esparza-Gordillo J, Fölster-Holst R, Franke A, Gieger C, Hübner N, Illig T, Irvine A, Kabesch M, Lee Y, Lieb W, Brown S. Genome-wide comparative analysis of atopic dermatitis and psoriasis gives insight into opposing genetic mechanisms. *Am J Hum Genet* 2015; 96:104-20.

Golcher H, Fietkau R, Merkel S, Meyer T, Grabenbauer G, Schreiber S, Jungnickel H, Bruns C, Bechstein W, Marti L, Witzigmann H, Brunner T, Hohenberger W. Neoadjuvant chemoradiation therapy with gemcitabine/cisplatin and surgery versus immediate surgery in resectable pancreatic cancer: results of the first prospective randomized phase II trial. *Strahlenther Onkol* 2014; 191:7-16.

Olszak T, Nakajima A, Mizuguchi H, Kawasaki K, Nagata K, Müller W, Snapper S, Schreiber S, Kaser A, Zeissig S, Katayama K, Wada K, Neves J, Dowds C, Baker K, Glickman J, Davidson N, Lin C, Jobin C, Brand S, Sotlar K, Blumberg R. Protective mucosal immunity mediated by epithelial CD1d and IL-10. *Nature* 2014; 509:497-502.

Weidinger S, Duerr R, Boehm B, Illig T, Winkelmann J, Fölster-Holst R, Nöthen M, Hoffmann P, Zhang X, Yang S, Zuo X, Büning C, Brand S, Franke A, Lee Y, Schreiber S, Irvine A, McLean W, Brown S, Kabesch M, Fahy C, McAleer M, Glas J, Sun L, Elder J, Stuart P, Maintz L, Michel S, Novak N, Schaarschmidt H, Hübner N, Marenholz I, Matanovic A, Rodríguez E, Esparza-Gordillo J, Baurecht H, Werfel T, Meyer-Hoffert U, Tsoi L, Nakamura Y, Takahashi A, Kubo M, Tamari M, Hirota T, Herder C, Heim K, Prokisch H, Hotze M, Ellinghaus D. High-density genotyping study identifies four new susceptibility loci for atopic dermatitis. *Nat Genet* 2013; 45:808-12.

Franke A, Büning C, Duerr R, Nöthen M, Wang J, Vatn M, Mathew C, Sanderson J, Rutgeerts P, Vermeire S, McArdle W, Strachan D, Wijmenga C, Sans M, Brand S, Glas J, Parkes M, Schreiber S, Rosenstiel P, Subramani S, Karlsen T, Nothnagel M, Daly M, D'Amato M, Halfvarson J, Annese V, Latiano A, Illig T, Winkelmann J, Ponsioen C, Weersma R, Nikolaus S, Liu X, Doncheva N, Skieceviciene J, Rivas M, Keller A, Ellinghaus E, Bromberg Y, Stade B, Jiang T, Till A, Lipinski S, Zeissig S, Zhang H, Liu Q, Jiang F, Krawczak M, Kayser M, Kupcinkas L, Vogel U, Andersen V, Lee J, Berzuini C, Goodall J, Boehm B, Häsler R, Albrecht M, Mayr G, Forster M, Ellinghaus D. Association between variants of PRDM1 and NDP52 and Crohn's disease, based on exome sequencing and functional studies. *Gastroenterology* 2013; 145:339–47.

Thomsen I, Vatn M, Silverberg M, Duerr R, Padyukov L, Brand S, Sans M, Annese V, Achkar J, Melum E, Durie P, Sandford R, Mayr G, König I, Hveem K, Cleynen I, Gutierrez-Achury J, Ricaño-Ponce I, van Heel D, Björnsson E, Boberg K, Marschall H, Schreiber S, Manns M, Färkkilä M, Dale A, Chapman R, Lazaridis K, Franke A, Anderson C, Cho J, Bergquist A, Alexander G, Chazouillères O, Bowlus C, Wijmenga C, Schrupf E, Vermeire S, Albrecht M, Rioux J, Karlsen T, Næss S, Liu J, Gotthardt D, Pares A, Ellinghaus D, Shah T, Juran B, Milkiewicz P, Rust C, Schramm C, Hirschfield G, Invernizzi P, Eksteen B, Hov J, Folseraas T, Ellinghaus E, Rushbrook S, Doncheva N, Andreassen O, Weersma R, Weismüller T, Müller T, Srivastava B, Saarela J, Leppä V, Dorfman R, Alvaro D, Floreani A, Onengut-Gumuscu S, Rich S, Thompson W, Mason A, Teufel A, Sterneck M, Dalekos G, Nöthen M, Herms S, Winkelmann J, Mitrovic M, Braun F, Ponsioen C, Croucher P, Schork A. Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. *Nat Genet* 2013; 45:670–5.

Kupcinkas L, Potocnik U, Prescott N, Regueiro M, Rotter J, Russell R, Sanderson J, Sans M, Satsangi J, Schreiber S, Simms L, Sventoraityte J, Ponsioen C, Palmieri O, Kugathasan S, Latiano A, Laukens D, Lawrance I, Lees C, Louis E, Mahy G, Mansfield J, Morgan A, Mowat C, Newman W, Targan S, Taylor K, Tremelling M, Hakonarson H, Brant S, Radford-Smith G, Mathew C, Rioux J, Schadt E, Daly M, Franke A, Parkes M, Vermeire S, Barrett J, Annese V, Silverberg M, Verspaget H, De Vos M, Wijmenga C, Wilson D, Winkelmann J, Xavier R, Zeissig S, Zhang B, Zhang C, Zhao H, Cho J, Karlsen T, Jostins L, Theatre E, Spain S, Raychaudhuri S, Goyette P, Wei Z, Abraham C, Achkar J, Ahmad T, Amininejad L, Ananthkrishnan A, Andersen V, Cleynen I, Ning K, Ripke S, Weersma R, Duerr R, McGovern D, Hui K, Lee J, Schumm L, Sharma Y, Anderson C, Essers J, Mitrovic M, Andrews J, Baidoo L, Balschun T, Ferguson L, Franchimont D, Fransen K, Geary R, Georges M, Gieger C, Glas J, Haritunians T, Hart A, Hawkey C, Hedl M, Ellinghaus D, Edwards C, Bampton P, Bitton A, Boucher G, Brand S, Büning C, Cohain A, Cichon S, D'Amato M, De Jong D, Devaney K, Dubinsky M, Hu X. Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature* 2012; 491:119–24.

Phillips A, van den Berg L, Vatn M, Verspaget H, Walters T, Wijmenga C, Wilson D, Westra H, Xavier R, Zhao Z, Ponsioen C, Andersen V, Torkvist L, Targan S, Steinhart A, Prescott N, Proctor D, Roberts R, Russell R, Rutgeerts P, Sanderson J, Sans M, Schumm P, Seibold F, Sharma Y, Simms L, Seielstad M, Gazouli M, Anagnou N, Satsangi J, Cho J, Schreiber S, Daly M, Barrett J, Parkes M, Annese V, Hakonarson H, Radford-Smith G, Duerr R, Vermeire S, Weersma R, Chamailard M, Brant S, Karlsen T, Kupcinkas L, Sventoraityte J, Mansfield J, Kugathasan S, Silverberg M, Halfvarson J, Rotter J, Mathew C, Griffiths A, Geary R, Ahmad T, Rioux J, Panés J, Anderson C, Baldassano R, Barclay M, Bayless T, Brand S, Büning C, Colombel J, Denson L, De Vos M, Dubinsky M, Edwards C, Ellinghaus D, Fehrmann R, Baidoo L, Bumpstead S, Boucher G, Lees C, Franke A, D'Amato M, Taylor K, Lee J, Goyette P, Imielinski M, Latiano A, Lagacé C, Scott R, Amininejad L, Floyd J, Florin T, Libioulle C, Louis E, McGovern D, Milla M, Montgomery G, Morley K, Mowat C, Ng A, Newman W, Ophoff R, Papi L, Palmieri O, Levine A, Lemann M, Franchimont D, Franke L, Georges M, Glas J, Glazer N, Guthery S, Haritunians T, Hayward N, Hugot J, Jobin G, Laukens D, Lawrance I, Peyrin-Biroulet L. Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nat Genet* 2011; 43:246–52.

Glas J, Mowat C, Newman W, Panés J, Phillips A, Proctor D, Regueiro M, Russell R, Rutgeerts P, Sanderson J, Sans M, Louis E, Libioulle C, Van Gossom A, Guthery S, Halfvarson J, Verspaget H, Hugot J, Karban A, Laukens D, Lawrance I, Lemann M, Levine A, Seibold F, Steinhart A, Mansfield J, Vermeire S, Duerr R, Silverberg M, Satsangi J, Schreiber S, Cho J, Annese V, Hakonarson H, Daly M, Griffiths A, Kugathasan S, Stokkers P, Torkvist L, Kullak-Ublick G, Wilson D, Walters T, Targan S, Brant S, Rioux J, D'Amato M, Weersma R, Parkes M, Franke A, Ellinghaus D, Festen E, Georges M, Green T, Haritunians T, Jostins L, Latiano A, Mathew C, Montgomery G, Prescott N, Bumpstead S, Bis J, McGovern D, Barrett J, Wang K, Radford-Smith G, Ahmad T, Lees C, Balschun T, Lee J, Roberts R, Anderson C, Raychaudhuri S, Rotter J, Colombel J, Cottone M, Stronati L, Denson T, De Vos M, D'Inca R, Dubinsky M, Edwards C, Florin T, Franchimont D, Cohen A, Büning C, Schumm P, Sharma Y, Simms L, Taylor K, Whiteman D, Wijmenga C, Baldassano R, Barclay M, Bayless T, Brand S, Geary R. Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. *Nat Genet* 2010; 42:1118–25.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch