



Gerhard Schroth

Kontakt

Gerhard Schroth

Publikationen (12)

Wiest R, Abela E, Missimer J, Schroth G, Hess C, Sturzenegger M, Wang D, Weder B, Federspiel A. Interhemispheric cerebral blood flow balance during recovery of motor hand function after ischemic stroke--a longitudinal MRI study using arterial spin labeling perfusion. *PLoS one* 2014; 9:e106327.

Mono M, Karameshev A, Slotboom J, Remonda L, Galimanis A, Jung S, Findling O, De Marchis G, Luedi R, Kiefer C, Stucker C, Mattle H, Schroth G, Arnold M, Nedeltchev K, El-Koussy M. Plaque characteristics of asymptomatic carotid stenosis and risk of stroke. *Cerebrovasc Dis* 2012; 34:343-50.

Arnold M, Mattle S, Galimanis A, Kappeler L, Fischer U, Jung S, De Marchis G, Gralla J, Mono M, Brekenfeld C, Meier N, Nedeltchev K, Schroth G, Mattle H. Impact of admission glucose and diabetes on recanalization and outcome after intra-arterial thrombolysis for ischaemic stroke. *Int J Stroke* 2012; 9:985-91.

Galimanis A, Jung S, Mono M, Fischer U, Findling O, Weck A, Meier N, De Marchis G, Brekenfeld C, El-Koussy M, Mattle H, Arnold M, Schroth G, Gralla J. Endovascular therapy of 623 patients with anterior circulation stroke. *Stroke* 2012; 43:1052-7.

Jung S, Mono M, Findling O, Fischer U, Galimanis A, Weck A, De Marchis G, Ballinari P, Gralla J, Brekenfeld C, Schroth G, Arnold M, Mattle H, El-Koussy M. White matter lesions and intra-arterial thrombolysis. *J Neurol* 2012; 259:1331-6.

Karameshev A, Arnold M, Schroth G, Kappeler L, Stein P, Gralla J, Brekenfeld C, Findling O, Mono M, De Marchis G, Fischer U, Mattle H, Nedeltchev K, El-Koussy M. Diffusion-weighted MRI helps predict outcome in basilar artery occlusion patients treated with intra-arterial thrombolysis. *Cerebrovasc Dis* 2011; 32:393-400.

De Marchis G, Jung S, Colucci G, Meier N, Fischer U, Weck A, Mono M, Galimanis A, Mattle H, Schroth G, Gralla J, Arnold M, Brekenfeld C. Intracranial hemorrhage, outcome, and mortality after intra-arterial therapy for acute ischemic stroke in patients under oral anticoagulants. *Stroke* 2011; 42:3061-6.

Meier N, Fischer U, Schroth G, Findling O, Brekenfeld C, El-Koussy M, De Marchis G, Mono M, Jung S, Gralla J, Nedeltchev K, Mattle H, Arnold M. Outcome after thrombolysis for acute isolated posterior cerebral artery occlusion. *Cerebrovasc Dis* 2011; 32:79-88.

Jung S, Mono M, Fischer U, Galimanis A, Findling O, De Marchis G, Weck A, Nedeltchev K, Colucci G, Mordasini P, Brekenfeld C, El-Koussy M, Gralla J, Schroth G, Mattle H, Arnold M. Three-month and long-term outcomes and their predictors in acute basilar artery occlusion treated with intra-arterial thrombolysis. *Stroke* 2011; 42:1946-51.

De Marchis G, Kohler A, Renz N, Arnold M, Mono M, Jung S, Fischer U, Karameshev A, Brekenfeld C, Gralla J, Schroth G, Mattle H, Nedeltchev K. Posterior versus anterior circulation strokes: comparison of clinical, radiological and outcome characteristics. *J Neurol Neurosurg Psychiatry* 2010; 82:33-7.

Fischer U, Baumgartner A, Arnold M, Nedeltchev K, Gralla J, De Marchis G, Kappeler L, Mono M, Brekenfeld C, Schroth G, Mattle H. What is a minor stroke?. *Stroke* 2010; 41:661-6.

Abela E, Hägele-Link S, Fretz C, Schroth G, Tettenborn B (2006). Spinal arteriovenous malformation as a differential diagnosis of inflammatory CNS disease.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch