



**Werner Kempf**

**Kontakt**

Werner Kempf

## Publikationen (13)

Kolios A, French L, Navarini A, Kempf W, Anliker M, Kerl K, Guenova E, Hafner J, Nilsson J, Kündig T, Maul J, Meier B, Gübeli A, Cozzio A. Clinical Disease Patterns in a Regional Swiss Cohort of 34 Pyoderma Gangrenosum Patients. *Dermatology (Basel)* 2017

Amann V, Cozzio A, Dummer R, Pascolo S, Kempf W, Kerl K, Kamarashev J, Desislava I, Dreier J, Guenova E. Disseminated Primary Cutaneous CD8+ Small/Medium-sized Pleomorphic T-cell Lymphoma Responding to Hydroxychloroquine. *Acta Derm Venereol* 2015; 95:602-3.

Kempf W, Zollinger T, Sachs M, Ullmer E, Cathomas G, Dirnhofer S, Mertz K. Granulomas are a source of interleukin-33 expression in pulmonary and extrapulmonary sarcoidosis. *Hum Pathol* 2014; 45:2202-10.

Rozati S, Kempf W, Ostheeren-Michaelis S, Bode-Lesniewska B, Zimmermann D, Dummer R, Cozzio A. Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type, With Bilateral Intraocular Involvement and Infiltration to the CNS. *J Clin Oncol* 2014; 34:e93-6.

Kempf W, Kazakov D, Cozzio A, Kamarashev J, Kerl K, Plaza T, Metze D. Primary cutaneous CD8(+) small- to medium-sized lymphoproliferative disorder in extrafacial sites: clinicopathologic features and concept on their classification. *Am J Dermatopathol* 2013; 35:159-66.

Rozati S, Kerl K, Kempf W, Tinguely M, Zimmermann D, Dummer R, Cozzio A. Spindle-cell variant of primary cutaneous follicle center lymphoma spreading to the hepatobiliary tree, mimicking Klatskin tumor. *J Cutan Pathol* 2012; 40:56-60.

Kempf W, Denisjuk N, Kerl K, Cozzio A, Sander C. Primary cutaneous B-cell lymphomas. *J Dtsch Dermatol Ges* 2012; 10:12-22; quiz 23.

Kempf W, Horwitz S, Prince H, Guitart J, Estrach T, Sanches J, Duvic M, Ranki A, Dreno B, Ostheeren-Michaelis S, Knobler R, Wood G, Berti E, Cerroni L, Pfaltz K, Vermeer M, Cozzio A, Ortiz-Romero P, Bagot M, Olsen E, Kim Y, Dummer R, Pimpinelli N, Whittaker S, Hodak E, Willemze R. EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. *Blood* 2011; 118:4024-35.

Golling P, Cozzio A, Dummer R, French L, Kempf W. Primary cutaneous B-cell lymphomas - clinicopathological, prognostic and therapeutic characterisation of 54 cases according to the WHO-EORTC classification and the ISCL/EORTC TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sezary syndrome. *Leuk Lymphoma* 2008; 49:1094-103.

Burg G, Nestle F, Schärer L, Michaelis S, Golling P, Feit J, Döbbling U, Cozzio A, Kempf W, Dummer R. Cutaneous malignant lymphomas: update 2006. *J Dtsch Dermatol Ges* 2006; 4:914-33.

Cozzio A, Kempf W, Schmid-Meyer R, Gilliet M, Michaelis S, Schärer L, Burg G, Dummer R. Intra-lesional low-dose interferon alpha2a therapy for primary cutaneous marginal zone B-cell lymphoma. *Leuk Lymphoma* 2006; 47:865-9.

Burg G, Kurrer M, Knobler R, Meijer C, Pimpinelli N, Ralfkiaer E, Russell-Jones R, Sander C, Santucci M, Sterry W, Swerdlow S, Vermeer M, Wechsler J, Kerl H, Kazakov D, Kempf W, Cozzio A, Feit J, Willemze R, S Jaffe E, Dummer R, Berti E, Cerroni L, Chimenti S, Diaz-Perez J, Grange F, Harris N, Whittaker S. WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. *J Cutan Pathol* 2005; 32:647-74.

Cozzio A, Hafner J, Kempf W, Häffner A, Palmedo G, Michaelis S, Gilliet M, Zimmermann D, Burg G. Febrile ulceronecrotic Mucha-Habermann disease with clonality: a cutaneous T-cell lymphoma entity?. *J Am Acad Dermatol* 2004; 51:1014-7.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)