



R Malinverni

Kontakt

R Malinverni

Publikationen (10)

Goossens N, Semmo N, Mullhaupt B, Semela D, Malinvern R, Moradpour D, Heim M, Trincucci G, Rubbia-Brandt L, Negro F, Wedemeyer H, Adinolfi L, de Vito C, Mangia A, Clément S, Cenderello G, Barrera F, D'Ambrosio R, Coppola N, Zampino R, Stanzione M, BOSTIC Study Group. Effect of hepatitis B virus on steatosis in hepatitis C virus co-infected subjects: A multi-centre study and systematic review. *J Viral Hepat* 2018; 25:920-929.

Rüeger S, Halfon P, Bourlière M, Talal A, Jacobson I, Patin E, Nalpas B, Poynard T, Pol S, Abel L, Katalik Z, Argiro L, George J, Bochud P, Dufour J, Mullhaupt B, Semela D, Heim M, Moradpour D, Cerny A, Malinvern R, Booth D, Suppiah V, Negro F. Impact of common risk factors of fibrosis progression in chronic hepatitis C. *Gut* 2014

Overbeck K, Rickenbach M, Cerny A, Moradpur D, Heim M, Malinvern R, Borovicka J, Helbling B, Mullhaupt B, Dufour J, Negro F. Impact of international consensus guidelines on antiviral therapy of chronic hepatitis C patients in Switzerland. *Swiss Med Wkly* 2010

Helbling B, Mullhaupt B, Renner E, Rickenbach M, Bucher S, Negro F, Cerny A, Heim M, Borovicka J, Dufour J, Malinvern R, Gonvers J, Overbeck K, Swiss Hepatitis C Cohort Study. Host- rather than virus-related factors reduce health-related quality of life in hepatitis C virus infection. *Gut* 2008; 57:1597-603.

Battegay M, Hirschl B, Bedoucha V, Morgenthaler S, Jaccard C, Malinvern R, Erb P, Sendi P, Flepp M, Bernasconi E, Vernazza P, Swiss HIV Cohort Study. Combined therapy with saquinavir, ritonavir and stavudine in moderately to severely immunosuppressed HIV-infected protease inhibitor-naïve patients. *HIV medicine* 2001; 2:35-42.

Rutschmann O, Perrin L, Leduc D, Fagard C, Bernasconi E, Malinvern R, Telenti A, Ledergerber B, Opravil M, Bucher H, Vernazza P, Hirschl B. Long-term hydroxyurea in combination with didanosine and stavudine for the treatment of HIV-1 infection. *Swiss HIV Cohort Study. AIDS (London, England)* 2000; 14:2145-51.

Wendland T, Furrer H, Vernazza P, Frutig K, Christen A, Matter L, Malinvern R, Pichler W. HAART in HIV-infected patients: restoration of antigen-specific CD4 T-cell responses in vitro is correlated with CD4 memory T-cell reconstitution, whereas improvement in delayed type hypersensitivity is related to a decrease in viraemia. *AIDS (London, England)* 1999; 13:1857-62.

Furrer H, Flepp M, Rickenbach M, Vernazza P, Telenti A, Battegay M, Hirschl B, Bernasconi E, Opravil M, Egger M, Malinvern R. Discontinuation of primary prophylaxis against *Pneumocystis carinii* pneumonia in HIV-1-infected adults treated with combination antiretroviral therapy. *Swiss HIV Cohort Study. The New England journal of medicine* 1999; 340:1301-6.

Rutschmann O, Perrin L, Yerly S, Leduc D, Sudre P, Bernasconi E, Bucher H, Vernazza P, Malinvern R, Iten A, Opravil M, Hirschl B. A placebo-controlled trial of didanosine plus stavudine, with and without hydroxyurea, for HIV infection. *The Swiss HIV Cohort Study. AIDS (London, England)* 1998; 12:F71-7.

Rutschmann O, Yerly S, Perrin L, Bernasconi E, Bucher H, Vernazza P, Malinvern R, Iten A, Opravil M, Hirschl B. Didanosine plus stavudine with or without hydroxyurea in HIV-1-infected patients: 1 year follow-up. *Swiss HIV Cohort Study. Antiviral therapy* 1998; 3 Suppl 4:65-7.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch