



**Valeria Caso**

**Kontakt**

Valeria Caso

## Publikationen (14)

Chen C, Shoamanesh A, Colorado P, Saad F, Lemmens R, De Marchis G, Caso V, Xu L, Heenan L, Masjuan J, Christensen H, Connolly S, Khatri P, Mundi H, Hart R, Smith E. Hemorrhagic Transformation in Noncardioembolic Acute Ischemic Stroke: MRI Analysis From PACIFIC-STROKE. *Stroke* 2024

Smith E, Shoamanesh A, Xu L, Heenan L, Saad F, Colorado P, Chen C, Lemmens R, De Marchis G, Caso V, Masjuan J, Hirano T, Milanov I, Campbell B, Mas J, Connolly S, Mundi H, Hart R, Kägi G. Effect of the Factor Xla Inhibitor Asundexian According to Baseline Infarct Pattern and on MRI Covert Infarct Outcomes. *Stroke* 2024; 55:392-402.

Balali P, Hart R, Smith E, Saad F, Colorado P, Lemmens R, De Marchis G, Caso V, Xu L, Heenan L, Connolly S, Mundi H, Shoamanesh A. Cerebral Microbleeds and Asundexian in Non-cardioembolic Ischemic Stroke: Secondary Analyses of the PACIFIC-STROKE Randomized Trial. *Int J Stroke* 2023:17474930231216339.

Shoamanesh A, Mundi H, Smith E, Masjuan J, Milanov I, Hirano T, Agafina A, Campbell B, Caso V, Mas J, Dong Q, Turcani P, Christensen H, Ferro J, Veltkamp R, Mikulik R, De Marchis G, Robinson T, Lemmens R, Stepien A, Greisenegger S, Roine R, Csiba L, Khatri P, Coutinho J, Lindgren A, Demchuk A, Colorado P, Kirsch B, Neumann-Haefelin C, Heenan L, Xu L, Connolly S, Hart R, PACIFIC-Stroke Investigators. Factor Xla inhibition with asundexian after acute non-cardioembolic ischaemic stroke (PACIFIC-Stroke): an international, randomised, double-blind, placebo-controlled, phase 2b trial. *Lancet* 2022; 400:997-1007.

Paciaroni M, Caso V, Agnelli G, Mosconi M, Giustozzi M, Seiffge D, Engelter S, Lyrer P, Polymeris A, Kriemler L, Zietz A, Putaala J, Strbian D, Tomppo L, Michel P, Strambo D, Salerno A, Remillard S, Buehrer M, Bavaud O, Vanacker P, Zuurbier S, Yperzeele L, Loos C, Cappellari M, Emiliani A, Zedde M, Abdul-Rahim A, Dawson J, Cronshaw R, Schirinzi E, Del Sette M, Stretz C, Kala N, Reznik M, Schomer A, Grory B, Jayaraman M, McTaggart R, Yaghi S, Furie K, Masotti L, Grifoni E, Toni D, Risitano A, Falcou A, Petraglia L, Lotti E, Padroni M, Pavolucci L, Lochner P, Silvestrelli G, Ciccone A, Alberti A, Venti M, Traballi L, Urbini C, Kargiotis O, Rocco A, Diomedes M, Marcheselli S, Caliendo P, Zauli A, Reale G, Antonenko K, Rota E, Tassinari T, Saia V, Palmerini F, Aridon P, Arnao V, Monaco S, Cottone S, Baldi A, D'Amore C, Ageno W, Pegoraro S, Ntaios G, Saggis D, Giannopoulos S, Kosmidou M, Ntais E, Romoli M, Pantoni L, Rosa S, Bertora P, Chiti A, Canavero I, Saggese C, Plocco M, Giorli E, Palaodimou L, Bakola E, Tsvigoulis G, Bandini F, Gasparro A, Terruso V, Mannino M, Pezzini A, Ornello R, Sacco S, Popovic N, Scoditti U, Genovese A, Denti L, Flomin Y, Mancuso M, Ferrari E, Caselli M, Ulivi L, Giannini N, De Marchis G. Recurrent Ischemic Stroke and Bleeding in Patients With Atrial Fibrillation Who Suffered an Acute Stroke While on Treatment With Nonvitamin K Antagonist Oral Anticoagulants: The RENO-EXTEND Study. *Stroke* 2022; 53:2620-2627.

Polymeris A, Macha K, Paciaroni M, Wilson D, Koga M, Cappellari M, Schaedelin S, Zietz A, Peters N, Seiffge D, Hauptenthal D, Gassmann L, De Marchis G, Wang R, Gensicke H, Stoll S, Thilemann S, Avramiotis N, Bonetti B, Tsvigoulis G, Ambler G, Alberti A, Yoshimura S, Brown M, Shiozawa M, Lip G, Venti M, Acciarresi M, Tanaka K, Mosconi M, Takagi M, Jäger R, Muir K, Inoue M, Schwab S, Bonati L, Lyrer P, Toyoda K, Caso V, Werring D, Kallmünzer B, Engelter S, NOACISP-LONGTERM, Erlangen Registry, CROMIS-2, RAF, RAF-DOAC, SAMURAI-NVAF and Verona Registry Collaborators. Oral Anticoagulants in the Oldest Old with Recent Stroke and Atrial Fibrillation. *Ann Neurol* 2021; 91:78-88.

De Marchis G, Seiffge D, Schaedelin S, Wilson D, Caso V, Acciarresi M, Tsvigoulis G, Koga M, Yoshimura S, Toyoda K, Cappellari M, Bonetti B, Macha K, Kallmünzer B, Cereda C, Lyrer P, Bonati L, Paciaroni M, Engelter S, Werring D. Early versus late start of direct oral anticoagulants after acute ischaemic stroke linked to atrial fibrillation: an observational study and individual patient data pooled analysis. *J Neurol Neurosurg Psychiatry* 2021; 93:119-125.

Cappellari M, Seiffge D, Koga M, Paciaroni M, Forlivesi S, Turcato G, Bovi P, Yoshimura S, Tanaka K, Shiozawa M, Yoshimoto T, Miwa K, Takagi M, Inoue M, Yamagami H, Caso V, Tsvigoulis G, Venti M, Acciarresi M, Alberti A, Toni D, Polymeris A, Bonetti B, Agnelli G, Toyoda K, Engelter S, De Marchis G, SAMURAI-NVAF, RAF-NOAC, NOACISP LONG-TERM, and Verona Study Groups. A nomogram to predict unfavourable outcome in patients receiving oral anticoagulants for atrial fibrillation after stroke. *Eur Stroke J* 2020; 5:384-393.

Tsivgoulis G, Katsanos A, Seiffge D, Paciaroni M, Wilson D, Koga M, Macha K, Cappellari M, Kallmünzer B, Polymeris A, Toyoda K, Caso V, Werring D, Engelter S, De Marchis G, RAF, RAF-DOAC, CROMIS-2, SAMURAI, NOACISP, Erlangen, Verona registry collaborators. Fatal intracranial haemorrhage occurring after oral anticoagulant treatment initiation for secondary stroke prevention in patients with atrial fibrillation. *Eur J Neurol* 2020; 27:1612-1617.

Seiffge D, De Marchis G, Koga M, Paciaroni M, Wilson D, Cappellari M, Macha M, Tsivgoulis G, Ambler G, Arihiro S, Bonati L, Bonetti B, Kallmünzer B, Muir K, Bovi P, Gensicke H, Inoue M, Schwab S, Yaghi S, Brown M, Lyrer P, Takagi M, Acciarrese M, Jäger H, Polymeris A, Toyoda K, Venti M, Traenka C, Yamagami H, Alberti A, Yoshimura S, Caso V, Engelter S, Werring D, RAF, RAF-DOAC, CROMIS-2, SAMURAI, NOACISP, Erlangen, and Verona registry collaborators. Ischemic Stroke despite Oral Anticoagulant Therapy in Patients with Atrial Fibrillation. *Ann Neurol* 2020; 87:677-87.

Traenka C, Grond-Ginsbach C, Simonetti B, Metso T, Debette S, Pezzini A, Kloss M, Majersik J, Southerland A, Leys D, Baumgartner R, Caso V, Béjot Y, De Marchis G, Fischer U, Polymeris A, Sarikaya H, Thijs V, Worrall B, Bersano A, Brandt T, Gensicke H, Bonati L, Touzé E, Gilmartin J, Chabriat H, Tatlisumak T, Arnold M, Engelter S, Lyrer P, CADISP-Plus Study Group. Artery occlusion independently predicts unfavorable outcome in cervical artery dissection. *Neurology* 2019; 94:e170-e180.

Paciaroni M, Agnelli G, Caso V, Silvestrelli G, Seiffge D, Engelter S, De Marchis G, Polymeris A, Zedde M, Yaghi S, Michel P, Eskandari A, Antonenko K, Sohn S, Cappellari M, Tassinari T, Tassi R, Masotti L, Katsanos A, Giannopoulos S, Acciarresi M, Alberti A, Venti M, Mosconi M, Vedovati M, Pierini P, Giustozzi M, Lotti E, Ntaios G, Kargiotis O, Monaco S, Lochner P, Bandini F, Liantinioti C, Palaodimou L, Abdul-Rahim A, Lees K, Mancuso M, Pantoni L, Rosa S, Bertora P, Galliazzo S, Ageno W, Toso E, Angelini F, Chiti A, Orlandi G, Denti L, Flomin Y, Marcheselli S, Mumoli N, Rimoldi A, Verrengia E, Schirrinzi E, Del Sette M, Papamichalis P, Komnos A, Popovic N, Zarkov M, Rocco A, Diomedei M, Giorli E, Ciccone A, Mac Grory B, Furie K, Bonetti B, Saia V, Guideri F, Acampa M, Martini G, Grifoni E, Padroni M, Karagkiozi E, Perlepe K, Makaritsis K, Mannino M, Maccarrone M, Ulivi L, Giannini N, Ferrari E, Pezzini A, Doronin B, Volodina V, Baldi A, D'Amore C, Deleu D, Corea F, Putaala J, Santalucia P, Nardi K, Risitano A, Toni D, Tsivgoulis G. Causes and Risk Factors of Cerebral Ischemic Events in Patients With Atrial Fibrillation Treated With Non-Vitamin K Antagonist Oral Anticoagulants for Stroke Prevention. *Stroke* 2019; 50:2168-2174.

Seiffge D, Paciaroni M, Wilson D, Koga M, Macha K, Cappellari M, Schaedelin S, Shakeshaft C, Takagi M, Tsivgoulis G, Bonetti B, Kallmünzer B, Arihiro S, Alberti A, Polymeris A, Ambler G, Yoshimura S, Venti M, Bonati L, Muir K, Yamagami H, Thilemann S, Altavilla R, Peters N, Inoue M, Bobinger T, Agnelli G, Brown M, Sato S, Acciarresi M, Jäger H, Bovi P, Schwab S, Lyrer P, Caso V, Toyoda K, Werring D, Engelter S, De Marchis G, CROMIS-2, RAF, RAF-DOAC, SAMURAI, NOACISP LONGTERM, Erlangen and Verona registry collaborators. Direct oral anticoagulants versus vitamin K antagonists after recent ischemic stroke in patients with atrial fibrillation. *Ann Neurol* 2019; 85:823-834.

Seiffge D, Hooff R, Nolte C, Béjot Y, Turc G, Ikenberg B, Berge E, Persike M, Dequatre-Ponchelle N, Strbian D, Pfeilschifter W, Zini A, Tveiten A, Næss H, Michel P, Sztajzel R, Luft A, Gensicke H, Traenka C, Hert L, Scheitz J, De Marchis G, Bonati L, Peters N, Charidimou A, Werring D, Palm F, Reinhard M, Niesen W, Nagao T, Pezzini A, Caso V, Nederkoorn P, Kägi G, von Hessling A, Padjen V, Cordonnier C, Erdur H, Lyrer P, Brouns R, Steiner T, Tatlisumak T, Engelter S, NOACISP Study Group\*. Recanalization therapies in acute ischemic stroke patients: impact of prior treatment with novel oral anticoagulants on bleeding complications and outcome. *Circulation* 2015; 132:1261-9.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)