



**Kristian Ikenberg**

**Kontakt**

Kristian Ikenberg

## Publikationen (13)

Guarda V, Schroeder L, Pawlita M, Ikenberg K, Rupp N, Jochum W, Stoeckli S, Holzinger D, Broglie M. Prevalence of Transcriptionally Active HPV Infection in Tumor-Free Oropharyngeal Tissue of OPSCC-Patients. *Front Oncol* 2022; 12:835814.

Gassenmaier M, Garbe C, Schaller M, Wagner N, Bösmüller H, Niessner H, Sinnberg T, Kosnopfel C, Ikenberg K, Eigentler T, Fehrenbacher B, Rentschler M, Röcken M. Expression of DNA Methyltransferase 1 Is a Hallmark of Melanoma, Correlating with Proliferation and Response to B-Raf and Mitogen-Activated Protein Kinase Inhibition in Melanocytic Tumors. *Am J Pathol* 2020; 190:2155-2164.

Riesterer O, Pruschy M, Bender S, Sharma A, Bogowicz M, Tanadini-Lang S, Stieb S, Bertogg K, Weber S, Ikenberg K, Huber G, Schmid S, Bredell M, Veit-Haibach P, Rordorf T, Held U, Glanzmann C, Studer G. Consolidation cetuximab after concurrent triplet radiochemotherapy+cetuximab in patients with advanced head and neck cancer: A randomized phase II study. *Radiother Oncol* 2020; 150:62-69.

Vital D, Ikenberg K, Moch H, Rössle M, Huber G. The expression of PD-L1 in salivary gland carcinomas. *Sci Rep* 2019; 9:12724.

Morand G, Ikenberg K, Vital D, Cardona I, Moch H, Stöckli S, Huber G. Preoperative assessment of CD44-mediated depth of invasion as predictor of occult metastases in early oral squamous cell carcinoma. *Head & neck* 2018; 41:950-958.

Vital D, Ikenberg K, Moch H, Roessle M, Huber G. The expression of the cancer testis antigen MAGE A4: A favorable prognostic biomarker in salivary gland carcinomas related to low tumor grading. *Laryngoscope Investig Otolaryngol* 2018; 3:182-190.

Morand G, Anderegg N, Vital D, Ikenberg K, Huber G, Soyka M, Egger M, Holzmann D. Outcome by treatment modality in sinonasal undifferentiated carcinoma (SNUC): A case-series, systematic review and meta-analysis. *Oral Oncol* 2017; 75:28-34.

Vital D, Huber G, Holzmann D, Moch H, Ikenberg K. The presence of aberrant p53 pattern is a negative prognostic predictor in squamous cell carcinoma of the nasal vestibule. *Eur Arch Otorhinolaryngol* 2017; 274:3503-3512.

Vital D, Holzmann D, Huber G, Soyka M, Moch H, Zimmermann D, Ikenberg K. p16: A surrogate marker of high-risk human papillomavirus infection in squamous cell carcinoma of the nasal vestibule. *Head & neck* 2017; 39:1392-1398.

Ernst J, Ikenberg K, Apel B, Schumann D, Huber G, Studer G, Rordorf T, Riesterer O, Rössle M, Korol D, Bredell M. Expression of CK19 is an independent predictor of negative outcome for patients with squamous cell carcinoma of the tongue. *Oncotarget* 2016; 7:76151-76158.

Laske R, Scholz I, Ikenberg K, Meerwein C, Vital D, Studer G, Rössle M, Huber G. Perineural Invasion in Squamous Cell Carcinoma of the Oral Cavity: Histology, Tumor Stage, and Outcome. *Laryngoscope Investig Otolaryngol* 2016; 1:13-18.

Wagner N, Utikal J, Enk A, Umansky V, Garbe C, Naehrer H, Holland-Letz T, Busch C, Ikenberg K, Eubel J, Herpel E, Pflugfelder A, Lichtenberger R, Kehrel C, Tarnanidis K, Reith M, Weide B, Gebhardt C. Diminished levels of the soluble form of RAGE are related to poor survival in malignant melanoma. *Int J Cancer* 2015; 137:2607-17.

Mehra T, Guenova E, French L, Dummer R, Hoetzenecker W, Haralambieva E, Schanz U, Nair G, Benz R, Moos R, Ikenberg K, Cozzio A. Brentuximab as a treatment for CD30+ mycosis fungoides and Sézary syndrome. *JAMA Dermatol* 2015; 151:73-7.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)