



Gisela Metzler

Kontakt

Gisela Metzler

Publikationen (8)

Wagner N, Knierim S, Luttermann F, Metzler G, Yazdi A, Bauer J, Gassenmaier M, Forschner A, Leiter U, Amaral T, Garbe C, Eigentler T, Forchhammer S, Flatz L. Histopathologic regression in patients with primary cutaneous melanoma undergoing sentinel lymph node biopsy is associated with favorable survival and, after metastasis, with improved progression-free survival on immune checkpoint inhibitor therapy: A single institutional cohort study. *J Am Acad Dermatol* 2023

Aebischer V, Abu-Ghazaleh A, Metzler G, Riedl L, Garbe C, Flatz L, Eigentler T, Forchhammer S. Histopathologic abundance of pigmentation correlates with disease-specific survival in malignant melanoma but is not independent of current AJCC pT stage. *Pigment Cell Melanoma Res* 2023; 36:512-521.

Gassenmaier M, Hahn M, Metzler G, Bauer J, Yazdi A, Keim U, Garbe C, Wagner N, Forchhammer S. Diffuse PRAME Expression Is Highly Specific for Thin Melanomas in the Distinction from Severely Dysplastic Nevi but Does Not Distinguish Metastasizing from Non-Metastasizing Thin Melanomas. *Cancers (Basel)* 2021; 13

Guenova E, Eberle F, Metzler G, Schaller M. Residents' corner November 2012. CarpeDIEM--Dermatological indications for electron microscopy: disseminated epidermolytic acanthomas. *Eur J Dermatol* 2012; 22:822-3.

Schanz S, Schmalzing M, Guenova E, Metzler G, Ulmer A, Kötter I, Fierlbeck G. Interstitial granulomatous dermatitis with arthritis responding to tocilizumab. *Arch Dermatol* 2012; 148:17-20.

Guenova E, Weber H, Voykov B, Metzler G, Mitev V, Berneburg M, Hoetzenecker W, Röcken M. Palmar-plantar erythrodysesthesia secondary to sunitinib treatment resulting in necrotic foot syndrome aggravated by background diabetic vascular disease. *Arch Dermatol* 2008; 144:1081-2.

Guenova E, Metzler G, Hoetzenecker W, Berneburg M, Röcken M. Classic Mediterranean Kaposi's sarcoma regression with sirolimus treatment. *Arch Dermatol* 2008; 144:692-3.

Guenova E, Hoetzenecker W, Metzler G, Röcken M, Schaller M. Multicentric Bowen disease in linear porokeratosis. *Eur J Dermatol* 2007; 17:439-40.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch