



Christoph Rochlitz

Kontakt

Christoph Rochlitz

Publikationen (13)

Schmid S, Zaman K, Weder P, von Moos R, Thürlimann B, Rochlitz C, Pestalozzi B, Pagani O, Oehlschlegel C, Nolè F, Munzone E, Mamot C, Goldhirsch A, Aebi S, Klingbiel D, Ruhstaller T. Long-term responders to trastuzumab monotherapy in first-line HER-2+ advanced breast cancer: characteristics and survival data. *BMC cancer* 2019; 19:902.

Ruhstaller T, Simoncini E, Gianni L, Rochlitz C, Kralidis E, Zaman K, Jassem J, Piccart-Gebhart M, Di Leo A, Gelber R, Coates A, Goldhirsch A, Thürlimann B, Regan M, Veyret C, Del Mastro L, Giobbie-Hurder A, Colleoni M, Jensen M, Ejlertsen B, de Azambuja E, Neven P, Láng I, Jakobsen E, Gladieff L, Bonnefoi H, Harvey V, Spazzapan S, Tondini C, members of the BIG 1-98 Collaborative Group and the International Breast Cancer Study Group. Adjuvant Letrozole and Tamoxifen Alone or Sequentially for Postmenopausal Women With Hormone Receptor-Positive Breast Cancer: Long-Term Follow-Up of the BIG 1-98 Trial. *J Clin Oncol* 2018;JCO1800440.

Pestalozzi B, Novak U, Nussbaum C, Seifert B, Bigler M, Bize V, Vilei S, Rageth C, Aebi S, Borner M, Buser K, Tausch C, Dedes K, Rochlitz C, Zimmermann S, von Moos R, Winterhalder R, Ruhstaller T, Mueller A. Adjuvant treatment recommendations for patients with ER-positive/HER2-negative early breast cancer by Swiss tumor boards using the 21-gene recurrence score (SAKK 26/10). *BMC cancer* 2017; 17:265.

Rochlitz C, Rordorf T, Rauch D, Müller A, Ruhstaller T, Vetter M, Trojan A, Hasler-Strub U, Cathomas R, Winterhalder R, Borner M, Bärtschi D, Bigler M, von Moos R, Bernhard J, Matter-Walstra K, Wicki A, Zaman K, Anchisi S, Küng M, Na K. SAKK 24/09: safety and tolerability of bevacizumab plus paclitaxel vs. bevacizumab plus metronomic cyclophosphamide and capecitabine as first-line therapy in patients with HER2-negative advanced stage breast cancer - a multicenter, randomized phase III trial. *BMC cancer* 2016; 16:780.

Zaman K, Rondeau S, Hawle H, Rudolf C, Perey L, Wilidors H, Berset C, Mueller A, Rochlitz C, Hasler-Strub U, Mamot C, Winterhalder R, Neven P. Fulvestrant with or without selumetinib, a MEK 1/2 inhibitor, in breast cancer progressing after aromatase inhibitor therapy: a multicentre randomised placebo-controlled double-blind phase II trial, SAKK 21/08. *Eur J Cancer* 2015; 51:1212-20.

Templeton A, Ruhstaller T, Thürlimann B, Zaman K, von Moos R, Rochlitz C, Winterhalder R, von Rohr L, Müller A, Winkler A, Borner M, Dietrich D, Beyeler M, Hsu Schmitz S, Sun H, Surber C, Ribl K, Swiss Group for Clinical Cancer Research (SAKK) Coordinating Center. Prevention of palmar-plantar erythrodysesthesia with an antiperspirant in breast cancer patients treated with pegylated liposomal doxorubicin (SAKK 92/08). *Breast* 2014; 23:244-9.

Bontognali S, Pless M, Brutsche M, Fischer C, Rochlitz C, Buess M. Analysis of the EGFR Mutation Status in Head and Neck Squamous Cell Carcinoma before Treatment with Gefitinib. *Onkologie* 2013; 36:161-6.

Rajski M, Vogel B, Baty F, Rochlitz C, Buess M. Global gene expression analysis of the interaction between cancer cells and osteoblasts to predict bone metastasis in breast cancer. *PLoS one* 2012; 7:e29743.

Huober J, Widmer I, von Rohr L, Müller A, von Moos R, Güth U, Aebi S, Rochlitz C, Baumann M, Thürlimann B. Trastuzumab Treatment beyond Progression in Advanced Breast Cancer: Patterns of Care in Six Swiss Breast Cancer Centers. *Oncology* 2011; 81:160-166.

Decker M, Rothermundt C, Holländer G, Tichelli A, Rochlitz C. Rituximab plus CHOP for treatment of diffuse large B-cell lymphoma during second trimester of pregnancy. *The lancet oncology* 2006; 7:693-4.

Salzberg M, Thürlimann B, Bonnefoi H, Fink D, Rochlitz C, von Moos R, Senn H. Current concepts of treatment strategies in advanced or recurrent ovarian cancer. *Oncology* 2005; 68:293-8.

Thürlimann B, Rochlitz C, Aebi S, Perey L, Pagani O, Ballabeni P, Senn I, Köberle D, Hess D, Goldhirsch A. Anastrozole ('Arimidex') versus tamoxifen as first-line therapy in postmenopausal women with advanced breast cancer: results of the double-blind cross-over SAKK trial 21/95--a sub-study of the TARGET (Tamoxifen or 'Arimidex' Randomized Group Efficacy and Tolerability) trial. *Breast Cancer Res Treat* 2004; 85:247-54.

Rochlitz C, Dietrich P, Herrmann R, Morant R, Heinzerling L, Escudier B, Baudin M, Acres B, Squiban P, Cavalli F, Jantscheff P, Dreno B, Dummer R. Immunotherapy of metastatic melanoma by intratumoral injections of Vero cells producing human IL-2: phase II randomized study comparing two dose levels. *Cancer gene therapy* 2002; 9:289-95.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch