



Franc Hetzer

Kontakt

Franc Hetzer

Bereiche

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie

Publikationen (51)

Marti L, Ommer A, Weyandt G, Schmidt-Lauber M, Huth M, Iesalnieks I, Strittmatter B, Hetzer F, Schwandner O, Herold A, Post S, Ebinger S. S3-Leitlinie: Analfissur. *coloproctology* 2020; 42:90-196.

Marti L, Sulz M, Brunner W, Borovicka J, Wolff K, Pipitone N, Hetzer F, Beutner U, Galata C, Maurus C. Percutaneous tibial nerve stimulation (pTNS): success rate and the role of rectal capacity. *Int J Colorectal Dis* 2017; 32:789-796.

Hummel B, Schmied B, Widmann B, Brunner W, Zadnikar M, Warschkow R, Hetzer F, Bischofberger S, Hardt J, Marti L. New kid on the block: perineal stapled prolapse resection (PSP) is it worthwhile in the long-term?. *Langenbecks Arch Surg* 2016; 401:519-29.

Müller K, Marti L, Tarantino I, Jayne D, Wolff K, Hetzer F. Prospective analysis of cosmesis, morbidity, and patient satisfaction following Limberg flap for the treatment of sacrococcygeal pilonidal sinus. *Dis Colon Rectum* 2011; 54:487-494.

Wolff K, Marti L, Beutner U, Steffen T, Lange J, Hetzer F. Functional outcome and quality of life after stapled transanal rectal resection for obstructed defecation syndrome. *Dis Colon Rectum* 2010; 53:881-8.

Fischer A, Tarantino I, Warschkow R, Lange J, Zerz A, Hetzer F. Is sphincter preservation reasonable in all patients with rectal cancer?. *Int J Colorectal Dis* 2010; 25:425-32.

Hetzer F, Roushan A, Wolff K, Beutner U, Borovicka J, Lange J, Marti L. Functional outcome after perineal stapled prolapse resection for external rectal prolapse. *BMC Surg* 2010; 10:9.

Steffen T, Luechinger R, Wildermuth S, Kern C, Fretz C, Lange J, Hetzer F. Safety and reliability of Radio Frequency Identification Devices in Magnetic Resonance Imaging and Computed Tomography. *Patient Saf Surg* 2010; 4:2.

Lenisa L, Espin-Basany E, Corbisier F, Nugent K, Scherer R, Tuech J, Pigot F, Jayne D, Stuto A, Schwandner O, Hetzer F. STARR with Contour Transtar: prospective multicentre European study. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland* 2009; 11:821-7.

Hausammann R, Steffen T, Weishaupt D, Beutner U, Hetzer F. Rectocele and intussusception: is there any coherence in symptoms or additional pelvic floor disorders?. *Techniques in coloproctology* 2009; 13:17-25; discussion 25-6.

Hetzer F, Jayne D, Stuto A. Evaluation of Patients with Symptomatic Hemorrhoids and Obstructed Defecation. In: *Transanal Stapling Techniques for Anorectal Prolapse*. 1Heidelberg: Springer, 2009. ISBN 1848009046. S. 43-57.

Hetzer F, Jayne D, Stuto A. The evidence for stapled haemorrhoidopexy and Stapled transanal rectal resection (STARR). In: *Transanal Stapling Techniques for Anorectal Prolapsed*. 1Heidelberg: Springer, 2009. ISBN 1848009046. S. 95-115.

Hetzer F, Immenroth M, Berg T, Brenner J. Preparation for the operation. In: *Operation Primer "Stapled Transanal Rectal Resection"*. 1Heidelberg: Springer, 2009. ISBN 3540929584. S. 25-30.

Dindo D, Weishaupt D, Lehmann K, Hetzer F, Clavien P, Hahnloser D. Clinical and morphologic correlation after stapled transanal rectal resection for obstructed defecation syndrome. *Diseases of the colon and rectum* 2008; 51:1768-74.

Schwab C, Meyer D, Hetzer F, Borovicka J, Schmid H, Engeler D. [Urethral fistula due to Crohn's disease: case report of successful conservative management]. *Der Urologe. Ausg. A* 2008; 47:1350-2.

Schwandner O, Basany E, Corbisier F, Nugent K, Scherer R, Tuech J, Pigot F, Lenisa L, Jayne D, Stuto A, Hetzer F. Decision-making algorithm for the STARR procedure in obstructed defecation syndrome: position statement of the group of STARR Pioneers. *Surgical innovation* 2008; 15:105-9.

Tarantino I, Hetzer F, Warschkow R, Zünd M, Stein H, Zerz A. Local excision and endoscopic posterior mesorectal resection versus low anterior resection in T1 rectal cancer. *The British journal of surgery* 2008; 95:375-80.

Steffen T, Tarantino I, Hetzer F, Warschkow R, Lange J, Zünd M. Safety and morbidity after ultra-low coloanal anastomoses: J-pouch vs end-to-end reconstruction. *International journal of colorectal disease* 2008; 23:277-81.

Solopova A, Hetzer F, Marincek B, Weishaupt D. MR defecography: prospective comparison of two rectal enema compositions. *AJR. American journal of roentgenology* 2008; 190:W118-24.

Soll C, Hahnloser D, Dindo D, Clavien P, Hetzer F. A novel approach for treatment of sacrococcygeal pilonidal sinus: less is more. *International journal of colorectal disease* 2008; 23:177-80.

Scholz T, Hetzer F, Dindo D, Demartines N, Clavien P, Hahnloser D. Long-term follow-up after combined fissurectomy and Botox injection for chronic anal fissures. *International journal of colorectal disease* 2007; 22:1077-81.

Kapp T, Zadnikar M, Hahnloser D, Soll C, Hetzer F. [New concept in the treatment of the pilonidal sinus]. *Praxis* 2007; 96:1171-6.

Hübner M, Hahnloser D, Hetzer F, Müller M, Clavien P, Demartines N. A prospective randomized comparison of two instruments for dissection and vessel sealing in laparoscopic colorectal surgery. *Surgical endoscopy* 2007; 21:592-4.

Hetzer F, Hahnloser D, Clavien P, Demartines N. Quality of life and morbidity after permanent sacral nerve stimulation for fecal incontinence. *Archives of surgery (Chicago, Ill. : 1960)* 2007; 142:8-13.

Hetzer F, Bieler A, Hahnloser D, Löhlein F, Clavien P, Demartines N. Outcome and cost analysis of sacral nerve stimulation for faecal incontinence. *The British journal of surgery* 2006; 93:1411-7.

Hübner M, Hetzer F, Weishaupt D, Hahnloser D, Clavien P, Demartines N. A prospective comparison between clinical outcome and open-configuration magnetic resonance defecography findings before and after surgery for symptomatic rectocele. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland* 2006; 8:605-11.

Hetzer F, Andreisek G, Tsagari C, Sahrbacher U, Weishaupt D. MR defecography in patients with fecal incontinence: imaging findings and their effect on surgical management. *Radiology* 2006; 240:449-57.

Hetzer F, Hahnloser D, Clavien P, Demartines N. Video-assisted sacral nerve stimulation. *Techniques in coloproctology* 2006; 10:121-3; discussion 123-4.

Hetzer F, Buse S, Knoblauch Y, Hahnloser D, Clavien P, Demartines N. [Sacral nerve stimulation in the treatment of faecal incontinence]. *Praxis* 2005; 94:681-6.

Hetzer F, Hahnloser D, Knoblauch Y, Löhlein F, Demartines N. New screening technique for sacral nerve stimulation under local anaesthesia. *Techniques in coloproctology* 2005; 9:25-8.

Gubler C, Wildi S, Hetzer F, Demartines N, Fried M. Anal lesions and suspected sexual abuse in a 17-year-old girl. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:91.

Williams N, Giordano P, Dvorkin L, Huang A, Hetzer F, Scott S. External pelvic rectal suspension (the Express procedure) for full-thickness rectal prolapse: evolution of a new technique. *Diseases of the colon and rectum* 2005; 48:307-16.

Heinrich S, Hetzer F, Bauerfeind P, Jochum W, Demartines N, Clavien P. Retroperitoneal perforation of the colon caused by colonic tuberculosis: report of a case. *Diseases of the colon and rectum* 2004; 47:2211-4.

Hahnloser D, Hetzer F. [Laparoscopy resection for colon cancer. The new standard?]. *Praxis* 2004; 93:1447-53.

Lunniss P, Gladman M, Hetzer F, Williams N, Scott S. Risk factors in acquired faecal incontinence. *Journal of the Royal Society of Medicine* 2004; 97:111-6.

Dvorkin L, Hetzer F, Scott S, Williams N, Gedroyc W, Lunniss P. Open-magnet MR defaecography compared with evacuation proctography in the diagnosis and management of patients with rectal intussusception. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland* 2004; 6:45-53.

Hetzer F, Schwizer W, Kuenzi W, Demartines N. Experimental model of continent colostomy using rectus abdominis neosphincteroplasty. *The British journal of surgery* 2003; 90:1273-9.

Hetzer F, Wildi S, Demartines N. [New modalities and concepts in the treatment of hemorrhoids]. *Praxis* 2003; 92:1579-83.

Steinke W, Hetzer F, Demartines N. [Fecal incontinence: evaluation, treatment concept and new therapeutic approaches]. *Praxis* 2002; 91:1733-40.

Bertschinger K, Hetzer F, Roos J, Treiber K, Marincek B, Hilfiker P. Dynamic MR imaging of the pelvic floor performed with patient sitting in an open-magnet unit versus with patient supine in a closed-magnet unit. *Radiology* 2002; 223:501-8.

Hetzer F, Demartines N, Handschin A, Clavien P. Stapled vs excision hemorrhoidectomy: long-term results of a prospective randomized trial. *Archives of surgery (Chicago, Ill. : 1960)* 2002; 137:337-40.

Fantin A, Hetzer F, Christ A, Fried M, Schwizer W. Influence of stapler haemorrhoidectomy on anorectal function and on patients' acceptance. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2002; 132:38-42.

Hetzer F, Schäfer M, Demartines N, Clavien P. [Prospective assessment of the learning curve and safety of stapler hemorrhoidectomy]. *Swiss surgery = Schweizer Chirurgie = Chirurgie suisse = Chirurgia svizzera* 2002; 8:31-6.

Hetzer F, Künzi W, Demartines N, Clavien P. [Fecal incontinence: therapy of congenital sphincter dysplasia in adulthood--a case report]. *Praxis* 2001; 90:1471-4.

Hetzer F, Baumann M, Simmen H. [Contact litholysis of gallstones with methyl tert-butyl ether in risk patients--a case report]. *Swiss surgery = Schweizer Chirurgie = Chirurgie suisse = Chirurgia svizzera* 2001; 7:39-42.

Hetzer F, Baumann M, Röthlin M. [Anal fissure--a new therapy concept]. *Praxis* 2000; 89:1317-21.

Weishaupt D, Hetzer F, Ruehm S, Patak M, Schmidt M, Debatin J. Three-dimensional contrast-enhanced MRI using an intravascular contrast agent for detection of traumatic intra-abdominal hemorrhage and abdominal parenchymal injuries: an experimental study. *European radiology* 2000; 10:1958-64.

Hilfiker P, Weishaupt D, Kacel G, Hetzer F, Griff M, Ruehm S, Debatin J. Comparison of three dimensional magnetic resonance imaging in conjunction with a blood pool contrast agent and nuclear scintigraphy for the detection of experimentally induced gastrointestinal bleeding. *Gut* 1999; 45:581-7.

Hetzer F, Schmid R, Inderbitzin D, Schöb O. Laparoscopic sigmoid resection: a comparative experimental study between double-stapling and foreign material free-biostent technique (TESA). Transient endoluminally stented anastomosis. *Journal of laparoendoscopic & advanced surgical techniques. Part A* 1998; 8:285-93.

Inderbitzin D, Schmid R, Hetzer F, Zucker K, Schöb O. Is growth influencing diameter and function of laparoscopic TESA hepaticojejunostomy? A comparison of adult minipigs and juvenile domestic swine. *J Invest Surg* 1998; 11:115-22.

Schmid R, Schöb O, Hetzer F, Schlumpf R, Spiess M, Largiadèr F. Experimental technique for (laparoscopic) bowel anastomosis: transient endoluminally stented anastomosis (TESA). *Surgical laparoscopy & endoscopy* 1997; 7:281-4.

Projekte (2)

SNM/PNS: Vergleich von Sakraler Nervenmodulation und Pudendus Nerv Stimulation zur Therapie der Stuhlinkontinenz

Klinische Forschung - 01.02.2010 - 31.12.2014

Abgeschlossen

Sakrale Nervenmodulation (SNM) bei Stuhlinkontinenz

Klinische Forschung - 01.01.2009 - 31.12.2012

Abgeschlossen

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch