



**R von Moos**

**Kontakt**

R von Moos

## Publikationen (25)

Mark M, Rusakiewicz S, Früh M, Hayoz S, Grosso F, Pless M, Zucali P, Ceresoli G, Maconi A, Schneider M, Froesch P, Tarussio D, Benedetti F, Dagher J, Kandalajt L, von Moos R, Tissot-Renaud S, Schmid S, Metaxas Y. Long-term benefit of lurbinectedin as palliative chemotherapy in progressive malignant pleural mesothelioma (MPM): final efficacy and translational data of the SAKK 17/16 study. *ESMO Open* 2022; 7:100446.

Metaxas Y, von Moos R, Rauch D, Appenzeller C, Waibel C, Schmid S, Froesch P, Biaggi-Rudolf C, Perrino M, Maconi A, Schneider M, Mark M, Ceresoli G, Zucali P, Pless M, Grosso F, Eboulet E, Früh M, Swiss Group for Clinical Cancer Research (SAKK). Lurbinectedin as second- or third-line palliative therapy in malignant pleural mesothelioma: an international, multi-centre, single-arm, phase II trial (SAKK 17/16). *Ann Oncol* 2020; 31:495-500.

Wirsching H, Riklin C, Felsberg J, Roth P, Jones D, Pfister S, Rushing E, Abrey L, Reifenberger G, Held L, von Deimling A, Ochsenbein A, von Moos R, Caparrotti F, Tabatabai G, Roelcke U, Hottinger A, Jörgler F, Schmid A, Plasswilm L, Schrimpf D, Mancao C, Capper D, Conen K, Hundesberger T, Weller M. Bevacizumab plus hypofractionated radiotherapy versus radiotherapy alone in elderly patients with glioblastoma: the randomized, open-label, phase II ARTE trial. *Ann Oncol* 2018; 29:1423-1430.

Gennari A, Bernhard J, Morales S, Pagani O, Barbeaux A, Borstnar S, Rabaglio-Poretti M, Maibach R, Regan M, Ribi K, Amillano Parraga K, Walshe J, Sun Z, Hasler-Strub U, Colleoni M, Kennedy M, von Moos R, Cortes J, Vidal M, Hennessy B, Jerusalem G. A randomized phase II study evaluating different maintenance schedules of nab-Paclitaxel in the first-line treatment of metastatic breast cancer: final results of the IBCSG 42-12/BIG 2-12 SNAP trial. *Ann Oncol* 2017

Klingbiel D, Thürlimann B, Brauchli P, von Moos R. Absence of Evidence is not Evidence of Absence: The Case of Non-Inferiority. *Ann Oncol* 2017

Stathis A, Sessa C, Gargiulo P, Berardi S, Enoiu M, Xyrafas A, Catapano C, Allegrini S, Ackermann C, Mark M, Jörgler M, Griguolo G, Homicsko K, von Moos R, Hess D, Swiss Group for Clinical Cancer Research (SAKK). Phase I trial of the oral smoothed inhibitor sonidegib in combination with paclitaxel in patients with advanced solid tumors. *Invest New Drugs* 2017; 35:766-772.

Strasser F, Koeberle D, Kaasa S, Mauri S, Haefner M, Brauchli P, Klingbiel D, Hayoz S, Betticher D, Aebi S, Ribi K, Cathomas R, von Moos R, Blum D, Swiss Group for Clinical Cancer Research (SAKK). The effect of real-time electronic monitoring of patient-reported symptoms and clinical syndromes in outpatient workflow of medical oncologists: E-MOSAIC, a multicenter cluster-randomized phase III study (SAKK 95/06). *Ann Oncol* 2015

Koeberle D, Kollar A, Saletti P, Roth A, Früh M, Kueng M, Popescu R, Schacher S, Hess V, Moosmann P, Anchisi S, Betticher D, von Moos R, Dietrich D, Brauchli P, Baertschi D, Matter K, Winterhalder R, Borner M, Herrmann R. Bevacizumab continuation versus no continuation after first-line chemotherapy plus bevacizumab in patients with metastatic colorectal cancer: a randomized phase III non-inferiority trial (SAKK 41/06). *Ann Oncol* 2015; 26:709-14.

Jörgler M, Zappa F, Klingbiel D, Brauchli P, Rothschild S, Gautschi O, Pless M, Ochsenbein A, von Moos R, Betticher D, Stahel R, Droege C, Früh M, Baty F, Brutsche M. Circulating microRNA profiling in patients with advanced non-squamous NSCLC receiving bevacizumab/erlotinib followed by platinum-based chemotherapy at progression (SAKK 19/05). *Lung Cancer* 2014; 85:306-13.

Blum D, Strasser F, Kaasa S, Hayoz S, Dewolf-Linder S, Mingrone W, von Moos R, Walker J, Omlin A, Koeberle D, Ribi K. Feasibility and acceptance of electronic monitoring of symptoms and syndromes using a handheld computer in patients with advanced cancer in daily oncology practice. *Support Care Cancer* 2014; 22:2425-34.

Cathomas R, von Moos R, Nagaraj N, Simmonds P, Wheeler M, Ellis S, Mead G, Geldart T, Klingbiel D, Fehr M. Relevant risk of carboplatin underdosing in cancer patients with normal renal function using estimated GFR: lessons from a stage I seminoma cohort. *Ann Oncol* 2014; 25:1591-7.

Schwitler M, Potocnik P, von Moos R, Frick H, Furrer M, Cathomas R. Dyspnoea and a lung mass in a young female 2 weeks after Caesarean delivery. *Eur Respir J.* 2011; 38:465-7.

von Moos R, Dummer R, Schönewolf N, Mamot C, Mjhić-Probst D, Schraml P, Moch H, Schläppi M, Cathomas R, Michielin O, Ochsenbein A, Gillessen S, Goldinger S, Simcock M, Seifert B, on behalf of the Swiss Group for Clinical Cancer Research (SAKK). First-line temozolomide combined with bevacizumab in metastatic melanoma: a multicentre phase II trial (SAKK 50/07). *Ann Oncol* 2011; 23:531-6.

Köberle D, Thürlimann B, Pilop C, Crowe S, Öhlschlegel C, von Moos R, Zaman K, Pagani O, Jost L, Ruhstaller T, Swiss Group for Clinical Cancer Research (SAKK). Combination of trastuzumab and letrozole after resistance to sequential trastuzumab and aromatase inhibitor monotherapies in patients with estrogen receptor-positive, HER-2-positive advanced breast cancer: a proof-of-concept trial (SAKK 23/03). *Endocr Relat Cancer* 2011; 18:257-64.

Rochlitz C, Zaman K, Mayer M, Cliffe B, Herrmann R, Mannhart-Harms M, Müller A, Rauch D, Winterhalder R, von Moos R, Schonenberger A, Fehr M, Bühlmann M, Suter T, Huober J, Spirig C, Lerch S, Ruhstaller T, Swiss Group for Clinical Cancer Research (SAKK). Combination of bevacizumab and 2-weekly pegylated liposomal doxorubicin as first-line therapy for locally recurrent or metastatic breast cancer. A multicenter, single-arm phase II trial (SAKK 24/06). *Ann Oncol* 2010; 22:80-5.

Ruhstaller T, Popescu R, Bodis S, Schnider A, Terraciano L, Köberle D, Balmermajno S, Pestalozzi B, Borner M, von Moos R, Mingrone W, Hess V, Roth A, Schuller J, Widmer L, Swiss Group for Clinical Cancer Research (SAKK). Multicenter phase II trial of preoperative induction chemotherapy followed by chemoradiation with docetaxel and cisplatin for locally advanced esophageal carcinoma (SAKK 75/02). *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2009; 20:1522-8.

Hitz F, Ghielmini M, Zimmermann D, Bertoni F, Cogliatti S, Peterson J, Simcock M, Mingrone W, von Moos R, Zucca E, Martinelli G, Swiss Group for Clinical Cancer Research (SAKK), Bern, Switzerland. A multicentre phase II trial of gemcitabine for the treatment of patients with newly diagnosed, relapsed or chemotherapy resistant mantle cell lymphoma: SAKK 36/03. *Hematological oncology* 2009; 27:154-9.

Borner M, Mingrone W, Lanz D, Dietrich D, Kappeler A, Roth A, Ruhstaller T, Caspar C, Pestalozzi B, Helbling D, Trojan A, Hess V, Rauch D, Saletti P, von Moos R, Köberle D, Swiss Group for Clinical Cancer Research (SAKK), Bern, Switzerland. Adding cetuximab to capecitabine plus oxaliplatin (XELOX) in first-line treatment of metastatic colorectal cancer: a randomized phase II trial of the Swiss Group for Clinical Cancer Research SAKK. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2008; 19:1288-92.

von Moos R, Caspar C, Thürlimann B, Angst R, Inauen R, Greil R, Bergstrom B, Schmieding K, Pecherstorfer M. Renal safety profiles of ibandronate 6 mg infused over 15 and 60 min: a randomized, open-label study. *Ann Oncol* 2008; 19:1266-70.

Köberle D, Rust C, Bieri G, Neuweiler J, Terraciano L, Ruhstaller T, Heitzmann F, Hess V, Winterhalder R, von Moos R, Burkhard R, Toepfer M. Phase II study of capecitabine and oxaliplatin given prior to and concurrently with preoperative pelvic radiotherapy in patients with locally advanced rectal cancer. *British journal of cancer* 2008; 98:1204-9.

Ribi K, Bernhard J, Rufibach K, Thürlimann B, von Moos R, Ruhstaller T, Glaus A, Böhme C. Endocrine symptom assessment in women with breast cancer: what a simple "yes" means. *JSCC* 2007; 15:1349-56.

Inauen R, Cathomas R, Boehm T, Pestalozzi B, Gillessen Sommer S, von Moos R. Feasibility of using cetuximab and bevacizumab in a patient with colorectal cancer and terminal renal failure. *Oncology* 2007; 72:209-10.

Glaus A, Böhme C, Thürlimann B, Ruhstaller T, Hsu Schmitz S, Morant R, Senn H, von Moos R. Fatigue and menopausal symptoms in women with breast cancer undergoing hormonal cancer treatment. *Ann Oncol* 2006; 17:801-6.

Fürstenberger G, von Moos R, Lucas R, Thürlimann B, Senn H, Hamacher J, Boneberg E. Circulating endothelial cells and angiogenic serum factors during neoadjuvant chemotherapy of primary breast cancer. *BJC* 2006; 94:524-31.

von Moos R, Thürlimann B. Weekly paclitaxel (Taxol) with or without trastuzumab (Herceptin) in advanced breast cancer: a community-based observation study. *Onkologie* 2003; 26:128-32.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)