



Hanspeter Honegger

Kontakt

Hanspeter Honegger

Publikationen (6)

Samaras P, Renner C, Stahel R, Knuth A, Taverna C, Schäfer N, Mischo A, Schanz U, Siciliano R, Honegger H, Haile S, Buset E, Petrausch U, Zardavas D, Stenner-Liewen F. Prognostic factors for survival in lymphoma patients after autologous stem cell transplantation. *Swiss Med Wkly* 2013; 143:w13791.

Samaras P, Stenner-Liewen F, Knuth A, Bauer S, Taverna C, Stussi G, Schanz U, Honegger H, Zweifel M, Mischo A, Petrausch U, Siciliano R, Haile S, Blickenstorfer M, Renner C. Validation of prognostic factors and survival of patients with multiple myeloma in a real-life autologous stem cell transplantation setting: a Swiss single centre experience. *Swiss Med Wkly* 2011; 141:w13203.

Samaras P, Renner C, Knuth A, Stahel R, Stussi G, Schanz U, Pestalozzi B, Honegger H, Mischo A, Petrausch U, Haile S, Siciliano R, Buset E, Stenner-Liewen F. Equivalence of Pegfilgrastim and Filgrastim in Lymphoma Patients Treated with BEAM Followed by Autologous Stem Cell Transplantation. *Oncology* 2010; 79:93-97.

Samaras P, Stenner-Liewen F, Knuth A, Stahel R, Stussi G, Schanz U, Honegger H, Mischo A, Petrausch U, Buset E, Haile S, Siciliano R, Blickenstorfer M, Renner C. Pegfilgrastim reduces the length of hospitalization and the time to engraftment in multiple myeloma patients treated with melphalan 200 and auto-SCT compared with filgrastim. *Ann Hematol* 2010; 90:89-94.

Ribi K, Pestalozzi B, Lombriser N, Borner M, von Moos R, Moosmann P, Hess V, Roth A, Honegger H, Schuller J, Köberle D, Ruhstaller T. Is a change in patient-reported dysphagia after induction chemotherapy in locally advanced esophageal cancer a predictive factor for pathological response to neoadjuvant chemoradiation?. *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer* 2009; 17:1109-1116.

Betticher D, Stahel R, Weder W, Stupp R, Egli F, Furrer M, Honegger H, Wernli M, Cerny T, Spiliopoulos A, Roth A, Hsu Schmitz S, Tötsch M, Hansen E, Joss C, von Briel C, Schmid R, Pless M, Habicht J, Ris H. Mediastinal lymph node clearance after docetaxel-cisplatin neoadjuvant chemotherapy is prognostic of survival in patients with stage IIIA pN2 non-small-cell lung cancer: a multicenter phase II trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2003; 21:1752-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch