



**Viviane Hess**

**Kontakt**

Viviane Hess

## Publikationen (7)

Dittrich T, Aujesky M, Rudin S, Zietz A, Wagner B, Polymeris A, Altersberger V, Sinnecker T, Gensicke H, Engelter S, Lyrer P, Hess V, Sutter R, Nickel C, Bonati L, Fischer U, Psychogios M, Katan M, De Marchis G. Apical pulmonary lesions suspected of malignancy visible on neck CT angiography performed for acute stroke: Prevalence, treatment, and clinical implications - the PLEURA study. *Eur Stroke J* 2023; 8:549-556.

Panje C, Hayoz S, Eisterer W, Hess V, Thuss-Patience P, Schacher S, Dürr D, Wagner A, Girschikofsky M, Eboulet E, Stahl M, Ruhstaller T. Patterns of care for relapsed oesophageal cancer after initial curative trimodality therapy: Long-term follow-up of the SAKK 75/08 trial. *Eur J Cancer* 2022; 177:186-193.

Wicki A, Tzankov A, Hess V, Childs A, Hierro C, Rodón J, Hess D, Jörger M, von Moos R, Sessa C, Ritschard R, Prêtre V, Herrmann R, Brown N, Xyrafas A, Bize V, Hawle H, Berardi S, Cmiljanović N, Cmiljanović V, Stumm M, Dimitrijević S, Kristeleit R. First-in human, phase 1, dose-escalation pharmacokinetic and pharmacodynamic study of the oral dual PI3K and mTORC1/2 inhibitor PQR309 in patients with advanced solid tumors (SAKK 67/13). *Eur J Cancer* 2018; 96:6-16.

Schmidt N, Hess V, Zumbunn T, Rothermundt C, Bongartz G, Potthast S. Choi response criteria for prediction of survival in patients with metastatic renal cell carcinoma treated with anti-angiogenic therapies. *Eur Radiol* 2012; 23:632-9.

Ruhstaller T, Brauchli P, Inauen R, Widmer L, Mingrone W, Gautschi O, Rauch D, Schneider P, Montemurro M, Moosmann P, von Moos R, Kranzbuehler H, Dietrich D, Pless M, Hess V. Cetuximab in combination with chemoradiotherapy before surgery in patients with resectable, locally advanced esophageal carcinoma: a prospective, multicenter phase IB/II Trial (SAKK 75/06). *J Clin Oncol* 2011; 29:626-31.

Ribi K, Pestalozzi B, Lombriser N, Borner M, von Moos R, Moosmann P, Hess V, Roth A, Honegger H, Schuller J, Köberle D, Ruhstaller T. Is a change in patient-reported dysphagia after induction chemotherapy in locally advanced esophageal cancer a predictive factor for pathological response to neoadjuvant chemoradiation?. *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer* 2009; 17:1109-1116.

Hess V, Scheithauer W, Figer A, Saletti P, Bajetta E, Ruhstaller T, Bodoky G, Dietrich D, Grawe P, Glimelius B, Herrmann R. CA 19-9 tumour-marker response to chemotherapy in patients with advanced pancreatic cancer enrolled in a randomised controlled trial. *The lancet oncology* 2008; 9:132-8.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)