



Hans Eich

Kontakt

Hans Eich

Publikationen (5)

Dippel E, Assaf C, Becker J, von Bergwelt-Baildon M, Bernreiter S, Cozzio A, Eich H, Elsayad K, Follmann M, Grabbe S, Hillen U, Klapper W, Klemke C, Loquai C, Meiß F, Mitteldorf C, Wehkamp U, Nashan D, Nicolay J, Oschlies I, Schlaak M, Stranzenbach R, Moritz R, Stoll C, Vag T, Weichenthal M, Wobser M, Stadler R. S2k-Guidelines - Cutaneous lymphomas (ICD10 C82 - C86): Update 2021. *J Dtsch Dermatol Ges* 2022; 20:537-554.

Dippel E, Assaf C, Becker J, von Bergwelt-Baildon M, Bernreiter S, Cozzio A, Eich H, Elsayad K, Follmann M, Grabbe S, Hillen U, Klapper W, Klemke C, Loquai C, Meiß F, Mitteldorf C, Wehkamp U, Nashan D, Nicolay J, Oschlies I, Schlaak M, Stranzenbach R, Moritz R, Stoll C, Vag T, Weichenthal M, Wobser M, Stadler R. S2k-Leitlinie - Kutane Lymphome (ICD10 C82-C86): Update 2021. *J Dtsch Dermatol Ges* 2022; 20:537-555.

Kreissl S, Keller U, Kühnhardt D, Ostermann H, Hertenstein B, Aulitzky W, Maschmeyer G, Vieler T, Eich H, Baues C, Stein H, Fuchs M, Diehl V, Dietlein M, Engert A, Borchmann P, Bentz M, Hitz F, Topp M, Goergen H, Buehnen I, Kobe C, Moccia A, Greil R, Eichenauer D, Zijlstra J, Markova J, Meissner J, Feuring-Buske M, Soekler M, Beck H, Willenbacher W, Ludwig W, Pabst T, German Hodgkin Study Group. PET-guided eBEACOPP treatment of advanced-stage Hodgkin lymphoma (HD18): follow-up analysis of an international, open-label, randomised, phase 3 trial. *Lancet Haematol* 2021; 8:e398-e409.

Borchmann P, Bentz M, Keller U, Kühnhardt D, Ostermann H, Schmitz N, Hertenstein B, Aulitzky W, Maschmeyer G, Vieler T, Eich H, Baues C, Stein H, Fuchs M, Kuhnert G, Diehl V, Dietlein M, Hitz F, Topp M, Goergen H, Kobe C, Lohri A, Greil R, Eichenauer D, Zijlstra J, Markova J, Meissner J, Feuring-Buske M, Hüttmann A, Dierlamm J, Soekler M, Beck H, Willenbacher W, Ludwig W, Pabst T, Engert A. PET-guided treatment in patients with advanced-stage Hodgkin's lymphoma (HD18): final results of an open-label, international, randomised phase 3 trial by the German Hodgkin Study Group. *Lancet* 2017; 390:2790-2802.

Behringer K, Lange E, Mahlberg R, Hassler A, Vogelhuber M, Hahn D, Mezger J, Krause S, Skoetz N, Böll B, von Tresckow B, Diehl V, Hallek M, Borchmann P, Stein H, Eich H, Engert A, Bentz M, Vieler T, Kriz J, Goergen H, Tanner A, Zijlstra J, Greil R, Markova J, Sasse S, Fuchs M, Topp M, Soekler M, Mathas S, Meissner J, Wilhelm M, Koch P, Lindemann H, Schalk E, Semrau R. Omission of dacarbazine or bleomycin, or both, from the ABVD regimen in treatment of early-stage favourable Hodgkin's lymphoma (GHSG HD13): an open-label, randomised, non-inferiority trial. *Lancet* 2014; 385:1418-27.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch