



## Swiss Group for Clinical Cancer Research

### Kontakt

Swiss Group for Clinical Cancer Research

## Publikationen (12)

Gautschi O, Savic S, Jaggi R, Leibundgut E, Largiadèr C, Brutsche M, Pilop C, Stalder L, Pless M, Ochsenbein A, Bubendorf L, Feilchenfeldt J, Rauch D, Mach N, Rothschild S, Li Q, Stahel R, Zippelius A, Cathomas R, Früh M, Betticher D, Peters S, Swiss Group for Clinical Cancer Research. Bevacizumab, Pemetrexed, and Cisplatin, or Bevacizumab and Erlotinib for Patients With Advanced Non-Small-Cell Lung Cancer Stratified by Epidermal Growth Factor Receptor Mutation: Phase II Trial SAKK19/09. *Clin Lung Cancer* 2015; 16:358-65.

Baty F, Brutsche M, Pless M, Zappa F, Crowe S, Bubendorf L, Gautschi O, Rauch D, Cathomas R, Dröge C, Betticher D, Früh M, Rothschild S, Swiss Group for Clinical Cancer Research. EGFR Exon-Level Biomarkers of the Response to Bevacizumab/Erlotinib in Non-Small Cell Lung Cancer. *PloS one* 2013; 8:e72966.

Früh M, Pless M, Fustier P, Küttel E, Simcock M, Rauch D, Krasniqi F, Erdmann A, Mamot C, Zippelius A, Tscherry G, Siano M, Cathomas R, Swiss Group for Clinical Cancer Research. Carboplatin and paclitaxel plus ASA404 as first-line chemotherapy for extensive-stage small-cell lung cancer: a multicenter single arm phase II trial (SAKK 15/08). *Clin Lung Cancer* 2012; 14:34-9.

Koeberle D, Herrmann R, Mora O, Ruhstaller T, Strasser F, Beretta K, Mingrone W, Caspar C, Dietrich D, Gerber D, Borner M, Saletti P, Swiss Group for Clinical Cancer Research. Patient-reported outcomes of patients with advanced biliary tract cancers receiving gemcitabine plus capecitabine: a multicenter, phase II trial of the Swiss Group for Clinical Cancer Research. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2008; 26:3702-8.

Roth A, de Braud F, Seymour M, Widmer L, Glynn-Jones R, Leslie M, Wernli M, Maibach R, Rufibach K, Borner M, Köberle D, Saletti P, Bernhard J, Falk S, Stupp R, Fazio N, Swiss Group for Clinical Cancer Research. Docetaxel, cisplatin, and fluorouracil; docetaxel and cisplatin; and epirubicin, cisplatin, and fluorouracil as systemic treatment for advanced gastric carcinoma: a randomized phase II trial of the Swiss Group for Clinical Cancer Research. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007; 25:3217-23.

Herrmann R, Stemmer S, Tamas K, Kornek G, Köberle D, Cina S, Bernhard J, Dietrich D, Scheithauer W, Swiss Group for Clinical Cancer Research, Mingrone W, Köhne C, Bodoky G, Ruhstaller T, Glimelius B, Bajetta E, Schüller J, Saletti P, Bauer J, Figuer A, Pestalozzi B, Central European Cooperative Oncology Group. Gemcitabine plus capecitabine compared with gemcitabine alone in advanced pancreatic cancer: a randomized, multicenter, phase III trial of the Swiss Group for Clinical Cancer Research and the Central European Cooperative Oncology Group. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007; 25:2212-7.

Hess D, Ribi K, Ballabeni P, Schuller J, Rauch D, Rochlitz C, Mattmann S, Schonenberger A, Pagani O, Thürlimann B, Köberle D, Swiss Group for Clinical Cancer Research. Capecitabine and vinorelbine as first-line treatment in elderly patients (> or =65 years) with metastatic breast cancer. A phase II trial (SAKK 25/99). *Oncology* 2007; 73:228-37.

Leyvraz S, Honegger H, Dietrich D, Fey M, Sessa C, Cerny T, Lissoni A, Jundt G, Zweifel M, Swiss Group for Clinical Cancer Research. Long-term results of a multicenter SAKK trial on high-dose ifosfamide and doxorubicin in advanced or metastatic gynecologic sarcomas. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2006; 17:646-51.

Ghielmini M, Cerny T, Bargetzi M, Ketterer N, Stahel R, Pichert G, Schefer H, Betticher D, Fey M, Waltzer U, Bertoni F, Cogliatti S, Schmitz S, Swiss Group for Clinical Cancer Research. Effect of single-agent rituximab given at the standard schedule or as prolonged treatment in patients with mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research (SAKK). *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2005; 23:705-11.

Bertoni F, Cotter F, Cavalli F, Zucca E, Auer R, Jones C, Baldini L, Ponzoni M, Bertolini F, Pichert G, Fey M, Cerny T, Ghielmini M, Schmitz S, Cogliatti S, Conconi A, Swiss Group for Clinical Cancer Research. Immunoglobulin heavy chain genes somatic hypermutations and chromosome 11q22-23 deletion in classic mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research. *British journal of haematology* 2004; 124:289-98.

Aapro M, Thürlimann B, Sessa C, De Pree C, Bernhard J, Maibach R, Swiss Group for Clinical Cancer Research. A randomized double-blind trial to compare the clinical efficacy of granisetron with metoclopramide, both combined with dexamethasone in the prophylaxis of chemotherapy-induced delayed emesis. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2003; 14:291-7.

Bernhard J, Maibach R, Thürlimann B, Sessa C, Aapro M, Swiss Group for Clinical Cancer Research. Patients' estimation of overall treatment burden: why not ask the obvious?. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2002; 20:65-72.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)