



**B Bodelle**

**Kontakt**

B Bodelle

## Publikationen (4)

Scholtz J, Vogl T, Lehnert T, Bauer R, Kerl J, Metzger S, Bodelle B, Albrecht M, Hüasers K, Kaup M, Wichmann J. Advanced Modeled Iterative Reconstruction in Low-Tube-Voltage Contrast-Enhanced Neck CT: Evaluation of Objective and Subjective Image Quality. *AJNR Am J Neuroradiol* 2015; 37:143-50.

Scholtz J, Vogl T, Lehnert T, Bauer R, Kerl J, Wagenblast J, Bodelle B, Frellesen C, Schulz B, Albrecht M, Kaup M, Hüasers K, Wichmann J. Non-linear image blending improves visualization of head and neck primary squamous cell carcinoma compared to linear blending in dual-energy CT. *Clin Radiol* 2014; 70:168-75.

Wichmann J, Vogl T, Lehnert T, Bauer R, Kerl J, Wagenblast J, Frellesen C, Scholtz J, Burck I, Bodelle B, Nöske E, Kraft J, Schulz B. Low-tube-voltage 80-kVp neck CT: evaluation of diagnostic accuracy and interobserver agreement. *AJNR Am J Neuroradiol* 2014; 35:2376-81.

Bodelle B, Vogl T, Lehnert T, Ackermann H, Wichmann J, Al-Butmeh F, Kerl J, Bauer R, Naguib N, Klein E, Schulz B. Acute intracranial hemorrhage in CT: benefits of sinogram-affirmed iterative reconstruction techniques. *AJNR Am J Neuroradiol* 2013; 35:445-9.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)