



Jürg Bernhard

Kontakt

Jürg Bernhard

Publikationen (18)

Ghadjar P, Zaugg K, Guckenberger M, Ost P, Reuter C, Bosetti D, Kaouthar K, Gomez S, Wust P, Thalmann G, Aebersold D, Sumila M, Schär C, Hayoz S, Bernhard J, Zwahlen D, Hölscher T, Gut P, Polat B, Hildebrandt G, Müller A, Plasswilm L, Papachristofilou A, Swiss Group for Clinical Cancer Research (SAKK). Dose-intensified Versus Conventional-dose Salvage Radiotherapy for Biochemically Recurrent Prostate Cancer After Prostatectomy: The SAKK 09/10 Randomized Phase 3 Trial. *Eur Urol* 2021; 80:306-315.

Colleoni M, Di Lauro V, Gombos A, Ruhstaller T, Burstein H, Ribi K, Bernhard J, Viale G, Maibach R, Rabaglio-Poretti M, Gelber R, Coates A, Di Leo A, Regan M, Goldhirsch A, O'Reilly S, Müller B, Marth C, Luo W, Karlsson P, Chirgwin J, Aebi S, Jerusalem G, Neven P, Hitre E, Graas M, Simoncini E, Kamby C, Thompson A, Loibl S, Gavilá J, Kuroi K, SOLE Investigators. Extended adjuvant intermittent letrozole versus continuous letrozole in postmenopausal women with breast cancer (SOLE): a multicentre, open-label, randomised, phase 3 trial. *Lancet Oncol* 2017; 19:127-138.

Ghadjar P, Thalmann G, Aebersold D, Wust P, Biaggi Rudolf C, Dal Pra A, Schär C, Papachristofilou A, Putora P, Müller A, Hildebrandt G, Polat B, Gut P, Hölscher T, Stein J, Zwahlen D, Bernhard J, Hayoz S, Swiss Group for Clinical Cancer Research (SAKK). Impact of dose intensified salvage radiation therapy on urinary continence recovery after radical prostatectomy: Results of the randomized trial SAKK 09/10. *Radiother Oncol* 2017

Rochlitz C, Rordorf T, Rauch D, Müller A, Ruhstaller T, Vetter M, Trojan A, Hasler-Strub U, Cathomas R, Winterhalder R, Borner M, Bärtschi D, Bigler M, von Moos R, Bernhard J, Matter-Walstra K, Wicki A, Zaman K, Anchisi S, Küng M, Na K. SAKK 24/09: safety and tolerability of bevacizumab plus paclitaxel vs. bevacizumab plus metronomic cyclophosphamide and capecitabine as first-line therapy in patients with HER2-negative advanced stage breast cancer - a multicenter, randomized phase III trial. *BMC cancer* 2016; 16:780.

Cathomas R, Gillessen Sommer S, Manetsch G, Bernhard J, Mohaupt M, Roggero E, Rauch D, Vilei S, Hayoz S, Kenner H, von Burg P, Elliott T, Rothermundt C, Winterhalder R, Mark M, Crabb S, Swiss Group for Clinical Cancer Research SAKK. Orteronel Switch Maintenance Therapy in Metastatic Castration Resistant Prostate Cancer After First-Line Docetaxel: A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial (SAKK 08/11). *Prostate* 2016; 76:1519-1527.

Ribi K, Torres R, Lombardi D, Puglisi F, Karlsson P, Ruhstaller T, Colleoni M, Coates A, Goldhirsch A, Price K, Gelber R, Regan M, Neven P, Perelló A, Kerbrat P, Luo W, Bernhard J, Francis P, Burstein H, Ciruelos E, Bellet M, Pavesi L, Lluch A, Visini M, Parmar V, Tondini C, Fleming G. Adjuvant Tamoxifen Plus Ovarian Function Suppression Versus Tamoxifen Alone in Premenopausal Women With Early Breast Cancer: Patient-Reported Outcomes in the Suppression of Ovarian Function Trial. *J Clin Oncol* 2016; 34:1601-10.

Bernhard J, Regan M, Pagani O, Fleming G, Francis P, Price K, Coates A, Gelber R, Goldhirsch A, Parmar V, Pavesi L, Puglisi F, Luo W, Ribi K, Colleoni M, Burstein H, Tondini C, Pinotti G, Spazzapan S, Ruhstaller T, Walley B. Patient-reported outcomes with adjuvant exemestane versus tamoxifen in premenopausal women with early breast cancer undergoing ovarian suppression (TEXT and SOFT): a combined analysis of two phase 3 randomised trials. *Lancet Oncol* 2015; 16:848-58.

Pagani O, Winer E, Rabaglio-Poretti M, Maibach R, Ruepp B, Giobbie-Hurder A, Price K, Bernhard J, Luo W, Ribi K, Viale G, Coates A, Gelber R, Goldhirsch A, Francis P, TEXT and SOFT Investigators, Ruhstaller T, Crivellari D, Puglisi F, Regan M, Walley B, Fleming G, Colleoni M, Láng I, Gomez H, Tondini C, Burstein H, Perez E, Ciruelos E, Stearns V, Bonnefoi H, Martino S, Geyer C, Pinotti G, International Breast Cancer Study Group. Adjuvant exemestane with ovarian suppression in premenopausal breast cancer. *N Engl J Med* 2014; 371:107-18.

Ciurea A, Weber U, Boonen A, Dougados M, van der Heijde D, Michel B, Nissen M, Müller R, Weiss B, Tamborrini G, Rufibach K, Stekhoven D, Kissling R, Beyeler B, Dudler J, Bernhard J, Exer P, Scherer A, Rheumatologists of the Swiss Clinical Quality Management Program for Axial Spondyloarthritis. Tumor necrosis factor α inhibition in radiographic and nonradiographic axial spondyloarthritis: results from a large observational cohort. *Arthritis Rheum* 2013; 65:3096-106.

Pesce G, Bernhard J, Kotrubczik N, D'Addario G, Pilop C, Weber D, Bodis S, Pless M, Mayer M, Cathomas R, Peters S, Klingbiel D, Ribi K, Zouhair A, von Moos R, Schlaeppli M, Caspar C, Fischer N, Anchisi S, Stupp R. Outcome, quality of life and cognitive function of patients with brain metastases from non-small cell lung cancer treated with whole brain radiotherapy combined with gefitinib or temozolomide. A randomised phase II trial of the Swiss Group for Clinical Cancer Research (SAKK 70/03). *Eur J Cancer* 2011; 48:377-84.

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Sun Z, Ribi K, Aldridge J, Bernhard J. Cognitive function in postmenopausal breast cancer patients one year after completing adjuvant endocrine therapy with letrozole and/or tamoxifen in the BIG 1-98 trial. *Breast Cancer Res Treat* 2010

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Stephens A, Sun Z, Ribi K, Bernhard J. Cognitive function in postmenopausal women receiving adjuvant letrozole or tamoxifen for breast cancer in the BIG 1-98 randomized trial. *Breast* 2010; 19:388-95.

Ribi K, Stahel R, Ris H, Stupp R, Schmid R, Betticher D, Jörger M, Bodis S, Weder W, Schuller J, Bernhard J, Swiss Group for Clinical Cancer Research SAKK. Individual versus standard quality of life assessment in a phase II clinical trial in mesothelioma patients: feasibility and responsiveness to clinical changes. *Lung cancer (Amsterdam, Netherlands)* 2008; 61:398-404.

Bernhard J, Pestalozzi B, Köhne C, Mingrone W, Stemmer S, Tamas K, Kornek G, Koeberle D, Herrmann R, Figer A, Bauer J, Saletti P, Dietrich D, Scheithauer W, Gerber D, Bodoky G, Ruhstaller T, Glimelius B, Bajetta E, Schüller J, Central European Cooperative Oncology Group. Clinical benefit and quality of life in patients with advanced pancreatic cancer receiving gemcitabine plus capecitabine versus gemcitabine alone: a randomized multicenter phase III clinical trial--SAKK 44/00-CECOG/PAN.1.3.001. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2008; 26:3695-701.

Roth A, de Braud F, Seymour M, Widmer L, Glynn-Jones R, Leslie M, Wernli M, Maibach R, Rufibach K, Borner M, Köberle D, Saletti P, Bernhard J, Falk S, Stupp R, Fazio N, Swiss Group for Clinical Cancer Research. Docetaxel, cisplatin, and fluorouracil; docetaxel and cisplatin; and epirubicin, cisplatin, and fluorouracil as systemic treatment for advanced gastric carcinoma: a randomized phase II trial of the Swiss Group for Clinical Cancer Research. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007; 25:3217-23.

Herrmann R, Stemmer S, Tamas K, Kornek G, Köberle D, Cina S, Bernhard J, Dietrich D, Scheithauer W, Swiss Group for Clinical Cancer Research, Mingrone W, Köhne C, Bodoky G, Ruhstaller T, Glimelius B, Bajetta E, Schüller J, Saletti P, Bauer J, Figer A, Pestalozzi B, Central European Cooperative Oncology Group. Gemcitabine plus capecitabine compared with gemcitabine alone in advanced pancreatic cancer: a randomized, multicenter, phase III trial of the Swiss Group for Clinical Cancer Research and the Central European Cooperative Oncology Group. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007; 25:2212-7.

Bernhard J, Coates A, Goldhirsch A, Price K, Thürlimann B, Aebi S, Collins J, Murray E, Forbes J, Gelber R, Hürny C, Castiglione-Gertsch M, Zahrieh D, International Breast Cancer Study Group Trial VIII. Adjuvant chemotherapy followed by goserelin compared with either modality alone: the impact on amenorrhea, hot flashes, and quality of life in premenopausal patients--the International Breast Cancer Study Group Trial VIII. *JCO* 2007; 25:263-70.

Sabbioni M, Hürny C, Goldhirsch A, Herrmann R, Perey L, Bonnefoi H, Thürlimann B, Gertsch M, Schmitz S, Siegrist H, Bernhard J, Swiss Group for Clinical Cancer Research (SAKK). Does subjective burden of early breast cancer and its treatment affect immune measures during adjuvant therapy?. *Breast Cancer Res Treat* 2004; 87:75-86.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch