



**D Koeberle**

**Kontakt**

D Koeberle

## Publikationen (6)

Strasser F, Koeberle D, Kaasa S, Mauri S, Haefner M, Brauchli P, Klingbiel D, Hayoz S, Betticher D, Aebi S, Ribi K, Cathomas R, von Moos R, Blum D, Swiss Group for Clinical Cancer Research (SAKK). The effect of real-time electronic monitoring of patient-reported symptoms and clinical syndromes in outpatient workflow of medical oncologists: E-MOSAIC, a multicenter cluster-randomized phase III study (SAKK 95/06). *Ann Oncol* 2015

Koeberle D, Kollar A, Saletti P, Roth A, Früh M, Kueng M, Popescu R, Schacher S, Hess V, Moosmann P, Anchisi S, Betticher D, von Moos R, Dietrich D, Brauchli P, Baertschi D, Matter K, Winterhalder R, Borner M, Herrmann R. Bevacizumab continuation versus no continuation after first-line chemotherapy plus bevacizumab in patients with metastatic colorectal cancer: a randomized phase III non-inferiority trial (SAKK 41/06). *Ann Oncol* 2015; 26:709-14.

Blum D, Strasser F, Kaasa S, Hayoz S, Dewolf-Linder S, Mingrone W, von Moos R, Walker J, Omlin A, Koeberle D, Ribi K. Feasibility and acceptance of electronic monitoring of symptoms and syndromes using a handheld computer in patients with advanced cancer in daily oncology practice. *Support Care Cancer* 2014; 22:2425-34.

Jörger M, Schaer-Thuer C, Koeberle D, Matter-Walstra K, Gibbons-Marsico J, Diem S, Thürlimann B, Cerny T. Off-label use of anticancer drugs in eastern Switzerland: a population-based prospective cohort study. *Eur J Clin Pharmacol* 2014; 70:719-25.

Jörger M, Huitema A, Koeberle D, Rosing H, Beijnen J, Hitz F, Cerny T, Schellens J, Gillessen Sommer S. Safety and pharmacology of gemcitabine and capecitabine in patients with advanced pancreatico-biliary cancer and hepatic dysfunction. *Cancer Chemother Pharmacol* 2013; 73:113-24.

Borner M, Mingrone W, Lanz D, Dietrich D, Kappeler A, Roth A, Ruhstaller T, Caspar C, Pestalozzi B, Helbling D, Trojan A, Hess V, Rauch D, Saletti P, von Moos R, Koeberle D, Swiss Group for Clinical Cancer Research (SAKK), Bern, Switzerland. Adding cetuximab to capecitabine plus oxaliplatin (XELOX) in first-line treatment of metastatic colorectal cancer: a randomized phase II trial of the Swiss Group for Clinical Cancer Research SAKK. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2008; 19:1288-92.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)