



T Ochsenkühn

Kontakt

T Ochsenkühn

Publikationen (9)

Storr M, Emmerdinger D, Diegelmann J, Yüce B, Pfennig S, Ochsenkühn T, Göke B, Lohse P, Brand S. The role of fatty acid hydrolase gene variants in inflammatory bowel disease. *Aliment Pharmacol Ther* 2008; 29:542-51.

Seiderer J, Lohse P, Ochsenkühn T, Göke B, Haller D, Török H, Konrad A, Pfennig S, Kühnlein B, Dambacher J, Brand S. The role of the selenoprotein S (SELS) gene -105G>A promoter polymorphism in inflammatory bowel disease and regulation of SELS gene expression in intestinal inflammation. *Tissue Antigens* 2007; 70:238-46.

Seiderer J, Brand S, Dambacher J, Pfennig S, Jürgens M, Göke B, Ochsenkühn T. Adalimumab in patients with Crohn's disease--safety and efficacy in an open-label single centre study. *Aliment Pharmacol Ther* 2007; 25:787-96.

Brand S, Ochsenkühn T, Göke B. Chronisch entzündliche Darmerkrankungen: Morbus Crohn und Colitis ulcerosa. In: *Gastroenterologie systematisch*. Bremen: Uni-Med-Verlag, 2007.

Thalmaier D, Lohse P, Ochsenkühn T, Göke B, Crispin A, Otte J, Pfennig S, Schachinger V, Konrad A, Seiderer J, Dambacher J, Brand S. The +1059G/C polymorphism in the C-reactive protein (CRP) gene is associated with involvement of the terminal ileum and decreased serum CRP levels in patients with Crohn's disease. *Aliment Pharmacol Ther* 2006; 24:1105-15.

Ochsenkühn T, Tillack C, Stepp H, Diebold J, Ott S, Baumgartner R, Brand S, Göke B, Sackmann M. Low frequency of colorectal dysplasia in patients with long-standing inflammatory bowel disease colitis: detection by fluorescence endoscopy. *Endoscopy* 2006; 38:477-82.

Seiderer J, Schnitzler F, Brand S, Tillack C, Göke B, Ochsenkühn T. Infliximab zur Therapie chronisch entzündlicher Darmerkrankungen. *Dtsch Arztebl* 2005; 102:828-833.

Török H, Brännler G, Jagiello P, Epplen J, Griga T, Klein W, Schiemann U, Folwaczny M, Ochsenkühn T, Brand S, Tillack C, Glas J, Tonenchi L, Lohse P, Müller-Myhsok B, Limbersky O, Neugebauer C, Schnitzler F, Seiderer J, Folwaczny C. Polymorphisms in the DLG5 and OCTN cation transporter genes in Crohn's disease. *Gut* 2005; 54:1421-7.

Brand S, Sackmann M, Paumgartner G, von Ritter C, Holl J, Baretton G, Baumgartner R, Ochsenkühn T, Stepp H, Baumgartner G. Detection of colonic dysplasia by light-induced fluorescence endoscopy: a pilot study. *Int J Colorectal Dis* 1999; 14:63-8.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch