



Jonas Halfvarson

Kontakt

Jonas Halfvarson

Publikationen (5)

Li D, Devlin B, Sharma Y, Torkvist L, Targan S, Stempak J, Simms L, Regueiro M, Proctor D, Borneman J, Hakonarson H, McGovern D, Braun J, Cho J, Silverberg M, Rioux J, Brant S, Daly M, Xavier R, Milgrom R, Glas J, Halfvarson J, Radford-Smith G, Brand S, D'Amato M, Hui K, Jacobs J, Haritunians T, Achkar J, Niess J, Kugathasan S, Focchi C, Dubinsky M, Baidoo L, Aumais G, Ananthakrishnan A, Klei L, Schumm L, Büning C, Duerr R. A Pleiotropic Missense Variant in SLC39A8 Is Associated With Crohn's Disease and Human Gut Microbiome Composition. *Gastroenterology* 2016; 151:724-32.

Lees C, van der Meulen-de Jong A, Theatre E, Schreiber S, Satsangi J, Lee J, Lawrance I, Kupcinskas L, Kennedy N, Weersma R, Wilson D, Barrett J, McGovern D, Radford-Smith G, Silverberg M, Mansfield J, Rioux J, Vermeire S, Parkes M, Huang H, Hov J, Halfvarson J, Annese V, Andrews J, Andersen V, Ahmad T, Zeissig S, Schumm L, Jostins L, Boucher G, Brand S, Brant S, Cho J, Hakonarson H, Goyette P, Geary R, Franke A, Ferguson L, Duerr R, Dubinsky M, Daly M, Cleynen I. Inherited determinants of Crohn's disease and ulcerative colitis phenotypes: a genetic association study. *Lancet* 2015; 387:156-67.

Franke A, Büning C, Duerr R, Nöthen M, Wang J, Vatn M, Mathew C, Sanderson J, Rutgeerts P, Vermeire S, McArdle W, Strachan D, Wijmenga C, Sans M, Brand S, Glas J, Parkes M, Schreiber S, Rosenstiel P, Subramani S, Karlsen T, Nothnagel M, Daly M, D'Amato M, Halfvarson J, Annese V, Latiano A, Illig T, Winkelmann J, Ponsioen C, Weersma R, Nikolaus S, Liu X, Doncheva N, Skieceviciene J, Rivas M, Keller A, Ellinghaus E, Bromberg Y, Stade B, Jiang T, Till A, Lipinski S, Zeissig S, Zhang H, Liu Q, Jiang F, Krawczak M, Kayser M, Kupcinskas L, Vogel U, Andersen V, Lee J, Berzuini C, Goodall J, Boehm B, Häsler R, Albrecht M, Mayr G, Forster M, Ellinghaus D. Association between variants of PRDM1 and NDP52 and Crohn's disease, based on exome sequencing and functional studies. *Gastroenterology* 2013; 145:339-47.

Phillips A, van den Berg L, Vatn M, Verspaget H, Walters T, Wijmenga C, Wilson D, Westra H, Xavier R, Zhao Z, Ponsioen C, Andersen V, Torkvist L, Targan S, Steinhart A, Prescott N, Proctor D, Roberts R, Russell R, Rutgeerts P, Sanderson J, Sans M, Schumm P, Seibold F, Sharma Y, Simms L, Seielstad M, Gazouli M, Anagnou N, Satsangi J, Cho J, Schreiber S, Daly M, Barrett J, Parkes M, Annese V, Hakonarson H, Radford-Smith G, Duerr R, Vermeire S, Weersma R, Chamailard M, Brant S, Karlsen T, Kupcinskas L, Sventoraityte J, Mansfield J, Kugathasan S, Silverberg M, Halfvarson J, Rotter J, Mathew C, Griffiths A, Geary R, Ahmad T, Rioux J, Panés J, Anderson C, Baldassano R, Barclay M, Bayless T, Brand S, Büning C, Colombel J, Denson L, De Vos M, Dubinsky M, Edwards C, Ellinghaus D, Fehrmann R, Baidoo L, Bumpstead S, Boucher G, Lees C, Franke A, D'Amato M, Taylor K, Lee J, Goyette P, Imielinski M, Latiano A, Lagacé C, Scott R, Amininejad L, Floyd J, Florin T, Libioulle C, Louis E, McGovern D, Milla M, Montgomery G, Morley K, Mowat C, Ng A, Newman W, Ophoff R, Papi L, Palmieri O, Levine A, Lemann M, Franchimont D, Franke L, Georges M, Glas J, Glazer N, Guthery S, Haritunians T, Hayward N, Hugot J, Jobin G, Laukens D, Lawrance I, Peyrin-Biroulet L. Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nat Genet* 2011; 43:246-52.

Glas J, Mowat C, Newman W, Panés J, Phillips A, Proctor D, Regueiro M, Russell R, Rutgeerts P, Sanderson J, Sans M, Louis E, Libioulle C, Van Gossom A, Guthery S, Halfvarson J, Verspaget H, Hugot J, Karban A, Laukens D, Lawrance I, Lemann M, Levine A, Seibold F, Steinhart A, Mansfield J, Vermeire S, Duerr R, Silverberg M, Satsangi J, Schreiber S, Cho J, Annese V, Hakonarson H, Daly M, Griffiths A, Kugathasan S, Stokkers P, Torkvist L, Kullak-Ublick G, Wilson D, Walters T, Targan S, Brant S, Rioux J, D'Amato M, Weersma R, Parkes M, Franke A, Ellinghaus D, Festen E, Georges M, Green T, Haritunians T, Jostins L, Latiano A, Mathew C, Montgomery G, Prescott N, Bumpstead S, Bis J, McGovern D, Barrett J, Wang K, Radford-Smith G, Ahmad T, Lees C, Balschun T, Lee J, Roberts R, Anderson C, Raychaudhuri S, Rotter J, Colombel J, Cottone M, Stronati L, Denson T, De Vos M, D'Inca R, Dubinsky M, Edwards C, Florin T, Franchimont D, Cohen A, Büning C, Schumm P, Sharma Y, Simms L, Taylor K, Whiteman D, Wijmenga C, Baldassano R, Barclay M, Bayless T, Brand S, Geary R. Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. *Nat Genet* 2010; 42:1118-25.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch