



Olli Raitakari

Kontakt

Olli Raitakari

Publikationen (7)

Siscovick D, Liu Y, Ordovas J, Johansson I, Mukamal K, Kähönen M, Graff M, Hofman A, Rotter J, Perälä M, Keller M, Lai C, Hu F, Province M, Männistö S, Uitterlinden A, Deloukas P, Meigs J, Dedoussis G, Lehtimäki T, Franco O, Orho-Melander M, Eriksson J, Nalls M, Arnett D, Franks P, Borecki I, Cupples L, Psaty B, Seppälä I, Djoussé L, Pankow J, Mikkilä V, van den Hooven E, Ericson U, Lahti J, Houston D, Frazier-Wood A, Varga T, Kalafati I, Wojczynski M, Ngwa J, Lemaitre R, Nettleton J, Follis J, Kieft-de Jong J, Mozaffarian D, Rice K, Raitakari O, Dimitriou M, van Rooij F, Manichaikul A, Sonestedt E, Tiainen A, Garcia M, Smith C, Kanoni S, Feitosa M, McKeown N, North K, Renström F, Fretts A. Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. *Am J Clin Nutr* 2015; 102:1266-78.

Franks P, Uitterlinden A, Viikari J, Stirrups K, Hofman A, Barroso I, Perola M, Djoussé L, Kähönen M, Sjögren P, Deloukas P, van Rooij F, Jacobs D, Ericson U, Jula A, Hallmans G, Kalafati I, Franco O, Mozaffarian D, Loos R, Cupples L, Renström F, Lehtimäki T, Ingelsson E, Zillikens M, Orho-Melander M, Ferrucci L, Qi L, Dedoussis G, Eriksson J, Kritchevsky S, Knekt P, Borecki I, Salomaa V, Männistö S, Mukamal K, Raitakari O, Manichaikul A, Sonestedt E, Qi Q, Perälä M, Houston D, Nuotio M, Kristiansson K, Lemaitre R, Voortman T, Wojczynski M, Tanaka T, Ahmad S, Smith C, Ngwa J, Follis J, Kanoni S, Ganna A, Mikkilä V, Ax E, Dimitriou M, Booi L, Rich S, Rukh G, Bandinelli S, Hu F, Lahti J, Liu Y, Rissanen H, Johansson I, McKeown N, Harald K, Siscovick D, North K, Nettleton J. Gene × dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. *Hum Mol Genet* 2015; 24:4728-38.

Mukamal K, Liu Y, Danesh J, Rasheed A, Mason M, Zonderman A, Franke L, Kristal B, Karjalainen J, Reed D, Westra H, Evans M, Saleheen D, Harris T, Dedoussis G, Curhan G, Stumvoll M, Beilby J, Houston D, Lorentzon M, Psaty B, Döring A, Heath A, Montgomery G, Dahmen N, Carithers T, Tucker K, Ferrucci L, Boyd H, Melbye M, Treur J, Mellström D, Hottenga J, Prokopenko I, Tönjes A, Deloukas P, Kanoni S, Pasquale L, Feenstra B, Bandinelli S, Caporaso N, Grabe H, Neuhauser M, Wolfenbuttel B, Hu F, Hyppönen E, Jarvelin M, Cupples L, Franks P, Ridker P, van Duijn C, Heiss G, Metspalu A, North K, Ingelsson E, Nettleton J, van Dam R, Vollenweider P, Wareham N, Ordovas J, Chan A, Peters U, Ohlsson C, Gieger C, Martin N, Waldenberger M, Siscovick D, Raitakari O, Eriksson J, Mitchell P, Hunter D, Kraft P, Rimm E, Boomsma D, Borecki I, Loos R, Chasman D, Mozaffarian D, Wojczynski M, Vink J, Zhao J, Burlutsky G, Lahti J, Mikkilä V, Lemaitre R, Eriksson J, Musani S, Tanaka T, Geller F, Luan J, Hui J, Mägi R, Dimitriou M, Garcia M, Ho W, Manichaikul A, Rawal R, Cornelis M, Byrne E, Esko T, Nalls M, Ganna A, Paynter N, Monda K, Amin N, Fischer K, Renström F, Ngwa J, Huikari V, Cavadino A, Nolte I, Teumer A, Yu K, Marques-Vidal P, Wright M, Rose L, Magnusson P, Bastardot F, Kutalik Z, Jacobs D, Forouhi N, Mihailov E, Lind L, Lindgren C, Michaëlsson K, Morris A, Jensen M, Khaw K, Luben R, Wang J, Männistö S, Perälä M, Kähönen M, Lehtimäki T, Gu F, Biffar R, Pedersen N, Couper D, Oostra B, Hofman A, Ikram M, Tiemeier H, Uitterlinden A, van Rooij F, Barroso I, Johansson I, Xue L, Kaakinen M, Milani L, Power C, Snieder H, Stolk R, Baumeister S, Viikari J. Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. *Mol Psychiatry* 2014; 20:647-656.

Hansen T, Mozaffarian D, North K, Pedersen O, Raitakari O, Rissanen H, Tuomilehto J, Van der Schouw Y, Uitterlinden A, Zillikens M, Franco O, Shyong Tai E, Mikkilä V, Long J, Lohman K, Christiansen L, Hofman A, Johansson I, Jørgensen T, Karasawa S, Khaw K, Kim M, Kristiansson K, Li H, Lin X, Liu Y, Ou Shu X, Siscovick D, Uusitupa M, Cupples L, Rankinen T, Orho-Melander M, Wang T, Chasman D, Franks P, Sørensen T, Hu F, Loos R, Nettleton J, Mohlke K, Hunter D, Pasquale L, Toft U, Verschuren W, Vollenweider P, Wareham N, Witteman J, Zheng W, Ridker P, Kang J, Liang L, Jensen M, Curhan G, Qi L, Forouhi N, Qi Q, Xu M, Ahluwalia T, Boer J, Chen P, Daimon M, Eriksson J, Perola M, Friedlander Y, Gao Y, Heppe D, Holloway J, Asif Ali M, Li Y, Liu Z, Kilpeläinen T, Downer M, Tanaka T, Smith C, Sluijs I, Sonestedt E, Chu A, Renström F, Lin X, Ångquist L, Huang J, Houston D, Kanoni S, van Rooij F, Xiang Y, Wen W, Wojczynski M, Zhu J, Borecki I, Bouchard C, Cai Q, Cooper C, Dedoussis G, Deloukas P, Pérusse L, Ngwa J, Monda K, Kim Y, Laaksonen M, Jääskeläinen T, Lee N, Lehtimäki T, Lemaitre R, Lu W, Luben R, Manichaikul A, Männistö S, Marques-Vidal P, Ferrucci L. FTO genetic variants, dietary intake and body mass index: insights from 177,330 individuals. *Hum Mol Genet* 2014; 23:6961-72.

Nettleton J, Johnson A, Franco O, Raitakari O, Kalafati I, Hu F, Uitterlinden A, Ordovas J, Langenberg C, Kähönen M, Hallmans G, Dimitriou M, North K, Lyytikäinen L, Liu Y, Emilsson V, Schrack J, Semba R, Cupples L, Dedoussis G, Ferrucci L, Witteman J, Wareham N, Rotter J, Orho-Melander M, Loos R, Lehtimäki T, Kritchevsky S, Franks P, Borecki I, Arnett D, Siscovick D, Hofman A, Forouhi N, Deloukas P, Chu A, Zhao J, Sonestedt E, Renström F, Mikkilä V, Luan J, Lemaitre R, Kanoni S, Houston D, Frazier-Wood A, Wojczynski M, Zillikens M, van Rooij F, Ngwa J, Qi L, Chasman D, de Oliveira Otto M, Barroso I, Bandinelli S, Ye Z, Viikari J, Stirrups K, Singleton A, Mozaffarian D, McKeown N, Manichaikul A, Lohman K, Khaw K, Johansson I, Feitosa M, Dhurandhar E, Tanaka T. Genome-wide meta-analysis of observational studies shows common genetic variants associated with macronutrient intake. *Am J Clin Nutr* 2013; 97:1395-402.

Franks P, Seppälä I, Rolandsson O, Prokopenko I, Mukamal K, Kolovou G, Hofman A, Dupuis J, Zillikens M, Viikari J, North K, McCarthy M, Liu Y, Johansson I, Jacques P, Cupples L, Hu F, Meigs J, Dedoussis G, Siscovick D, Ingelsson E, Wittteman J, Lehtimäki T, Pankow J, Orho-Melander M, Kritchevsky S, Jacobs D, Ferrucci L, Borecki I, Uitterlinden A, Kähönen M, Groves C, Deloukas P, Ax E, Kanoni S, Houston D, Ganna A, Dimitriou M, Follis J, Ngwa J, Djoussé L, Hruby A, Wojczynski M, Tanaka T, Mozaffarian D, McKeown N, Lemaitre R, Hivert M, Mikkilä V, Manichaikul A, Stirrups K, Sjögren P, Papoutsakis C, Raitakari O, Lohman K, Kieffe-de Jong J, Hassanali N, Ericson U, de Koning L, Bandinelli S, van Rooij F, Sonestedt E, Renström F, Ntalla I, Nettleton J. Meta-analysis investigating associations between healthy diet and fasting glucose and insulin levels and modification by loci associated with glucose homeostasis in data from 15 cohorts. *Am J Epidemiol* 2012; 177:103–15.

Scott R, Ohlsson C, Boehnke M, Bandinelli S, van Duijn C, Ebrahim S, Lawlor D, Gudnason V, Harris T, Sørensen T, Mohlke K, Hofman A, Uitterlinden A, Fritsche A, Dedoussis G, Borecki I, Shungin D, Sovio U, Tammelin T, Rönnemaa T, Lakka T, Uusitupa M, Rios M, Ferrucci L, Bouchard C, Meirhaeghe A, Fu M, Walker M, Tuomilehto J, Lehtimäki T, Chasman D, Ridker P, Hansen T, Monda K, Illig T, Jarvelin M, Wareham N, Hu F, Groop L, Orho-Melander M, Ekelund U, Franks P, Khaw K, Power C, Bergmann S, Raitakari O, Isomaa B, Njølstad P, Florez J, Liu S, Ness A, Spector T, Tai E, Froguel P, Boeing H, Laakso M, Marmot M, Loos R, Kilpeläinen T, Kumari M, Stančáková A, Meidtner K, Balkau B, Tan J, Mangino M, Timpson N, Song Y, Zillikens M, Jablonski K, Garcia M, Johansson S, Kutalik Z, He M, Cauchi S, Qi L, Brage S, Sharp S, Sonestedt E, Demerath E, Ahmad T, Mora S, Kaakinen M, Sandholt C, Holzapfel C, Autenrieth C, Hyppönen E, Bragg-Gresham J, Wu Y, Amin N, Cavalcanti-Proença C, Grøntved A, Hallmans G, Jansson J, Kuusisto J, Kähönen M, Lutsey P, Nolan J, Palla L, Pedersen O, Pérusse L, Hakanen M, Atalay M, Larrad M, van Vliet-Ostaptchouk J, Onland-Moret N, Zimmermann E, Rivera N, Tanaka T, Stringham H, Silbernagel G, Kanoni S, Feitosa M, Snitker S, Ruiz J, Metter J, Renström F. Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. *PLoS Med* 2011; 8:e1001116.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch