



**Andrea Ganna**

**Kontakt**

Andrea Ganna

## Publikationen (5)

Franks P, Uitterlinden A, Viikari J, Stirrups K, Hofman A, Barroso I, Perola M, Djoussé L, Kähönen M, Sjögren P, Deloukas P, van Rooij F, Jacobs D, Ericson U, Jula A, Hallmans G, Kalafati I, Franco O, Mozaffarian D, Loos R, Cupples L, Renström F, Lehtimäki T, Ingelsson E, Zillikens M, Orho-Melander M, Ferrucci L, Qi L, Dedoussis G, Eriksson J, Kritchevsky S, Knekt P, Borecki I, Salomaa V, Männistö S, Mukamal K, Raitakari O, Manichaikul A, Sonestedt E, Qi Q, Perälä M, Houston D, Nuotio M, Kristiansson K, Lemaitre R, Voortman T, Wojczynski M, Tanaka T, Ahmad S, Smith C, Ngwa J, Follis J, Kanoni S, Ganna A, Mikkilä V, Ax E, Dimitriou M, Booiij L, Rich S, Rukh G, Bandinelli S, Hu F, Lahti J, Liu Y, Rissanen H, Johansson I, McKeown N, Harald K, Siscovick D, North K, Nettleton J. Gene × dietary pattern interactions in obesity: analysis of up to 68 317 adults of European ancestry. *Hum Mol Genet* 2015; 24:4728–38.

Mukamal K, Liu Y, Danesh J, Rasheed A, Mason M, Zonderman A, Franke L, Kristal B, Karjalainen J, Reed D, Westra H, Evans M, Saleheen D, Harris T, Dedoussis G, Curhan G, Stumvoll M, Beilby J, Houston D, Lorentzon M, Psaty B, Döring A, Heath A, Montgomery G, Dahmen N, Carithers T, Tucker K, Ferrucci L, Boyd H, Melbye M, Treur J, Mellström D, Hottenga J, Prokopenko I, Tönjes A, Deloukas P, Kanoni S, Pasquale L, Feenstra B, Bandinelli S, Caporaso N, Grabe H, Neuhauser M, Wolfenbutter B, Hu F, Hyppönen E, Jarvelin M, Cupples L, Franks P, Ridker P, van Duijn C, Heiss G, Metspalu A, North K, Ingelsson E, Nettleton J, van Dam R, Vollenweider P, Wareham N, Ordovas J, Chan A, Peters U, Ohlsson C, Gieger C, Martin N, Waldenberger M, Siscovick D, Raitakari O, Eriksson J, Mitchell P, Hunter D, Kraft P, Rimm E, Boomsma D, Borecki I, Loos R, Chasman D, Mozaffarian D, Wojczynski M, Vink J, Zhao J, Burlutsky G, Lahti J, Mikkilä V, Lemaitre R, Eriksson J, Musani S, Tanaka T, Geller F, Luan J, Hui J, Mägi R, Dimitriou M, Garcia M, Ho W, Manichaikul A, Rawal R, Cornelis M, Byrne E, Esko T, Nalls M, Ganna A, Paynter N, Monda K, Amin N, Fischer K, Renström F, Ngwa J, Huikari V, Cavadino A, Nolte I, Teumer A, Yu K, Marques-Vidal P, Wright M, Rose L, Magnusson P, Bastardot F, Kutalik Z, Jacobs D, Forouhi N, Mihailov E, Lind L, Lindgren C, Michaëlsson K, Morris A, Jensen M, Khaw K, Luben R, Wang J, Männistö S, Perälä M, Kähönen M, Lehtimäki T, Gu F, Biffar R, Pedersen N, Couper D, Oostra B, Hofman A, Ikram M, Tiemeier H, Uitterlinden A, van Rooij F, Barroso I, Johansson I, Xue L, Kaakinen M, Milani L, Power C, Snieder H, Stolk R, Baumeister S, Viikari J. Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. *Mol Psychiatry* 2014; 20:647–656.

Franks P, Pedersen O, Pasquale L, Mohlke K, Hamsten A, Boehnke M, Pedersen N, Magnusson P, Paré G, Scott R, Ridker P, Ingelsson E, Orho-Melander M, Renström F, Hu F, Hallmans G, Chasman D, Wareham N, Qi L, Hansen T, Laakso M, Linneberg A, Grarup N, Aadahl M, Rose L, Chu A, Koivula R, Ericson U, Shungin D, Kurbasic A, Ali A, Varga T, Rukh G, Ganna A, Qi Q, Stančáková A, Langenberg C, Brage S, Jørgensen T, Allin K, Tamimi R, Jensen M, Curhan G, Elks C, Sandholt C, Ahmad S. Gene × physical activity interactions in obesity: combined analysis of 111,421 individuals of European ancestry. *PLoS Genet* 2013; 9:e1003607.

Nettleton J, Cupples L, Borecki I, Franco O, Mukamal K, Mikkilä V, McCarthy M, Lind L, Hofman A, Groves C, Viikari J, Uitterlinden A, Syvänen A, Dedoussis G, Ferrucci L, Hu F, McKeown N, Meigs J, Franks P, Witteman J, Siscovick D, Rotter J, Prokopenko I, Orho-Melander M, Kritchevsky S, Kao W, Kähönen M, Ingelsson E, Papoutsakis C, Mozaffarian D, Liu Y, North K, Manichaikul A, Lemaitre R, Lehtimäki T, Kanoni S, Jacques P, Houston D, Hallmans G, Ganna A, Wojczynski M, Renström F, Ngwa J, Ntalla I, Sonestedt E, Tanaka T, Hassanali N, Zillikens M, Yannakoulia M, Riserus U, Raitakari O, Pankow J, Lohman K, Johansson I, Grigoriou E, Djoussé L, Bandinelli S, van Rooij F, Hruby A. Higher magnesium intake is associated with lower fasting glucose and insulin, with no evidence of interaction with select genetic loci, in a meta-analysis of 15 CHARGE Consortium Studies. *J Nutr* 2013; 143:345–53.

Franks P, Seppälä I, Rolandsson O, Prokopenko I, Mukamal K, Kolovou G, Hofman A, Dupuis J, Zillikens M, Viikari J, North K, McCarthy M, Liu Y, Johansson I, Jacques P, Cupples L, Hu F, Meigs J, Dedoussis G, Siscovick D, Ingelsson E, Witteman J, Lehtimäki T, Pankow J, Orho-Melander M, Kritchevsky S, Jacobs D, Ferrucci L, Borecki I, Uitterlinden A, Kähönen M, Groves C, Deloukas P, Ax E, Kanoni S, Houston D, Ganna A, Dimitriou M, Follis J, Ngwa J, Djoussé L, Hruby A, Wojczynski M, Tanaka T, Mozaffarian D, McKeown N, Lemaitre R, Hivert M, Mikkilä V, Manichaikul A, Stirrups K, Sjögren P, Papoutsakis C, Raitakari O, Lohman K, Kieft-de Jong J, Hassanali N, Ericson U, de Koning L, Bandinelli S, van Rooij F, Sonestedt E, Renström F, Ntalla I, Nettleton J. Meta-analysis investigating associations between healthy diet and fasting glucose and insulin levels and modification by loci associated with glucose homeostasis in data from 15 cohorts. *Am J Epidemiol* 2012; 177:103–15.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)