



**Bo Isomaa**

**Kontakt**

Bo Isomaa

## Publikationen (3)

Kovacs P, Pankow J, Payne F, Prokopenko I, Psaty B, Renström F, Rice K, Rotter J, Rybin D, Sandholt C, Sayer A, Shrader P, North K, Müller G, Kumari M, Kuusisto J, Laakso M, Lecoeur C, Lévy-Marchal C, Li G, Loos R, Lyssenko V, Marmot M, Marques-Vidal P, Morken M, Schwarz P, Siscovick D, Stančáková A, Vollenweider P, Walker M, Watanabe R, Pedersen O, Meigs J, Ingelsson E, Barroso I, Florez J, Franks P, Dupuis J, Wareham N, Kao W, Groop L, Stumvoll M, Teslovich T, Waeber G, Williams G, Witte D, Wood A, Xie W, Boehnke M, Cooper C, Ferrucci L, Froguel P, Langenberg C, Kivimäki M, Scott R, Marek D, Rasmussen-Torvik L, Stringham H, Tanaka T, Aadahl M, Arking D, Bergmann S, Boerwinkle E, Bonnycastle L, Bornstein S, Brunner E, Lagou V, Kutalik Z, Chu A, Grarup N, Manning A, Hivert M, Shungin D, Tönjes A, Yesupriya A, Barnes D, Bouatia-Naji N, Glazer N, Jackson A, Bumpstead S, Brage S, Carlson O, Gräßler J, Gustafsson S, Hallmans G, Hansen T, Hingorani A, Holloway J, Hu F, Isomaa B, Jameson K, Johansson I, Jonsson A, Goodarzi M, Fox C, Chen H, Chen Y, Chines P, Collins F, Couper D, Dennison E, Dowling N, Egan J, Ekelund U, Erdos M, Forouhi N, Jørgensen T. No interactions between previously associated 2-hour glucose gene variants and physical activity or BMI on 2-hour glucose levels. *Diabetes* 2012; 61:1291-6.

Scott R, Ohlsson C, Boehnke M, Bandinelli S, van Duijn C, Ebrahim S, Lawlor D, Gudnason V, Harris T, Sørensen T, Mohlke K, Hofman A, Uitterlinden A, Fritsche A, Dedoussis G, Borecki I, Shungin D, Sovio U, Tammelin T, Rönnemaa T, Lakka T, Uusitupa M, Rios M, Ferrucci L, Bouchard C, Meirhaeghe A, Fu M, Walker M, Tuomilehto J, Lehtimäki T, Chasman D, Ridker P, Hansen T, Monda K, Illig T, Jarvelin M, Wareham N, Hu F, Groop L, Orho-Melander M, Ekelund U, Franks P, Khaw K, Power C, Bergmann S, Raitakari O, Isomaa B, Njølstad P, Florez J, Liu S, Ness A, Spector T, Tai E, Froguel P, Boeing H, Laakso M, Marmot M, Loos R, Kilpeläinen T, Kumari M, Stančáková A, Meidtner K, Balkau B, Tan J, Mangino M, Timpson N, Song Y, Zillikens M, Jablonski K, Garcia M, Johansson S, Kutalik Z, He M, Cauchi S, Qi L, Brage S, Sharp S, Sonestedt E, Demerath E, Ahmad T, Mora S, Kaakinen M, Sandholt C, Holzapfel C, Autenrieth C, Hyppönen E, Bragg-Gresham J, Wu Y, Amin N, Cavalcanti-Proença C, Grøntved A, Hallmans G, Jansson J, Kuusisto J, Kähönen M, Lutsey P, Nolan J, Palla L, Pedersen O, Pérusse L, Hakanen M, Atalay M, Larrad M, van Vliet-Ostaptchouk J, Onland-Moret N, Zimmermann E, Rivera N, Tanaka T, Stringham H, Silbernagel G, Kanoni S, Feitosa M, Snitker S, Ruiz J, Metter J, Renström F. Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. *PLoS Med* 2011; 8:e1001116.

Morris A, Stringham H, Swift A, Tuomi T, Uda M, Vollenweider P, Waeber G, Wallace C, Walters G, Weedon M, Witteman J, Zhang C, Zhang W, Caulfield M, Collins F, Davey Smith G, Yuan X, Song K, Munroe P, Narisu N, Nordström A, Nordström P, Oostra B, Palmer C, Payne F, Peden J, Prokopenko I, Renström F, Ruokonen A, Salomaa V, Sandhu M, Scott L, Scuteri A, Silander K, Day I, Franks P, Hugh Watkins, Waterworth D, Boehnke M, Deloukas P, Groop L, Hunter D, Thorsteinsdottir U, Schlessinger D, Wichmann H, Frayling T, Abecasis G, Hirschhorn J, Loos R, Stefansson K, Mohlke K, Barroso I, Wareham N, van Duijn C, Hattersley A, Hu F, Jarvelin M, Kong A, Kooner J, Laakso M, Lakatta E, Mooser V, Morris A, Peltonen L, Samani N, Spector T, Strachan D, Tanaka T, Tuomilehto J, Uitterlinden A, McCarthy M, Lindgren C, Lyon H, Rivadeneira F, Sanna S, Timpson N, Zillikens M, Zhao J, Almgren P, Bandinelli S, Bennett A, Bergman R, Bonnycastle L, Bumpstead S, Chanock S, Cherkas L, Chines P, Coin L, Luan J, Drong A, Heid I, Randall J, Lamina C, Steinthorsdottir V, Qi L, Speliotes E, Thorleifsson G, Willer C, Herrera B, Jackson A, Lim N, Scheet P, Soranzo N, Amin N, Aulchenko Y, Chambers J, Cooper C, Crawford G, Hofman A, Holle R, Holloway J, Illig T, Isomaa B, Jacobs L, Jameson K, Jousilahti P, Karpe F, Kuusisto J, Laitinen J, Lathrop G, Lawlor D, Mangino M, McArdle W, Meitinger T, Havulinna A, Hamsten A, Doering A, Dominiczak A, Doney A, Ebrahim S, Elliott P, Erdos M, Estrada K, Ferrucci L, Fischer G, Forouhi N, Gieger C, Grallert H, Groves C, Grundy S, Guiducci C, Hadley D, Morken M. Genome-wide association scan meta-analysis identifies three Loci influencing adiposity and fat distribution. *PLoS Genet* 2009; 5:e1000508.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)