



Daniel C Betticher

Kontakt

Daniel C Betticher

Publikationen (12)

König D, Savic Prince S, Hayoz S, Zens P, Berezowska S, Jochum W, Stauffer E, Braunersreuther V, Trachsel B, Thierstein S, Mark M, Schmid S, Curioni-Fontecedro A, Addeo A, Schmitt-Opitz I, Guckenberger M, Früh M, Betticher D, Ris H, Stupp R, Rothschild S, Bubendorf L, Pless M. Neoadjuvant treatment does not influence PD-L1 expression in stage III non-small-cell lung cancer: a retrospective analysis of tumor samples from the trials SAKK 16/96, 16/00, 16/01, and 16/14. *ESMO Open* 2023; 8:101595.

Samaras P, Zander T, Taverna C, Schmidt A, Pabst T, Mey U, Matthes T, Lerch E, Ketterer N, Heim D, Duchosal M, Driessen C, Betticher D, Bargetzi M, Renner C. Updated recommendations for diagnosis and treatment of plasma cell myeloma in Switzerland. *Swiss Med Wkly* 2019; 149:w20031.

Früh M, Guckenberger M, Rothschild S, Lardinois D, Mach N, Mark M, Gautschi O, Thierstein S, Biaggi Rudolf C, Weder W, Stahel R, Matzinger O, Betticher D, Stupp R, Xyrafas A, Peters S, Ris H, Mirimanoff R, Ochsenbein A, Schmid R, Pless M. Multimodal Treatment in Operable Stage III NSCLC: A Pooled Analysis on Long-Term Results of Three SAKK trials (SAKK 16/96, 16/00, and 16/01). *J Thorac Oncol* 2018

Gautschi O, Ochsenbein A, Mach N, Biaggi C, Schneider M, Zander T, Froesch P, Peters S, Pless M, Rauch D, Cathomas R, Stahel R, Früh M, Betticher D, Zippelius A, Matter-Walstra K, Li Q, Rothschild S. Bevacizumab Plus Pemetrexed Versus Pemetrexed Alone as Maintenance Therapy for Patients With Advanced Nonsquamous Non-Small-cell Lung Cancer: Update From the Swiss Group for Clinical Cancer Research (SAKK) 19/09 Trial. *Clin Lung Cancer* 2016

Pless M, Bijelovic M, Ochsenbein A, Meier U, Mamot C, Rauch D, Gautschi O, Betticher D, Mirimanoff R, Peters S, Roth A, Zippelius A, Stupp R, Ris H, Stahel R, Weder W, Thierstein S, Gerard M, Xyrafas A, Früh M, Cathomas R. Induction chemoradiation in stage IIIA/N2 non-small-cell lung cancer: a phase 3 randomised trial. *Lancet* 2015; 386:1049-56.

Gautschi O, Savic S, Jaggi R, Leibundgut E, Largiadèr C, Brutsche M, Pilop C, Stalder L, Pless M, Ochsenbein A, Bubendorf L, Feilchenfeldt J, Rauch D, Mach N, Rothschild S, Li Q, Stahel R, Zippelius A, Cathomas R, Früh M, Betticher D, Peters S, Swiss Group for Clinical Cancer Research. Bevacizumab, Pemetrexed, and Cisplatin, or Bevacizumab and Erlotinib for Patients With Advanced Non-Small-Cell Lung Cancer Stratified by Epidermal Growth Factor Receptor Mutation: Phase II Trial SAKK19/09. *Clin Lung Cancer* 2015; 16:358-65.

Samaras P, Zander T, Taverna C, Pabst T, Mey U, Matthes T, Lerch E, Ketterer N, Hess U, Heim D, Duchosal M, Betticher D, Bargetzi M, Renner C. Current status and updated recommendations for diagnosis and treatment of plasma cell myeloma in Switzerland. *Swiss Med Wkly* 2015; 145:w14100.

Cathomas R, Gillessen Sommer S, von Moos R, Schiess R, Pless M, Berthold D, Siciliano D, Winterhalder R, Droege C, Cotting D, Brauchli P, Betticher D, Jaggi R, Bubendorf L, Klingbiel D, Rothermundt C, Swiss Group for Clinical Cancer Research SAKK. Efficacy of cetuximab in metastatic castration-resistant prostate cancer might depend on EGFR and PTEN expression: results from a phase II trial (SAKK 08/07). *Clin Cancer Res* 2012; 18:6049-57.

Ghielmini M, Cerny T, Bargetzi M, Ketterer N, Stahel R, Pichert G, Schefer H, Betticher D, Fey M, Waltzer U, Bertoni F, Cogliatti S, Schmitz S, Swiss Group for Clinical Cancer Research. Effect of single-agent rituximab given at the standard schedule or as prolonged treatment in patients with mantle cell lymphoma: a study of the Swiss Group for Clinical Cancer Research (SAKK). *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2005; 23:705-11.

Gautschi O, Stahel R, Betticher D, Jörgler M, Weder W, Ratschiller D, Chassé E, Marx A, Jermann M, Huegli B, Bigosch C, Ziegler A. Circulating deoxyribonucleic Acid as prognostic marker in non-small-cell lung cancer patients undergoing chemotherapy. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2004; 22:4157-64.

Ghielmini M, Vorobiof D, Bargetzi M, Lohri A, Helg C, Kovacsovics T, Stupp R, Zucca E, Hess U, Peccatori F, Martinelli G, Betticher D, Fey M, Waltzer U, Hummerjohann J, Pichert G, Cogliatti S, Schmitz S, Cerny T. Prolonged treatment with rituximab in patients with follicular lymphoma significantly increases event-free survival and response duration compared with the standard weekly x 4 schedule. *Blood* 2004; 103:4416-23.

Betticher D, Stahel R, Weder W, Stupp R, Egli F, Furrer M, Honegger H, Wernli M, Cerny T, Spiliopoulos A, Roth A, Hsu Schmitz S, Tötsch M, Hansen E, Joss C, von Briel C, Schmid R, Pless M, Habicht J, Ris H. Mediastinal lymph node clearance after docetaxel-cisplatin neoadjuvant chemotherapy is prognostic of survival in patients with stage IIIA pN2 non-small-cell lung cancer: a multicenter phase II trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2003; 21:1752-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch