



Ralph A Schmid

Kontakt

Ralph A Schmid

Publikationen (4)

Furrer K, Weder W, Eboulet E, Betticher D, Pless M, Stupp R, Krueger T, Perentes J, Schmid R, Lardinois D, Furrer M, Früh M, Peters S, Curioni-Fontecedro A, Stahel R, Rothschild S, Hayoz S, Opitz I. Extended resection for potentially operable patients with stage III non-small cell lung cancer after induction treatment. *J Thorac Cardiovasc Surg* 2022; 164:1587-1602.e5.

Stahel R, Caspar C, Eckhardt K, Schmid R, Aebersold D, Gautschi O, Nagel W, Töpfer M, Krayenbuehl J, Ribi K, Ciernik L, Mordasini C, Zippelius A, Riesterer O, Xyrafas A, Opitz I, Beyeler M, Ochsenbein A, Früh M, Cathomas R, Nackaerts K, Peters S, Mamot C, Weder W. Neoadjuvant chemotherapy and extrapleural pneumonectomy of malignant pleural mesothelioma with or without hemithoracic radiotherapy (SAKK 17/04): a randomised, international, multicentre phase 2 trial. *Lancet Oncol* 2015; 16:1651-8.

Ribi K, Stahel R, Ris H, Stupp R, Schmid R, Betticher D, Jörger M, Bodis S, Weder W, Schuller J, Bernhard J, Swiss Group for Clinical Cancer Research SAKK. Individual versus standard quality of life assessment in a phase II clinical trial in mesothelioma patients: feasibility and responsiveness to clinical changes. *Lung cancer (Amsterdam, Netherlands)* 2008; 61:398-404.

Betticher D, Stahel R, Weder W, Stupp R, Egli F, Furrer M, Honegger H, Wernli M, Cerny T, Spiliopoulos A, Roth A, Hsu Schmitz S, Tötsch M, Hansen E, Joss C, von Briel C, Schmid R, Pless M, Habicht J, Ris H. Mediastinal lymph node clearance after docetaxel-cisplatin neoadjuvant chemotherapy is prognostic of survival in patients with stage IIIA pN2 non-small-cell lung cancer: a multicenter phase II trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2003; 21:1752-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch