



Manfred Hallschmid

Kontakt

Manfred Hallschmid

Publikationen (38)

Schmid S, Hallschmid M, Jauch-Chara K, Lehnert H, Schultes B. Sleep timing may modulate the effect of sleep loss on testosterone. *Clin Endocrinol (Oxf)* 2012; 77:749–54.

Schultes B, Schmid S, Wilms B, Jauch-Chara K, Oltmanns K, Hallschmid M. Lactate infusion during euglycemia but not hypoglycemia reduces subsequent food intake in healthy men. *Appetite* 2012; 58:818–821.

Benedict C, Shostak A, Lange T, Brooks S, Schiöth H, Schultes B, Born J, Oster H, Hallschmid M. Diurnal Rhythm of Circulating Nicotinamide Phosphoribosyltransferase (Nampt/Visfatin/PBEF): Impact of Sleep Loss and Relation to Glucose Metabolism. *J Clin Endocrinol Metab* 2011; 97:E218–22.

Ott V, Friedrich M, Zemlin J, Lehnert H, Schultes B, Born J, Hallschmid M. Meal anticipation potentiates postprandial ghrelin suppression in humans. *Psychoneuroendocrinology* 2011; 37:1096–100.

Benedict C, Hallschmid M, Lassen A, Mahnke C, Schultes B, Schiöth H, Born J, Lange T. Acute sleep deprivation reduces energy expenditure in healthy men. *Am J Clin Nutr* 2011; 93:1229–36.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Lehnert H, Born J, Schultes B. Disturbed glucoregulatory response to food intake after moderate sleep restriction. *Sleep* 2011; 34:371–7.

Schmid S, Hallschmid M, Lehnert H, Schultes B. Response to the Letter to the editor "Short sleep duration is associated with reduced leptin levels and increased adiposity: results from the Quebec family study" by Chaput et al. *Am J Clin Nutr* 2010; 91:823–824.

Benedict C, Brede S, Schiöth H, Lehnert H, Schultes B, Born J, Hallschmid M. Intranasal insulin enhances postprandial thermogenesis and lowers postprandial serum insulin levels in healthy men. *Diabetes* 2010; 60:114–8.

Benedict C, Frey W, Schiöth H, Schultes B, Born J, Hallschmid M. Intranasal insulin as a therapeutic option in the treatment of cognitive impairments. *Exp Gerontol* 2010; 46:112–5.

Schultes B, Ernst B, Wilms B, Thurnheer M, Hallschmid M. Hedonic hunger is increased in severely obese patients and is reduced after gastric bypass surgery. *Am J Clin Nutr* 2010; 92:277–83.

Jauch-Chara K, Schmid S, Hallschmid M, Born J, Schultes B. Veränderte neuroendokrine Schlafarchitektur bei Patienten mit Typ 1 Diabetes mellitus. *Lebendige Wissenschaft. Spitenforschung in der Diabetologie – Innovationen und Auszeichnungen* 2010 2010; Mai:116–123.

Hallschmid M, Jauch-Chara K, Korn O, Mölle M, Rasch B, Born J, Schultes B, Kern W. Euglycemic infusion of insulin detemir compared with human insulin appears to increase direct current brain potential response and reduces food intake while inducing similar systemic effects. *Diabetes* 2010; 59:1101–7.

Schmid S, Jauch-Chara K, Hallschmid M, Schultes B. Mild sleep restriction acutely reduces plasma glucagon levels in healthy men. *The Journal of clinical endocrinology and metabolism* 2009; 94:5169–73.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Benedict C, Lehnert H, Born J, Schultes B. Short-term sleep loss decreases physical activity under free-living conditions but does not increase food intake under time-deprived laboratory conditions in healthy men. *The American journal of clinical nutrition* 2009; 90:1476–82.

Jauch-Chara K, Hallschmid M, Schmid S, Bandorf N, Born J, Schultes B. Sleep loss does not aggravate the deteriorating effect of hypoglycemia on neurocognitive function in healthy men. *Psychoneuroendocrinology* 2009;

Bremer J, Jauch-Chara K, Hallschmid M, Schmid S, Schultes B. Hypoglycemia unawareness in older compared with middle-aged patients with type 2 diabetes. *Diabetes care* 2009; 32:1513-7.

Benedict C, Kern W, Schmid S, Schultes B, Born J, Hallschmid M. Early morning rise in hypothalamic-pituitary-adrenal activity: a role for maintaining the brain's energy balance. *Psychoneuroendocrinology* 2009; 34:455-62.

Schmid S, Jauch-Chara K, Hallschmid M, Oltmanns K, Peters A, Born J, Schultes B. Lactate overrides central nervous but not beta-cell glucose sensing in humans. *Metabolism: clinical and experimental* 2008; 57:1733-9.

Pais I, Hubold C, Hallschmid M, Letterer S, Oltmanns K, Schultes B, Born J, Peters A. Blocking NMDA receptor signaling does not decrease hormonal counterregulation to hypoglycemia in humans. *Psychoneuroendocrinology* 2008; 33:1069-76.

Schmid S, Hallschmid M, Jauch-Chara K, Born J, Schultes B. A single night of sleep deprivation increases ghrelin levels and feelings of hunger in normal-weight healthy men. *Journal of sleep research* 2008; 17:331-4.

Hallschmid M, Benedict C, Schultes B, Perras B, Fehm H, Kern W, Born J. Towards the therapeutic use of intranasal neuropeptide administration in metabolic and cognitive disorders. *Regulatory peptides* 2008; 149:79-83.

Jauch-Chara K, Schmid S, Hallschmid M, Born J, Schultes B. Altered neuroendocrine sleep architecture in patients with type 1 diabetes. *Diabetes care* 2008; 31:1183-8.

Benedict C, Kern W, Schultes B, Born J, Hallschmid M. Differential sensitivity of men and women to anorexigenic and memory-improving effects of intranasal insulin. *The Journal of clinical endocrinology and metabolism* 2008; 93:1339-44.

Hallschmid M, Benedict C, Schultes B, Perras B, Fehm H, Kern W, Born J. Towards the therapeutic use of intranasal neuropeptide administration in metabolic and cognitive disorders. *Regul Pept* 2008; 149:79-83.

Schmid S, Hallschmid M, Jauch-Chara K, Bandorf N, Born J, Schultes B. Sleep loss alters basal metabolic hormone secretion and modulates the dynamic counterregulatory response to hypoglycemia. *The Journal of clinical endocrinology and metabolism* 2007; 92:3044-51.

Jauch-Chara K, Hallschmid M, Gais S, Schmid S, Oltmanns K, Colmorgen C, Born J, Schultes B. Hypoglycemia during sleep impairs consolidation of declarative memory in type 1 diabetic and healthy humans. *Diabetes care* 2007; 30:2040-5.

Jauch-Chara K, Hallschmid M, Gais S, Oltmanns K, Peters A, Born J, Schultes B. Awakening and counterregulatory response to hypoglycemia during early and late sleep. *Diabetes* 2007; 56:1938-42.

Schultes B, Fehm H, Peters A, Oltmanns K, Kern W, Reiprich E, Hallschmid M, Gais S, Jauch-Chara K, Born J. Defective awakening response to nocturnal hypoglycemia in patients with type 1 diabetes mellitus. *PLoS medicine* 2007; 4:e69.

Benedict C, Hallschmid M, Schultes B, Born J, Kern W. Intranasal insulin to improve memory function in humans. *Neuroendocrinology* 2007; 86:136-42.

Benedict C, Hallschmid M, Schmitz K, Schultes B, Ratter F, Fehm H, Born J, Kern W. Intranasal insulin improves memory in humans: superiority of insulin aspart. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* 2007; 32:239-43.

Benedict C, Hallschmid M, Schultes B, Born J, Kern W. Intranasal insulin to improve memory function in humans. *Neuroendocrinology* 2007; 86:136-142.

Schmid S, Hallschmid M, Schultes B. Sleep loss, obesity and diabetes: a fetal connection?. *Expert Rev Endocrinol Metab* 2007; 2:713-715.

Schultes B, Peters A, Hallschmid M, Benedict C, Merl V, Oltmanns K, Born J, Fehm H, Kern W. Modulation of food intake by glucose in patients with type 2 diabetes. *Diabetes care* 2005; 28:2884-9.

Benedict C, Hallschmid M, Scheibner J, Niemeyer D, Schultes B, Merl V, Fehm H, Born J, Kern W. Gut protein uptake and mechanisms of meal-induced cortisol release. *The Journal of clinical endocrinology and metabolism* 2005; 90:1692-6.

Merl V, Peters A, Oltmanns K, Kern W, Hubold C, Hallschmid M, Born J, Fehm H, Schultes B. Preserved circadian rhythm of serum insulin concentration at low plasma glucose during fasting in lean and overweight humans. *Metabolism: clinical and experimental* 2004; 53:1449-53.

Hallschmid M, Benedict C, Schultes B, Fehm H, Born J, Kern W. Intranasal insulin reduces body fat in men but not in women. *Diabetes* 2004; 53:3024-9.

Benedict C, Hallschmid M, Hatke A, Schultes B, Fehm H, Born J, Kern W. Intranasal insulin improves memory in humans. *Psychoneuroendocrinology* 2004; 29:1326-34.

Hallschmid M, Schultes B, Marshall L, Mölle M, Kern W, Bredthauer J, Fehm H, Born J. Transcortical direct current potential shift reflects immediate signaling of systemic insulin to the human brain. *Diabetes* 2004; 53:2202-8.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch