



**Sebastian M Schmid**

**Kontakt**

Sebastian M Schmid

## Publikationen (23)

Schuler A, Huser J, Schmid S, Schär S, Scherz A, Gautschi O, Mauti L, von Briel T, Waibel C, Wannesson L, Pankovics J, Mark M, Rothschild S, Addeo A, Janthur W, Siano M, Boos L, Britschgi C, Früh M. Patterns of progression on first line osimertinib in patients with EGFR mutation-positive advanced non-small cell lung cancer (NSCLC): A Swiss cohort study. *Lung Cancer* 2023; 187:107427.

König D, Savic Prince S, Hayoz S, Zens P, Berezowska S, Jochum W, Stauffer E, Braunersreuther V, Trachsel B, Thierstein S, Mark M, Schmid S, Curioni-Fontecedro A, Addeo A, Schmitt-Opitz I, Guckenberger M, Früh M, Betticher D, Ris H, Stupp R, Rothschild S, Bubendorf L, Pless M. Neoadjuvant treatment does not influence PD-L1 expression in stage III non-small-cell lung cancer: a retrospective analysis of tumor samples from the trials SAKK 16/96, 16/00, 16/01, and 16/14. *ESMO Open* 2023; 8:101595.

Schmid S, Hallschmid M, Jauch-Chara K, Lehnert H, Schultes B. Sleep timing may modulate the effect of sleep loss on testosterone. *Clin Endocrinol (Oxf)* 2012; 77:749-54.

Schultes B, Schmid S, Wilms B, Jauch-Chara K, Oltmanns K, Hallschmid M. Lactate infusion during euglycemia but not hypoglycemia reduces subsequent food intake in healthy men. *Appetite* 2012; 58:818-821.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Lehnert H, Born J, Schultes B. Disturbed glucoregulatory response to food intake after moderate sleep restriction. *Sleep* 2011; 34:371-7.

Schmid S, Hallschmid M, Lehnert H, Schultes B. Response to the Letter to the editor "Short sleep duration is associated with reduced leptin levels and increased adiposity: results from the Quebec family study" by Chaput et al. *Am J Clin Nutr* 2010; 91:823-824.

Wilms B, Schmid S, Ernst B, Thurnheer M, Mueller M, Schultes B. Poor prediction of resting energy expenditure in obese women by established equations. *Metab Clin Exp* 2010; 59:1181-9.

Jauch-Chara K, Schmid S, Hallschmid M, Born J, Schultes B. Veränderte neuroendokrine Schlafarchitektur bei Patienten mit Typ 1 Diabetes mellitus. *Lebendige Wissenschaft. Spitzenforschung in der Diabetologie - Innovationen und Auszeichnungen* 2010 2010; Mai:116-123.

Ernst B, Thurnheer M, Schmid S, Schultes B. Response to the Letter to the Editor "Bariatric surgery and the Assessment of copper and zinc nutriture" by Leslie M. Klevay. *Obesity surgery* 2010; 20:674-675.

Schmid S, Jauch-Chara K, Hallschmid M, Schultes B. Mild sleep restriction acutely reduces plasma glucagon levels in healthy men. *The Journal of clinical endocrinology and metabolism* 2009; 94:5169-73.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Benedict C, Lehnert H, Born J, Schultes B. Short-term sleep loss decreases physical activity under free-living conditions but does not increase food intake under time-deprived laboratory conditions in healthy men. *The American journal of clinical nutrition* 2009; 90:1476-82.

Jauch-Chara K, Hallschmid M, Schmid S, Bandorf N, Born J, Schultes B. Sleep loss does not aggravate the deteriorating effect of hypoglycemia on neurocognitive function in healthy men. *Psychoneuroendocrinology* 2009

Benedict C, Kern W, Schmid S, Schultes B, Born J, Hallschmid M. Early morning rise in hypothalamic-pituitary-adrenal activity: a role for maintaining the brain's energy balance. *Psychoneuroendocrinology* 2009; 34:455-62.

Ernst B, Thurnheer M, Schmid S, Wilms B, Schultes B. Seasonal variation in the deficiency of 25-hydroxyvitamin D(3) in mildly to extremely obese subjects. *Obesity surgery* 2009; 19:180-3.

Ernst B, Thurnheer M, Schmid S, Schultes B. Evidence for the necessity to systematically assess micronutrient status prior to bariatric surgery. *Obesity surgery* 2009; 19:66-73.

Schmid S, Jauch-Chara K, Hallschmid M, Oltmanns K, Peters A, Born J, Schultes B. Lactate overrides central nervous but not beta-cell glucose sensing in humans. *Metabolism: clinical and experimental* 2008; 57:1733-9.

Schmid S, Hallschmid M, Jauch-Chara K, Born J, Schultes B. A single night of sleep deprivation increases ghrelin levels and feelings of hunger in normal-weight healthy men. *Journal of sleep research* 2008; 17:331-4.

Jauch-Chara K, Schmid S, Hallschmid M, Born J, Schultes B. Altered neuroendocrine sleep architecture in patients with type 1 diabetes. *Diabetes care* 2008; 31:1183-8.

Schmid S, Hallschmid M, Jauch-Chara K, Bandorf N, Born J, Schultes B. Sleep loss alters basal metabolic hormone secretion and modulates the dynamic counterregulatory response to hypoglycemia. *The Journal of clinical endocrinology and metabolism* 2007; 92:3044-51.

Jauch-Chara K, Hallschmid M, Gais S, Schmid S, Oltmanns K, Colmorgen C, Born J, Schultes B. Hypoglycemia during sleep impairs consolidation of declarative memory in type 1 diabetic and healthy humans. *Diabetes care* 2007; 30:2040-5.

Schmid S, Hallschmid M, Schultes B. Sleep loss, obesity and diabetes: a fetal connection?. *Expert Rev Endocrinol Metab* 2007; 2:713-715.

Schmid S, Schultes B. Schlafmangel – Risikofaktor für Adipositas und Diabetes?. *Diabetologie* 2006; 1:122-127.

Schultes B, Schmid S, Peters A, Born J, Fehm H. Sleep loss and the development of diabetes: A review of current evidence. *Exp Clin Endocrinol Diabetes* 2005; 113:563-567.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)