



Dr. med. Lukas Jud

Kontakt

Dr. med. Lukas Jud
Switzerland

T +41 71 494 3456

Bereiche

Orthopädische Chirurgie und Traumatologie des Bewegungsapparates

Funktion

Assistenzarzt/Assistenzärztin

Publikationen (32)

Jud L, Gautschi N, Möller S, Möller K, Giesinger K. Revision total knee arthroplasty results in financial deficits within the Swiss healthcare system. *Knee Surg Sports Traumatol Arthrosc* 2023

Jud L, Menduri H, Spross C, Jost B, Jacxsens M. Impact of aberrant beam paths on antero-posterior shoulder radiographs in proximal humeral fractures. *Arch Orthop Trauma Surg* 2023; 143:5085-5093.

Trache T, Camenzind R, Bachmann E, Viehöfer A, Jud L, Wirth S, Imhoff F. A Biomechanical Analysis of Peroneus Brevis Split Lesions, Repair, and Partial Resection. *Foot Ankle Int* 2022:10711007211069558.

Waibel F, Schöni M, Kronberger L, Flury A, Berli M, Lipsky B, Uçkay I, Jud L. Treatment Failures in Diabetic Foot Osteomyelitis Associated with Concomitant Charcot Arthropathy: The Role of Underlying Arteriopathy. *Int J Infect Dis* 2021; 114:15-20.

Singh S, Jud L, Färnstahl P, Nagy L, Schweizer A, Roner S. Intermediate-Term Outcome of 3-Dimensional Corrective Osteotomy for Malunited Distal Radius Fractures With a Mean Follow-Up of 6 Years. *J Hand Surg Am* 2021

Häller T, Schenk P, Jud L, Hoch A, Götschi T, Zingg P. Consistency of 3D femoral torsion measurement from MRI compared to CT gold standard. *BMC Musculoskelet Disord* 2021; 22:739.

Calek A, Ladurner A, Jud L, Zdravkovic V, Behrend H. Tibial joint line orientation has no effect on joint awareness after mechanically aligned total knee arthroplasty. *Knee Surg Sports Traumatol Arthrosc* 2021

Andronic O, Unterfrauner I, Jud L, Fritz B, Viehöfer A, Fröhlich S, Imhoff F, Wirth S. Outcomes of Tibialis Anterior Tendon Reconstruction with Autograft or Allograft. *Foot Ankle Int* 2021:10711007211029956.

Jud L, Vlachopoulos L, Grob K. Correction of complex three-dimensional deformities at the proximal femur using indirect reduction with angle blade plate and patient-specific instruments: a technical note. *J Orthop Surg Res* 2021; 16:427.

Hodel S, Zindel C, Jud L, Vlachopoulos L, Färnstahl P, Fucentese S. Influence of medial open wedge high tibial osteotomy on tibial tuberosity-trochlear groove distance. *Knee Surg Sports Traumatol Arthrosc* 2021

Jud L. Tumore des Bewegungsapparates. In: *Lehrbuch Orthopädie*. Heidelberg: Springer, 2020.

Rahm S, Jud L, Jungwirth-Weinberger A, Tondelli T, Falkowski A, Sutter R, Zingg P. Mid-term results after pinning and hip arthroscopy for mild slipped capital femoral epiphysis: a minimum five-year follow-up. *J Child Orthop* 2020; 14:521-528.

Hoch A, Jud L, Roth T, Vlachopoulos L, Färnstahl P, Fucentese S. A real 3D measurement technique for the tibial slope: differentiation between different articular surfaces and comparison to radiographic slope measurement. *BMC Musculoskelet Disord* 2020; 21:635.

Jud L, Andronic O, Vlachopoulos L, Fucentese S, Zingg P. Mal-angulation of femoral rotational osteotomies causes more postoperative sagittal mechanical leg axis deviation in supracondylar than in subtrochanteric procedures. *J Exp Orthop* 2020; 7:46.

Jud L, Roth T, Fürnstahl P, Vlachopoulos L, Sutter R, Fucentese S. The impact of limb loading and the measurement modality (2D versus 3D) on the measurement of the limb loading dependent lower extremity parameters. *BMC Musculoskelet Disord* 2020; 21:418.

Jud L, Singh S, Tondelli T, Fürnstahl P, Fucentese S, Vlachopoulos L. Combined Correction of Tibial Torsion and Tibial Tuberosity-Trochlear Groove Distance by Supratuberositary Torsional Osteotomy of the Tibia. *Am J Sports Med* 2020; 48:2260-2267.

Singh S, Andronic O, Kaiser P, Jud L, Nagy L, Schweizer A. Recent advances in the surgical treatment of malunions in hand and forearm using three-dimensional planning and patient-specific instruments. *Hand Surg Rehabil* 2020; 39:352-362.

Beeler S, Vlachopoulos L, Jud L, Sutter R, Götschi T, Fürnstahl P, Fucentese S. Meniscus sizing using three-dimensional models of the ipsilateral tibia plateau based on CT scans - an experimental study of a new sizing approach. *J Exp Orthop* 2020; 7:36.

Flury A, Jud L, Hoch A, Camenzind R, Fucentese S. Linear influence of distal femur osteotomy on the Q-angle: one degree of varization alters the Q-angle by one degree. *Knee Surg Sports Traumatol Arthrosc* 2020; 29:540-545.

Fucentese S, Meier P, Jud L, Köchli G, Aichmair A, Vlachopoulos L, Fürnstahl P. Accuracy of 3D-planned patient specific instrumentation in high tibial open wedge valgisation osteotomy. *J Exp Orthop* 2020; 7:7.

Beeler S, Jud L, von Atzigen M, Sutter R, Fürnstahl P, Fucentese S, Vlachopoulos L. Three-dimensional meniscus allograft sizing-a study of 280 healthy menisci. *J Orthop Surg Res* 2020; 15:74.

Jud L, Fotouhi J, Andronic O, Aichmair A, Osgood G, Navab N, Farshad M. Applicability of augmented reality in orthopedic surgery - A systematic review. *BMC Musculoskelet Disord* 2020; 21:103.

Jud L, Vlachopoulos L, Beeler S, Tondelli T, Fürnstahl P, Fucentese S. Accuracy of three dimensional-planned patient-specific instrumentation in femoral and tibial rotational osteotomy for patellofemoral instability. *Int Orthop* 2020; 44:1711-1717.

Jud L, Vlachopoulos L, Häller T, Fucentese S, Rahm S, Zingg P. The impact of mal-angulated femoral rotational osteotomies on mechanical leg axis: a computer simulation model. *BMC Musculoskelet Disord* 2020; 21:50.

Jud L, Trache T, Tondelli T, Fürnstahl P, Fucentese S, Vlachopoulos L. Rotation or flexion alters mechanical leg axis measurements comparably in patients with different coronal alignment. *Knee Surg Sports Traumatol Arthrosc* 2019; 28:3128-3134.

Wirth S, Viehöfer A, Singh S, Zimmermann S, Götschi T, Rigling D, Jud L. Anterior talofibular ligament lesion is associated with increased flat foot deformity but does not affect correction by lateral calcaneal lengthening. *BMC Musculoskelet Disord* 2019; 20:496.

Beeler S, Vlachopoulos L, Jud L, Sutter R, Fürnstahl P, Fucentese S. Contralateral MRI scan can be used reliably for three-dimensional meniscus sizing - Retrospective analysis of 160 healthy menisci. *Knee* 2019; 26:954-961.

Jud L, Müller D, Fürnstahl P, Fucentese S, Vlachopoulos L. Joint-preserving tumour resection around the knee with allograft reconstruction using three-dimensional preoperative planning and patient-specific instruments. *Knee* 2019; 26:787-793.

Jud L, Fürnstahl P, Vlachopoulos L, Götschi T, Leoty L, Fucentese S. Malpositioning of patient-specific instruments within the possible degrees of freedom in high-tibial osteotomy has no considerable influence on mechanical leg axis correction. *Knee Surg Sports Traumatol Arthrosc* 2019; 28:1356-1364.

Min K, Jud L, Farshad M. Dual Sequential Short Anterior Correction in Double Major Adolescent Idiopathic Scoliosis. *Spine Deform* 2018; 6:545-551.

Bouaicha S, Ernstbrunner L, Jud L, Meyer D, Snedeker J, Bachmann E. The lever arm ratio of the rotator cuff to deltoid muscle explains and predicts pseudoparalysis of the shoulder: the Shoulder Abduction Moment index. *Bone Joint J* 2018; 100-B:1600-1608.

Filli L, Jud L, Luechinger R, Nanz D, Andreisek G, Runge V, Kozerke S, Farshad-Amacker N. Material-Dependent Implant Artifact Reduction Using SEMAC-VAT and MAVRIC: A Prospective MRI Phantom Study. *Invest Radiol* 2017; 52:381-387.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch