



Andreas Schoetzau

Kontakt

Andreas Schoetzau
Switzerland

Publikationen (10)

Wertli J, Schoetzau A, Palmowski-Wolfe A. The Influence of Age on Eye Movements during Reading in Early Elementary School Children. *Klin Monbl Augenheilkd* 2023; 240:591-598.

Bojinova R, Schorderet D, Valmaggia C, Türksever C, Schoetzau A, Todorova M. Higher retinal vessel oxygen saturation: investigating its relationship with macular oedema in retinitis pigmentosa patients. *Eye (Lond)* 2018

Bojinova R, Türksever C, Schoetzau A, Valmaggia C, Schorderet D, Todorova M. Reduced metabolic function and structural alterations in inherited retinal dystrophies: the effect of peripapillary vessel oxygen saturation and vascular diameter on the retinal nerve fiber layer thickness. *Acta Ophthalmol* 2017; 95:252-261.

Konieczka K, Koch S, Schoetzau A, Todorova M. Increased Prevalence of Flammer Syndrome in Patients with Retinitis Pigmentosa. *Klin Monbl Augenheilkd* 2016; 233:448-452.

Todorova M, Türksever C, Schoetzau A, Schorderet D, Valmaggia C. Metabolic and functional changes in retinitis pigmentosa: Comparing retinal vessel oximetry to full-field ERG, EOG and mfERG. *Acta Ophthalmol* 2016; 94:e231-41.

Lopez Torres L, Türksever C, Schoetzau A, Orgül S, Todorova M. Peripapillary retinal vessel diameter correlates with mfERG alterations in retinitis pigmentosa. *Acta Ophthalmol.* 2015 2015; 93:e527-533.

Ledolter A, Monhart M, Schoetzau A, Todorova M, Palmowski-Wolfe A. Structural and functional changes in glaucoma: comparing the two-flash multifocal electroretinogram to optical coherence tomography and visual fields. *Doc Ophthalmol.* 2015; 130:197-209.

Todorova M, Palmowski-Wolfe A, Schoetzau A, Flammer J, Monhart M. A Comparison between the Pulsed Rising Amplitude Perimetry and the Normal Staircase Strategy in Standard Automated Perimetry. *J Clin Exp Ophthalmol.* 2013; 4:3.

Ledolter A, Kramer S, Todorova M, Schoetzau A, Palmowski-Wolfe A. The effect of filtering on the two-global-flash mfERG: identifying the optimal range of frequency for detecting glaucomatous retinal dysfunction. *Doc Ophthalmol.* 2013; 126:117-23.

Kramer S, Ledolter A, Todorova M, Schoetzau A, Orgül S, Palmowski-Wolfe A. The 2-global flash mfERG in glaucoma: attempting to increase sensitivity by reducing the focal flash luminance and changing filter settings. *Doc Ophthalmol.* 2012; 126:57-67.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch