



**Thomas M Kessler**

## **Kontakt**

Thomas M Kessler

## Publikationen (11)

Walter M, Michels L, Scheiner D, Liechti M, Kollias S, Kessler T, Freund P, Engeler D, Betschart C, Leitner L, Mehnert U. Considering non-bladder etiologies of overactive bladder: A functional neuroimaging study. *BJU Int* 2021

Mühlhaupt G, Mordasini L, Schmid H, Kessler T, Zumstein V, Betschart P, Güsewell S, Engeler D, Hechelhammer L, Abt D. In-hospital cost analysis of prostatic artery embolization compared with transurethral resection of the prostate: post hoc analysis of a randomized controlled trial. *BJU Int* 2019; 123:1055-1060.

Abt D, Engeler D, Schmid H, Kessler T, Zumstein V, Markart S, Güsewell S, Mordasini L, Mühlhaupt G, Hechelhammer L. Outcome prediction of prostatic artery embolization: post hoc analysis of a randomized, open-label, non-inferiority trial. *BJU Int* 2018; 124:134-144.

Zumstein V, Schmid H, Kessler T, Engeler D, Mordasini L, Hechelhammer L, Kluth L, Vetterlein M, Betschart P, Abt D. Prostatic Artery Embolization versus Standard Surgical Treatment for Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia: A Systematic Review and Meta-analysis. *Eur Urol Focus* 2018

Abt D, Hechelhammer L, Mühlhaupt G, Markart S, Güsewell S, Kessler T, Schmid H, Engeler D, Mordasini L. Comparison of prostatic artery embolisation (PAE) versus transurethral resection of the prostate (TURP) for benign prostatic hyperplasia: randomised, open label, non-inferiority trial. *BMJ* 2018; 361:k2338.

Ineichen B, Schneider M, Hlavica M, Hagenbuch N, Linnebank M, Kessler T. High EDSS can predict risk for upper urinary tract damage in patients with multiple sclerosis. *Mult Scler* 2017;1352458517703801.

Abt D, Mordasini L, Hechelhammer L, Kessler T, Schmid H, Engeler D. Prostatic artery embolization versus conventional TUR-P in the treatment of benign prostatic hyperplasia: protocol for a prospective randomized non-inferiority trial. *BMC Urol* 2014; 14:94.

Knüpfer S, Bachmann L, Kessels A, Miramontes E, Schneider M, Burkhard F, Kiss B, Pannek J, Wöllner J, Engeler D, Abt D, Mordasini L, Liechti M, Kessler T. Protocol for a randomized, placebo-controlled, double-blind clinical trial investigating sacral neuromodulation for neurogenic lower urinary tract dysfunction. *BMC Urol* 2014; 14:65.

Kessler T, La Framboise D, Trelle S, Fowler C, Kiss G, Pannek J, Schurch B, Sievert K, Engeler D. Sacral Neuromodulation for Neurogenic Lower Urinary Tract Dysfunction: Systematic Review and Meta-analysis. *Eur Urol* 2010

Kessler T, Zrehen S, Schurch B, Schmid D, Roche B, Iselin C, Bersch U, Al-Khadairy A, Engeler D, Meyer S, Buchser E, Burkhard F. Sacral neuromodulation for refractory lower urinary tract dysfunction: results of a nationwide registry in Switzerland. *European urology* 2007; 51:1357-63.

Kessler T, Kessler W, Neuweiler J, Nachbur B. Treatment of a case of primary retroperitoneal mucinous cystadenocarcinoma: is adjuvant hysterectomy and bilateral salpingo-oophorectomy justified?. *American Journal of obstetrics and gynecology* 2002; 187:227-32.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)