



Maximilian Gassenmaier

Kontakt

Maximilian Gassenmaier

Publikationen (9)

Wagner N, Knierim S, Luttermann F, Metzler G, Yazdi A, Bauer J, Gassenmaier M, Forschner A, Leiter U, Amaral T, Garbe C, Eigentler T, Forchhammer S, Flatz L. Histopathologic regression in patients with primary cutaneous melanoma undergoing sentinel lymph node biopsy is associated with favorable survival and, after metastasis, with improved progression-free survival on immune checkpoint inhibitor therapy: A single institutional cohort study. *J Am Acad Dermatol* 2023

Gassenmaier M, Häfner H, Hahn M, Kofler L, Wagner N, Forchhammer S. Histological and Immunohistochemical Changes of Congenital Melanocytic Nevi With Age. *Am J Dermatopathol* 2021; 43:707-713.

Gassenmaier M, Hahn M, Metzler G, Bauer J, Yazdi A, Keim U, Garbe C, Wagner N, Forchhammer S. Diffuse PRAME Expression Is Highly Specific for Thin Melanomas in the Distinction from Severely Dysplastic Nevi but Does Not Distinguish Metastasizing from Non-Metastasizing Thin Melanomas. *Cancers (Basel)* 2021; 13

Gassenmaier M, Lenders M, Forschner A, Leiter U, Weide B, Garbe C, Eigentler T, Wagner N. Serum S100B and LDH at Baseline and During Therapy Predict the Outcome of Metastatic Melanoma Patients Treated with BRAF Inhibitors. *Target Oncol* 2021; 16:197-205.

Wagner N, Schraag A, Klumpp B, Hoetzenecker W, Berking C, Richtig E, Ziemer M, Mangana J, Terheyden P, Loquai C, Nguyen V, Gebhardt C, Meier F, Diem S, Cozzio A, Flatz L, Röcken M, Garbe C, Gassenmaier M, Weide B, Leiter U, Lenders M, Kühl K, Reinhardt L, André F, Dudda M, Ring N, Ebel C, Stäger R, Zellweger C, Lang R, Paar M, Gussek P, Richtig G, Stürmer S, Kimeswenger S, Oellinger A, Forschner A, Eigentler T. Pretreatment metastatic growth rate determines clinical outcome of advanced melanoma patients treated with anti-PD-1 antibodies: a multicenter cohort study. *J Immunother Cancer* 2021; 9

Winter J, Eigentler T, Garbe C, Röcken M, Cozzio A, Flatz L, Purde M, Weide B, Leiter U, Forschner A, Gassenmaier M, Lenders M, Wagner N. Prognostic role of gamma-glutamyl transferase in metastatic melanoma patients treated with immune checkpoint inhibitors. *Cancer Immunol Immunother* 2020; 70:1089-1099.

Gassenmaier M, Garbe C, Schaller M, Wagner N, Bösmüller H, Niessner H, Sinnberg T, Kosnopfel C, Ikenberg K, Eigentler T, Fehrenbacher B, Rentschler M, Röcken M. Expression of DNA Methyltransferase 1 Is a Hallmark of Melanoma, Correlating with Proliferation and Response to B-Raf and Mitogen-Activated Protein Kinase Inhibition in Melanocytic Tumors. *Am J Pathol* 2020; 190:2155-2164.

Wagner N, Luttermann F, Gassenmaier M, Forschner A, Leiter U, Garbe C, Eigentler T. Absolute and relative differential blood count predicts survival of AJCC stage I-II melanoma patients scheduled for sentinel lymph node biopsy. *Australas J Dermatol* 2020; 61:e310-e318.

Gassenmaier M, Garbe C, Eigentler T, Doecker D, Mueller A, Kofler L, Wagner N, Scheu A, Lipp H, Forschner A. Safety of shortened infusion times for combined ipilimumab and nivolumab. *Cancer Immunol Immunother* 2017; 67:135-140.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch