



Mira Katan

Kontakt

Mira Katan

Publikationen (28)

Schubert K, Biciato G, Sinka L, Abaira L, Santamarina E, Álvarez-Sabín J, Ferreira-Atuesta C, Katan M, Scherrer N, Terziev R, Döhler N, Erdélyi-Canavese B, Felbecker A, Siebel P, Winklehner M, von Oertzen T, Wagner J, Gigli G, Nilo A, Janes F, Merlino G, Valente M, Zafra-Sierra M, Mayor-Romero L, Conrad J, Evers-Dörpfeld S, Lochner P, Roell F, Brigo F, Bentes C, Peralta R, Pinho E Melo T, Keezer M, Duncan J, Sander J, Tettenborn B, Koepp M, Galovic M. Implications for driving based on the risk of seizures after ischaemic stroke. *J Neurol Neurosurg Psychiatry* 2024; 95:833-837.

Goeldlin M, Hakim A, Branca M, Abend S, Kneihsl M, Valenzuela Pinilla W, Fenzl S, Rezny-Kasprzak B, Rohner R, Strbian D, Paciaroni M, Thomalla G, Michel P, Nedeltchev K, Gattringer T, Sandset E, Bonati L, Maurice De Sousa D, Sylaja P, Ntaios G, Koga M, Gdovinova Z, Lemmens R, Bornstein N, Kelly P, Katan M, Horvath T, Dawson J, Fischer U, ELAN Investigators. Early vs Late Anticoagulation in Minor, Moderate, and Major Ischemic Stroke With Atrial Fibrillation: Post Hoc Analysis of the ELAN Randomized Clinical Trial. *JAMA Neurol* 2024; 81:693-702.

Rudin S, Kriemler L, Dittrich T, Zietz A, Schweizer J, Arnold M, Peters N, Barinka F, Jung S, Arnold M, Fischer U, Rentsch K, Christ-Crain M, Katan M, De Marchis G. Lipoprotein(a) as a blood marker for large artery atherosclerosis stroke etiology: validation in a prospective cohort from a swiss stroke center. *Swiss Med Wkly* 2024; 154:3633.

Dittrich T, von Streng T, Toebak A, Zietz A, Wagner B, Hänsel M, Sutter R, Katan M, Peters N, Michels L, Kulcsar Z, Karwacki G, Pileggi M, Cereda C, Wegener S, Bonati L, Psychogios M, De Marchis G. Absent leptomeningeal collateralization is associated with greatest benefit from mechanical thrombectomy in the 6-24 hour time window. *Eur Stroke J* 2024:23969873241239208.

Kriemler L, Rudin S, Gawinecka J, Gross F, Arnold M, Schweizer J, Westphal L, Inauen C, Pokorny T, Dittrich T, Toebak A, Arnold M, Christ-Crain M, von Eckardstein A, Rentsch K, Katan M, De Marchis G. Discordance between LDL-C and apolipoprotein B is associated with large-artery-atherosclerosis ischemic stroke in patients ≤ 70 years of age. *Eur Stroke J* 2024:23969873231221619.

Goeldlin M, Mueller M, Siepen B, Zhang W, Ozkan H, Locatelli M, Du Y, Valenzuela W, Radojewski P, Hakim A, Kaesmacher J, Meinel T, Clénin L, Branca M, Strambo D, Fischer T, Medlin F, Peters N, Carrera E, Lovblad K, Karwacki G, Cereda C, Niederhauser J, Mono M, Mueller A, Wegener S, Sartoretti-Schefer S, Polymeris A, Altersberger V, Katan M, Psychogios M, Sturzenegger R, Nauer C, Schaerer M, Buitrago-Téllez C, Renaud S, Minkner Klahre K, Z'Graggen W, Bervini D, Bonati L, Wiest R, Arnold M, Simister R, Wilson D, Jäger H, Fischer U, Werring D, Seiffge D, for Swiss Stroke Registry Investigators and SIGNAL Investigators. *CADMUS. Neurology* 2023; 102:e207977.

Zietz A, Polymeris A, Helfenstein F, Schaedelin S, Hert L, Wagner B, Seiffge D, Traenka C, Altersberger V, Dittrich T, Kaufmann J, Ravanelli F, Fladt J, Fisch U, Thilemann S, De Marchis G, Gensicke H, Bonati L, Katan M, Fischer U, Lyrer P, Engelter S, Peters N. The impact of competing stroke etiologies in patients with atrial fibrillation. *Eur Stroke J* 2023:23969873231185220.

Sinka L, Abaira L, Imbach L, Zieglgänsberger D, Santamarina E, Álvarez-Sabín J, Ferreira-Atuesta C, Katan M, Scherrer N, Biciato G, Terziev R, Simmen C, Schubert K, Elshahabi A, Baumann C, Döhler N, Erdélyi-Canavese B, Felbecker A, Siebel P, Winklehner M, von Oertzen T, Wagner J, Gigli G, Serafini A, Nilo A, Janes F, Merlino G, Valente M, Zafra-Sierra M, Bayona-Ortiz H, Conrad J, Evers S, Lochner P, Roell F, Brigo F, Bentes C, Peralta A, Pinho E Melo T, Keezer M, Duncan J, Sander J, Tettenborn B, Koepp M, Galovic M. Association of Mortality and Risk of Epilepsy With Type of Acute Symptomatic Seizure After Ischemic Stroke and an Updated Prognostic Model. *JAMA Neurol* 2023; 80:605-613.

Silimon N, Drop B, Clénin L, Nedeltchev K, Kahles T, Tarnutzer A, Katan M, Bonati L, Salmen S, Albert S, Salerno A, Carrera E, Berger C, Peters N, Medlin F, Cereda C, Bolognese M, Kägi G, Renaud S, Niederhauser J, Bonvin C, Schaerer M, Mono M, Luft A, Rodic-Tatic B, Fischer U, Jung S, Arnold M, Meinel T, Seiffge D. Ischaemic stroke despite antiplatelet therapy: Causes and outcomes. *Eur Stroke J* 2023; 8:692-702.

Dittrich T, Sporns P, Kriemler L, Rudin S, Nguyen A, Zietz A, Polymeris A, Traenka C, Thilemann S, Wagner B, Altersberger V, Piot I, Barinka F, Müller S, Hänsel M, Gensicke H, Engelter S, Lyrer P, Sutter R, Nickel C, Katan M, Peters N, Kulcsar Z, Karwacki G, Pileggi M, Cereda C, Wegener S, Bonati L, Fischer U, Psychogios M, De Marchis G. Mechanical Thrombectomy Versus Best Medical Treatment in the Late Time Window in Non-DEFUSE-Non-DAWN Patients: A Multicenter Cohort Study. *Stroke* 2023; 54:722-730.

Dittrich T, Aujesky M, Rudin S, Zietz A, Wagner B, Polymeris A, Altersberger V, Sinnecker T, Gensicke H, Engelter S, Lyrer P, Hess V, Sutter R, Nickel C, Bonati L, Fischer U, Psychogios M, Katan M, De Marchis G. Apical pulmonary lesions suspected of malignancy visible on neck CT angiography performed for acute stroke: Prevalence, treatment, and clinical implications – the PLEURA study. *Eur Stroke J* 2023; 8:549-556.

Honegger T, Schweizer J, Bicvic A, Westphal L, Schütz V, Inauen C, Pokorny T, Bracher K, Arnold M, Fischer U, Bonati L, De Marchis G, Nedeltchev K, Kahles T, Cereda C, Kägi G, Montaner J, Bustamante A, Palà E, Ntaios G, Foerch C, Luft A, Spanaus K, Saleh L, von Eckardstein A, Arnold M, Katan M. Serum S-100B adds incremental value for the prediction of symptomatic intracranial hemorrhage and brain edema after acute ischemic stroke. *Eur Stroke J* 2022; 8:309-319.

Dittrich T, Sporns P, Kriemler L, Rudin S, Nguyen A, Zietz A, Polymeris A, Traenka C, Thilemann S, Wagner B, Altersberger V, Piot I, Barinka F, Hänsel M, Gensicke H, Engelter S, Lyrer P, Sutter R, Nickel C, Katan M, Peters N, Michels L, Kulcsar Z, Karwacki G, Pileggi M, Cereda C, Wegener S, Bonati L, Fischer U, Psychogios M, De Marchis G. Mechanical thrombectomy for large vessel occlusion between 6 and 24 h: outcome comparison of DEFUSE-3/DAWN eligible versus non-eligible patients. *Int J Stroke* 2022; 18:697-703.

Bicvic A, Scherrer N, Schweizer J, Fluri F, Christ-Crain M, De Marchis G, Luft A, Katan M. A novel biomarker panel index improves risk stratification after ischemic stroke. *Eur Stroke J* 2022; 7:158-165.

Schweizer J, Arnoldini M, König I, Bicvic A, Westphal L, Schütz V, Inauen C, Scherrer N, Luft A, Galovic M, Ferreira Atuesta C, Pokorny T, Arnold M, Fischer U, Bonati L, De Marchis G, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Sagris D, Foerch C, Spanaus K, von Eckardstein A, Katan M. Measurement of Midregional Pro-Atrial Natriuretic Peptide to Discover Atrial Fibrillation in Patients With Ischemic Stroke. *J Am Coll Cardiol* 2022; 79:1369-1381.

Ferreira-Atuesta C, Merlino G, Valente M, Gregoraci G, Conrad J, Evers S, Lochner P, Roell F, Brigo F, Bentes C, Peralta A, Pinho E Melo T, Keezer M, Duncan J, Sander J, Tettenborn B, Koepp M, Janes F, Serafini A, Gigli G, Döhler N, Erdélyi-Canavese B, Felbecker A, Siebel P, Scherrer N, Bicciato G, Schweizer J, Sinka L, Imbach L, Katan M, Abaira L, Santamarina E, Álvarez-Sabín J, Winklehner M, von Oertzen T, Wagner J, Galovic M. Seizures after ischemic stroke: a matched multicenter study. *Ann Neurol* 2021

Arnold M, Schweizer J, Nakas C, Schütz V, Westphal L, Inauen C, Pokorny T, Luft A, Leichtle A, Arnold M, Bicvic A, Fischer U, De Marchis G, Bonati L, Delignette-Muller M, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Foerch C, Spanaus K, von Eckardstein A, Katan M. Lipoprotein(a) is associated with large artery atherosclerosis stroke aetiology and stroke recurrence among patients below the age of 60 years: results from the BIOSIGNAL study. *Eur Heart J* 2021; 42:2186-2196.

Westphal L, Schweizer J, Fluri F, De Marchis G, Christ-Crain M, Luft A, Katan M. C-Terminal-Pro-Endothelin-1 Adds Incremental Prognostic Value for Risk Stratification After Ischemic Stroke. *Front Neurol* 2021; 11:629151.

Meinel T, Branca M, De Marchis G, Nedeltchev K, Kahles T, Bonati L, Arnold M, Heldner M, Jung S, Carrera E, Dirren E, Michel P, Strambo D, Cereda C, Bianco G, Kägi G, Vehoff J, Katan M, Bolognese M, Backhaus R, Salmen S, Albert S, Medlin F, Berger C, Schelosky L, Renaud S, Niederhauser J, Bonvin C, Schaerer M, Mono M, Rodic B, Tarnutzer A, Mordasini P, Gralla J, Kaesmacher J, Engelter S, Fischer U, Seiffge D, Investigators of the Swiss Stroke Registry. Prior Anticoagulation in Patients with Ischemic Stroke and Atrial Fibrillation. *Ann Neurol* 2020; 89:42-53.

De Marchis G, Dankowski T, König I, Fladt J, Fluri F, Gensicke H, Foerch C, Findling O, Kurmann R, Fischer U, Luft A, Buhl D, Engelter S, Lyrer P, Christ-Crain M, Arnold M, Katan M. A novel biomarker-based prognostic score in acute ischemic stroke: The CoRisk score. *Neurology* 2019; 92:e1517–e1525.

De Marchis G, García-Berrocso T, Elkind M, Katan M. Incorporating Biomarkers Into a Stroke Research Career. *Stroke* 2018; 49:e329–e331.

De Marchis G, Katan M, Barro C, Fladt J, Traenka C, Seiffge D, Hert L, Gensicke H, Disanto G, Sutter R, Peters N, Sarikaya H, Simonetti B, El-Koussy M, Engelter S, Lyrer P, Christ-Crain M, Arnold M, Kuhle J, Bonati L. Serum neurofilament light chain in patients with acute cerebrovascular events. *Eur J Neurol* 2018; 25:562–568.

De Marchis G, Schneider J, Weck A, Fluri F, Fladt J, Foerch C, Müller-Stich B, Luft A, Christ-Crain M, Arnold M, Katan M. Midregional proatrial natriuretic peptide improves risk stratification after ischemic stroke. *Neurology* 2018; 90:e455–e465.

Kelly P, Albers G, Chatzikonstantinou A, De Marchis G, Ferrari J, George P, Katan M, Knoflach M, Kim J, Li L, Lee E, Olivot J, Purroy F, Raposo N, Rothwell P, Sharma V, Song B, Tsvigoulis G, Walsh C, Xu Y, Merwick A. Validation and comparison of imaging-based scores for prediction of early stroke risk after transient ischaemic attack: a pooled analysis of individual-patient data from cohort studies. *Lancet Neurol* 2016; 15:1238–1247.

De Marchis G, Weck A, Audebert H, Benik S, Foerch C, Buhl D, Schuetz P, Jung S, Seiler M, Morgenthaler N, Mattle H, Müller-Stich B, Christ-Crain M, Arnold M, Katan M. Copeptin for the prediction of recurrent cerebrovascular events after transient ischemic attack: results from the CoRisk study. *Stroke* 2014; 45:2918–23.

De Marchis G, Katan M, Weck A, Fluri F, Foerch C, Findling O, Schuetz P, Buhl D, El-Koussy M, Gensicke H, Seiler M, Morgenthaler N, Mattle H, Müller-Stich B, Christ-Crain M, Arnold M. Copeptin adds prognostic information after ischemic stroke: results from the CoRisk study. *Neurology* 2013; 80:1278–86.

Fung C, De Marchis G, Katan M, Seiler M, Arnold M, Gralla J, Raabe A, Beck J. Copeptin as a marker for severity and prognosis of aneurysmal subarachnoid hemorrhage. *PloS one* 2013; 8:e53191.

De Marchis G, Katan M, Weck A, Brekenfeld C, Mattle H, Buhl D, Müller-Stich B, Christ-Crain M, Arnold M. Copeptin and risk stratification in patients with ischemic stroke and transient ischemic attack: the CoRisk study. *Int J Stroke* 2012; 8:214–8.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch