



Stephan Segerer

Kontakt

Stephan Segerer

Publikationen (5)

Dhayat N, Mattmann C, Seeger H, Ritter A, Ernandez T, Stoermann-Chopard C, Buchkremer F, Segerer S, Roth B, Wuerzner G, Wagner C, Bonny O, Popp A, Vogt B, Bargagli M, Fuster D. The Vitamin D Metabolite Diagnostic Ratio Associates With Phenotypic Traits of Idiopathic Hypercalciuria. *Kidney Int Rep* 2024; 9:1072-1082.

Legay C, Haeusermann T, Pasquier J, Chatelan A, Fuster D, Dhayat N, Seeger H, Ritter A, Mohebbi N, Ernandez T, Stoermann-Chopard C, Buchkremer F, Segerer S, Wuerzner G, Ammor N, Roth B, Wagner C, Bonny O, Bochud M. Differences in the Food Consumption Between Kidney Stone Formers and Nonformers in the Swiss Kidney Stone Cohort. *J Ren Nutr* 2023; 33:555-565.

Bonny O, Fuster D, Seeger H, Ernandez T, Buchkremer F, Wuerzner G, Dhayat N, Ritter A, Stoermann-Chopard C, Segerer S, Haeusermann T, Pasch A, Kim M, Mayr M, Krapf R, Roth B, Bochud M, Mohebbi N, Wagner C. The Swiss Kidney Stone Cohort (SKSC), a longitudinal, multi-centric, observational cohort to study course and causes of kidney stone disease in Switzerland. *Kidney Blood Press Res* 2023

Bargetzi A, Emmenegger N, Wildisen S, Nickler M, Bargetzi L, Hersberger L, Segerer S, Kaegi-Braun N, Tribolet P, Gomes F, Hoess C, Pavlicek V, Bilz S, Sigrist S, Brändle M, Henzen C, Thomann R, Rutishauser J, Aujesky D, Rodondi N, Donzé J, Stanga Z, Mueller B, Schuetz P. Admission kidney function is a strong predictor for the response to nutritional support in patients at nutritional risk. *Clin Nutr* 2021; 40:2762-2771.

Bonani M, Fehr T, Wüthrich R, Hadaya K, Golshayan D, Dahdal S, Huynh-Do U, Binet F, Schaub S, Müller T, Scharfe M, Seeger H, Achermann R, Segerer S. Dialysis after graft loss: a Swiss experience. *Nephrol Dial Transplant* 2020; 35:2182-2190.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch