



Brigitte Rack

Kontakt

Brigitte Rack

Publikationen (17)

Fehm T, Müller V, Banys-Paluchowski M, Fasching P, Friedl T, Hartkopf A, Huober J, Loehberg C, Rack B, Riethdorf S, Schneeweiss A, Wallwiener D, Meier-Stiegen F, Krawczyk N, Jaeger B, Reinhardt F, Hoffmann O, Müller L, Wimberger P, Ruckhäberle E, Blohmer J, Cieslik J, Franken A, Niederacher D, Neubauer H, Pantel K, Janni W, DETECT study group. Efficacy of Lapatinib in Patients with HER2-Negative Metastatic Breast Cancer and HER2-Positive Circulating Tumor Cells-The DETECT III Clinical Trial. *Clin Chem* 2024; 70:307-318.

Huebner H, Tesch H, Brucker S, Blohmer J, Fehm T, Heinrich G, Rezai M, Beckmann M, Fasching P, Janni W, Schneeweiss A, Nabieva N, Jückstock J, Häberle L, Müller V, Schrader I, Lorenz R, Forstbauer H, Fink V, Schochter F, Bekes I, Mahner S, Rack B. MUC1 (CA27.29) before and after Chemotherapy and Prognosis in High-Risk Early Breast Cancer Patients. *Cancers (Basel)* 2022; 14

Friedl T, Tesch H, Mahner S, Brucker S, Heinrich G, Häberle L, Fasching P, Beckmann M, Coleman R, Janni W, Schneeweiss A, Jückstock J, Fehm T, Müller V, Lichtenegger W, Blohmer J, Lorenz R, Forstbauer H, Fink V, Bekes I, Huober J, Rack B. Prognosis of Patients With Early Breast Cancer Receiving 5 Years vs 2 Years of Adjuvant Bisphosphonate Treatment: A Phase 3 Randomized Clinical Trial. *JAMA Oncol* 2021; 7:1149-1157.

De Gregorio A, Schneeweiss A, Tesch H, Mahner S, Brucker S, Blohmer J, Fehm T, Heinrich G, Lato K, Beckmann M, Rack B, Andergassen U, Bekes I, Fink V, Häberle L, Fasching P, Müller V, Schrader I, Lorenz R, Forstbauer H, Friedl T, Bauer E, De Gregorio N, Deniz M, Janni W. Gemcitabine as adjuvant chemotherapy in patients with high-risk early breast cancer-results from the randomized phase III SUCCESS-A trial. *Breast Cancer Res* 2020; 22:111.

Bekes I, Janni W, Lato K, Kiechle M, Huober J, Dannecker C, Forstbauer H, Rack B, Harbeck N, Friedl T, Singer S, Eichler M, Fink V. Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. *Clin Breast Cancer* 2020; 20:439-447.

Schochter F, Friedl T, deGregorio A, Krause S, Huober J, Rack B, Janni W. Are Circulating Tumor Cells (CTCs) Ready for Clinical Use in Breast Cancer? An Overview of Completed and Ongoing Trials Using CTCs for Clinical Treatment Decisions. *Cells* 2019; 8

Cámara R, Singer S, Janni W, Rack B, Widschwendter P, Lato K, Fink V, Deniz M, Friedl T, Schwentner L, Bekes I. Quality of life during and after adjuvant anthracycline-taxane-based chemotherapy with or without Gemcitabine in high-risk early breast cancer: results of the SUCCESS A trial. *Breast Cancer Res Treat* 2019; 175:627-635.

Deniz M, Andergassen U, Steidl J, Trapp E, Fasching P, Häberle L, Beckmann M, Schneeweiss A, Schrader I, Janni W, Rack B, Jueckstock J, Kost B, deGregorio A, DeGregorio N, Bekes I, Widschwendter P, Schochter F, Ernst K, Scholz C, Bauer E, Aivazova-Fuchs V, Weissenbacher T, Friedl T. Differential prognostic relevance of patho-anatomical factors among different tumor-biological subsets of breast cancer: Results from the adjuvant SUCCESS A study. *Breast* 2018; 44:81-89.

Fasching P, Huober J, Liedtke C, Weinshilboum R, Wang L, Ingle J, Müller V, Nekljudova V, Weber K, Rack B, Rübner M, von Minckwitz G, Fehm T, Blohmer J, Costa S, Loibl S, Hu C, Hart S, Shimelis H, Moore R, Schem C, Tesch H, Untch M, Hilfrich J, Rezai M, Gerber B, Couch F. BRCA1/2 Mutations and Bevacizumab in the Neoadjuvant Treatment of Breast Cancer: Response and Prognosis Results in Patients With Triple-Negative Breast Cancer From the GeparQuinto Study. *J Clin Oncol* 2018; 36:2281-2287.

Polasik A, Janni W, Huober J, Müller V, Schneeweiss A, Fasching P, Hartkopf A, Rack B, Friedl T, De Gregorio A, Schochter F, Tzschaschel M, Fehm T. Circulating Tumour Cells, Circulating Tumour DNA and Circulating MicroRNA in Metastatic Breast Carcinoma - What is the Role of Liquid Biopsy in Breast Cancer?. *Geburtshilfe Frauenheilkd* 2017; 77:1291-1298.

De Gregorio A, Janni W, Fasching P, Taran F, Hartkopf A, Jaeger B, Meier-Stiegen F, Pantel K, Schneeweiss A, Mueller V, Riethdorf S, Alunni-Fabbroni M, Trapp E, Rack B, De Gregorio N, Scholz C, Huober J, Friedl T, Fehm T. Discordance in Human Epidermal Growth Factor Receptor 2 (HER2) Phenotype Between Primary Tumor and Circulating Tumor Cells in Women With HER2-Negative Metastatic Breast Cancer. *JCO Precis Oncol* 2017; 1:1-12.

Schwentner L, Janni W, Kiechle M, Härtl K, Weissenbacher T, Friedl T, Huober J, Scholz C, Wischnik A, Forstbauer H, Rack B, Eichler M, Singer S, Harbeck N, Fink V. Short term quality of life with epirubicin-fluorouracil-cyclophosphamid (FEC) and sequential epirubicin/cyclophosphamid-docetaxel (EC-DOC) chemotherapy in patients with primary breast cancer - Results from the prospective multi-center randomized ADEBAR trial. *Breast* 2016; 27:69-77.

Widschwendter P, Jueckstock J, Neugebauer J, Trapp E, Fasching P, Beckmann M, Schneeweiss A, Schrader I, Rack B, Janni W, Andergassen U, Kost B, Friedl T, Schwentner L, DeGregorio N, Jaeger B, Schramm A, Bekes I, Deniz M, Lato K, Weissenbacher T, Scholz C. The influence of obesity on survival in early, high-risk breast cancer: results from the randomized SUCCESS A trial. *Breast Cancer Res* 2015; 17:129.

Schramm A, Janni W, Wallwiener D, Taran F, Hartkopf A, Meier-Stiegen F, Pantel K, Schneeweiss A, Müller V, Alunni-Fabbroni M, Trapp E, Rack B, Huober J, De Gregorio N, Scholz C, Schochter F, Friedl T, Fehm T. Therapeutic intervention based on circulating tumor cell phenotype in metastatic breast cancer: concept of the DETECT study program. *Arch Gynecol Obstet* 2015; 293:271-81.

Hein A, Ekici A, Hanusch C, Huober J, Liedtke C, Mau C, Moisse M, Müller V, Nekljudova V, Peuteman G, Rack B, Rübner M, Van Brussel T, Wang L, Weinshilboum R, Loibl S, Beckmann M, Kunz G, Lambrechts D, von Minckwitz G, Häberle L, Eidtmann H, Tesch H, Untch M, Hilfrich J, Schem C, Rezai M, Gerber B, Dan Costa S, Blohmer J, Schwedler K, Kittel K, Fehm T, Fasching P. Genetic variants in VEGF pathway genes in neoadjuvant breast cancer patients receiving bevacizumab: Results from the randomized phase III GeparQuinto study. *Int J Cancer* 2015; 137:2981-8.

Salmen J, Sohn C, Fehm T, Mohrmann S, Loehberg C, Hein A, Schulz-Wendtland R, Hartkopf A, Brucker S, Wallwiener D, Friese K, Hartmann A, Beckmann M, Janni W, Rom J, Heil J, Neugebauer J, Fasching P, Häberle L, Huober J, Wöckel A, Rauh C, Schuetz F, Weissenbacher T, Kost B, Stickeler E, Klar M, Orłowska-Volk M, Windfuhr-Blum M, Rack B. Pooled analysis of the prognostic relevance of progesterone receptor status in five German cohort studies. *Breast Cancer Res Treat* 2014; 148:143-51.

Bock C, Rack B, Huober J, Andergassen U, Jeschke U, Doisneau-Sixou S. Distinct expression of cytokeratin, N-cadherin and CD133 in circulating tumor cells of metastatic breast cancer patients. *Future Oncol* 2014; 10:1751-65.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch