



Helmut Forstbauer

Kontakt

Helmut Forstbauer

Publikationen (8)

Möbus V, Lück H, Ladda E, Klare P, Engels K, Schmidt M, Schneeweiss A, Grischke E, Wachsmann G, Forstbauer H, Untch M, Marme F, Blohmer J, Jackisch C, Huober J, Stickeler E, Reinisch M, Link T, Sinn B, Janni W, Denkert C, Seiler S, Solbach C, Schmatloch S, Rey J, Loibl S. GAIN2 trial overall survival with intense versus tailored dose dense chemotherapy in early breast cancer. *NPJ Breast Cancer* 2024; 10:66.

Huebner H, Tesch H, Brucker S, Blohmer J, Fehm T, Heinrich G, Rezai M, Beckmann M, Fasching P, Janni W, Schneeweiss A, Nabieva N, Jückerstock J, Häberle L, Müller V, Schrader I, Lorenz R, Forstbauer H, Fink V, Schochter F, Bekes I, Mahner S, Rack B. MUC1 (CA27.29) before and after Chemotherapy and Prognosis in High-Risk Early Breast Cancer Patients. *Cancers (Basel)* 2022; 14

Möbus V, Reinisch M, Link T, Sinn B, Janni W, Denkert C, Furlanetto J, Engels K, Solbach C, Schmatloch S, Rey J, Burchardi N, Loibl S, Stickeler E, Huober J, Lück H, Ladda E, Klare P, Schmidt M, Schneeweiss A, Grischke E, Wachsmann G, Forstbauer H, Untch M, Marme F, Blohmer J, Jackisch C, GBG and AGO-B. Phase III randomised trial comparing intense dose-dense chemotherapy to tailored dose-dense chemotherapy in high-risk early breast cancer (GAIN-2). *Eur J Cancer* 2021; 156:138-148.

Friedl T, Tesch H, Mahner S, Brucker S, Heinrich G, Häberle L, Fasching P, Beckmann M, Coleman R, Janni W, Schneeweiss A, Jückerstock J, Fehm T, Müller V, Lichtenegger W, Blohmer J, Lorenz R, Forstbauer H, Fink V, Bekes I, Huober J, Rack B. Prognosis of Patients With Early Breast Cancer Receiving 5 Years vs 2 Years of Adjuvant Bisphosphonate Treatment: A Phase 3 Randomized Clinical Trial. *JAMA Oncol* 2021; 7:1149-1157.

De Gregorio A, Schneeweiss A, Tesch H, Mahner S, Brucker S, Blohmer J, Fehm T, Heinrich G, Lato K, Beckmann M, Rack B, Andergassen U, Bekes I, Fink V, Häberle L, Fasching P, Müller V, Schrader I, Lorenz R, Forstbauer H, Friedl T, Bauer E, De Gregorio N, Deniz M, Janni W. Gemcitabine as adjuvant chemotherapy in patients with high-risk early breast cancer—results from the randomized phase III SUCCESS-A trial. *Breast Cancer Res* 2020; 22:111.

Bekes I, Janni W, Lato K, Kiechle M, Huober J, Dannecker C, Forstbauer H, Rack B, Harbeck N, Friedl T, Singer S, Eichler M, Fink V. Impact of Granulocyte Colony-Stimulating Factor (G-CSF) and Epoetin (EPO) on Hematologic Toxicities and Quality of Life in Patients During Adjuvant Chemotherapy in Early Breast Cancer: Results From the Multi-Center Randomized ADEBAR Trial. *Clin Breast Cancer* 2020; 20:439-447.

Schwentner L, Janni W, Kiechle M, Härtl K, Weissenbacher T, Friedl T, Huober J, Scholz C, Wischnik A, Forstbauer H, Rack B, Eichler M, Singer S, Harbeck N, Fink V. Short term quality of life with epirubicin-fluorouracil-cyclophosphamid (FEC) and sequential epirubicin/cyclophosphamid-docetaxel (EC-DOC) chemotherapy in patients with primary breast cancer – Results from the prospective multi-center randomized ADEBAR trial. *Breast* 2016; 27:69-77.

von Minckwitz G, Bauerfeind I, Clemens M, Schmidt M, Noeding S, Forstbauer H, Barinoff J, Belau A, Nekljudova V, Harbeck N, Lück H, Müller V, Kreienberg R, Möbus V, Schneeweiss A, Huober J, Thomssen C, Untch M, Jackisch C, Diel I, Elling D, Conrad B, Loibl S. German adjuvant intergroup node-positive study: a phase III trial to compare oral ibandronate versus observation in patients with high-risk early breast cancer. *J Clin Oncol* 2013; 31:3531-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch