



**José Baselga**

**Kontakt**

José Baselga

## Publikationen (12)

Di Cosimo S, Puzstai L, Pritchard K, Nuciforo P, Vincent-Salomon A, Symmans F, Apolone G, de Braud F, Iorio M, Verderio P, Untch M, de Azambuja E, Appierto V, Pizzamiglio S, Silvestri M, Baselga J, Piccart M, Huober J, Izquierdo M, de la Pena L, Hilbers F, Daidone M. Early Modulation of Circulating MicroRNAs Levels in HER2-Positive Breast Cancer Patients Treated with Trastuzumab-Based Neoadjuvant Therapy. *Int J Mol Sci* 2020; 21

Huober J, Hackman J, Dasappa L, Ciruelos E, Toral Pena J, Adamchuk H, Hickish T, de la Pena L, Jackisch C, Gelber R, Piccart-Gebhart M, Jouannaud C, Wildiers H, Lecocq C, Holmes E, Baselga J, de Azambuja E, Untch M, Fumagalli D, Sarp S, Láng I, Smith I, Boyle F, Xu B, Di Cosimo S. Survival outcomes of the NeoALTTO study (BIG 1-06): updated results of a randomised multicenter phase III neoadjuvant clinical trial in patients with HER2-positive primary breast cancer. *Eur J Cancer* 2019; 118:169-177.

Di Cosimo S, Gori S, Cinieri S, Torri V, Baselga J, Piccart M, de Braud F, Apolone G, Verderio P, Huober J, Daidone M, Peña L, Triulzi T, Pizzamiglio S, De Cecco L, de Azambuja E, Fumagalli D, Putzai L, Harbeck N, Izquierdo M, Tagliabue E. The 41-gene classifier TRAR predicts response of HER2 positive breast cancer patients in the NeoALTTO study. *Eur J Cancer* 2019; 118:1-9.

Rothé F, Wardley A, Ueno T, Janni W, Huober J, Baselga J, Piccart M, Loi S, Sotiriou C, Dawson S, Chia S, Rosa D, Di Cosimo S, Silva M, Venet D, Campbell C, Bradburry I, Rouas G, de Azambuja E, Maetens M, Fumagalli D, Rodrik-Outmezguine V, Ignatiadis M. Circulating Tumor DNA in HER2-Amplified Breast Cancer: A Translational Research Substudy of the NeoALTTO Phase III Trial. *Clin Cancer Res* 2019; 25:3581-3588.

Di Cosimo S, Verderio P, Apolone G, de Braud F, Piccart M, Baselga J, Huober J, Izquierdo M, de la Pena L, de Azambuja E, Hilbers F, Iorio M, Tiberio P, Pizzamiglio S, Appierto V, Daidone M. Plasma miRNA Levels for Predicting Therapeutic Response to Neoadjuvant Treatment in HER2-positive Breast Cancer: Results from the NeoALTTO Trial. *Clin Cancer Res* 2019; 25:3887-3895.

Hanker A, Castellino S, Joensuu H, Huober J, Brase J, Majaj S, Brohée S, Venet D, Brown D, Baselga J, Piccart M, Sotiriou C, Groseclose M, Becker J, Garrett J, Estrada M, Moore P, Ericsson P, Koch J, Langley E, Singh S, Kim P, Frampton G, Sanford E, Owens P, Arteaga C. Correction: HER2-Overexpressing Breast Cancers Amplify FGFR Signaling upon Acquisition of Resistance to Dual Therapeutic Blockade of HER2. *Clin Cancer Res* 2019; 25:1434.

Powles R, Puzstai L, Elemento O, Piccart-Gebhart M, Baselga J, Huober J, Di Cosimo S, Sarp S, de Azambuja E, Harbeck N, Nuciforo P, Fumagalli D, Loi S, Sotiriou C, Redmond D, Hatzis C. Association of T-Cell Receptor Repertoire Use With Response to Combined Trastuzumab-Lapatinib Treatment of HER2-Positive Breast Cancer: Secondary Analysis of the NeoALTTO Randomized Clinical Trial. *JAMA Oncol* 2018; 4:e181564.

Lambertini M, de Azambuja E, Gelber R, Piccart-Gebhart M, Moreno-Aspitia A, Baselga J, Huober J, Tenglin R, Di Cosimo S, Azim H, Korde L, Schuehly U, Hilbers F, Guillaume S, Campbell C, Martel S, Ignatiadis M. Pregnancies during and after trastuzumab and/or lapatinib in patients with human epidermal growth factor receptor 2-positive early breast cancer: Analysis from the NeoALTTO (BIG 1-06) and ALTTO (BIG 2-06) trials. *Cancer* 2018; 125:307-316.

Ponde N, Maetens M, Harbeck N, Puzstai L, Berghorn M, Im Y, Borrego M, Chen D, Rodeheffer R, Piccart M, Suter T, Bozovic-Spasojevic I, Fumagalli D, Bradbury I, Lambertini M, Ewer M, Campbell C, Ameels H, Zardavas D, Di Cosimo S, Baselga J, Huober J, Izquierdo M, de Azambuja E. Cardiac biomarkers for early detection and prediction of trastuzumab and/or lapatinib-induced cardiotoxicity in patients with HER2-positive early-stage breast cancer: a NeoALTTO sub-study (BIG 1-06). *Breast Cancer Res Treat* 2017; 168:631-638.

Hanker A, Castellino S, Joensuu H, Huober J, Brase J, Majaj S, Brohée S, Venet D, Brown D, Baselga J, Piccart M, Sotiriou C, Groseclose M, Becker J, Garrett J, Estrada M, Moore P, Ericsson P, Koch J, Langley E, Singh S, Kim P, Frampton G, Sanford E, Owens P, Arteaga C. HER2-Overexpressing Breast Cancers Amplify FGFR Signaling upon Acquisition of Resistance to Dual Therapeutic Blockade of HER2. *Clin Cancer Res* 2017; 23:4323-4334.

Fumagalli D, Di Cosimo S, de Azambuja E, de la Pena L, Nuciforo P, Brase J, Huober J, Baselga J, Piccart M, Loi S, Coccia-Portugal M, Chang T, Gomez H, Venet D, Ignatiadis M, Azim H, Maetens M, Rothé F, Salgado R, Bradbury I, Puztai L, Harbeck N, Sotiriou C. RNA Sequencing to Predict Response to Neoadjuvant Anti-HER2 Therapy: A Secondary Analysis of the NeoALTTO Randomized Clinical Trial. *JAMA Oncol* 2017; 3:227-234.

Baselga J, de Haas S, Olsen S, Samant M, Guardino A, Huober J, Ro J, Verma S, Lewis Phillips G, Pegram M. Relationship between Tumor Biomarkers and Efficacy in EMILIA, a Phase III Study of Trastuzumab Emtansine in HER2-Positive Metastatic Breast Cancer. *Clin Cancer Res* 2016; 22:3755-63.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)