



Mattea Reinisch

Kontakt

Mattea Reinisch

Publikationen (14)

Fasching P, Decker T, Hartkopf A, Nusch A, Heinrich B, Kurbacher C, Fuchs R, Tesch H, Krabisch P, Huober J, Kümmel S, Brucker S, Janni W, Schneeweiss A, Schuler M, Fehm T, Luftner D, Quiering C, Voges C, Kreuzeder J, Reinisch M. Efficacy, safety, and prognosis prediction in patients treated with ribociclib in combination with letrozole: Final results of phase 3b RIBECCA study in hormone receptor positive, human epidermal growth factor receptor-2 negative, locally advanced or metastatic breast cancer. *Eur J Cancer* 2023; 198:113480.

Pfob A, Cai L, Schneeweiss A, Rauch G, Thomas B, Schaeffgen B, Kümmel S, Reimer T, Hahn M, Thill M, Blohmer J, Hackmann J, Malter W, Bekes I, Friedrichs K, Wojcinski S, Joos S, Paepke S, Degenhardt T, Rom J, Rody A, van Mackelenbergh M, Banys-Paluchowski M, Große R, Reinisch M, Karsten M, Sidey-Gibbons C, Wallwiener M, Golatta M, Heil J. ASO Visual Abstract: Minimally-Invasive Breast Biopsy After Neoadjuvant Systemic Treatment to Identify Breast Cancer Patients with Residual Disease for Extended Neoadjuvant Treatment-A New Concept. *Ann Surg Oncol* 2023

Pfob A, Cai L, Schneeweiss A, Rauch G, Thomas B, Schaeffgen B, Kümmel S, Reimer T, Hahn M, Thill M, Blohmer J, Hackmann J, Malter W, Bekes I, Friedrichs K, Wojcinski S, Joos S, Paepke S, Degenhardt T, Rom J, Rody A, van Mackelenbergh M, Banys-Paluchowski M, Große R, Reinisch M, Karsten M, Sidey-Gibbons C, Wallwiener M, Golatta M, Heil J. Minimally Invasive Breast Biopsy After Neoadjuvant Systemic Treatment to Identify Breast Cancer Patients with Residual Disease for Extended Neoadjuvant Treatment: A New Concept. *Ann Surg Oncol* 2023

Link T, Blohmer J, Schmitt W, Kuhlmann J, Just M, Untch M, Stötzer O, Fasching P, Thill M, Reinisch M, Schneeweiss A, Wimberger P, Seiler S, Huober J, Jackisch C, Rhiem K, Hanusch C, Sinn B, Nekljudova V, Loibl S, Denkert C. RANK expression as an independent predictor for response to neoadjuvant chemotherapy in luminal-like breast cancer - a translational insight from the GeparX trial. *Clin Cancer Res* 2023

Huober J, van Mackelenbergh M, Schneeweiss A, Seither F, Blohmer J, Denkert C, Tesch H, Hanusch C, Salat C, Rhiem K, Solbach C, Fasching P, Jackisch C, Reinisch M, Lederer B, Mehta K, Link T, Nekljudova V, Loibl S, Untch M. Identifying breast cancer patients at risk of relapse despite pathological complete response after neoadjuvant therapy. *NPJ Breast Cancer* 2023; 9:23.

Pfob A, Joos S, Paepke S, Degenhardt T, Rom J, Rody A, van Mackelenbergh M, Banys-Paluchowski M, Große R, Reinisch M, Karsten M, Golatta M, Wojcinski S, Friedrichs K, Bekes I, Sidey-Gibbons C, Rauch G, Thomas B, Schaeffgen B, Kuemmel S, Reimer T, Hahn M, Thill M, Blohmer J, Hackmann J, Malter W, Heil J. Intelligent Vacuum-Assisted Biopsy to Identify Breast Cancer Patients With Pathologic Complete Response (ypT0 and ypN0) After Neoadjuvant Systemic Treatment for Omission of Breast and Axillary Surgery. *J Clin Oncol* 2022;JCO2102439.

Blohmer J, Jackisch C, Rhiem K, Solbach C, Hanusch C, Seither F, Denkert C, Engels K, Nekljudova V, Loibl S, Thill M, Huober J, Link T, Reinisch M, Just M, Untch M, Stötzer O, Fasching P, Schneeweiss A, Wimberger P, Seiler S, GBG and AGO-B. Effect of Denosumab Added to 2 Different nab-Paclitaxel Regimens as Neoadjuvant Therapy in Patients With Primary Breast Cancer: The GeparX 2 × 2 Randomized Clinical Trial. *JAMA Oncol* 2022; 8:1010-1018.

Knauer M, Winkler J, Reinisch M, Reitsamer R, Singer C, Reisenberger K, Hager C, Fansa H, Exner R, Dubsky P, Berclaz G, Leo C, Lam G, Fehr M, Naydina T, Heil J, Egle D, Lelièvre L, Markellou P, Schulz A, Maggi N, Nussbaumer R, Fitzal F, Ostapenko V, Clerc K, Kohlik M, Dedes K, Sarlos D, Muenst S, Ruhstaller T, Maddox C, Seiler S, Zimmermann F, Gruber G, Zwahlen D, Henke G, Tausch C, Hayoz S, Matrai Z, Ackerknecht M, Kuemmel S, Bjelic-Radisic V, Maráz R, Gabriel N, Fehr P, Simonson C, Bucher S, Becciolini C, Meyer I, Satler R, Vrieling C, Újhelyi M, Kurzeder C, Weber W. Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). *Breast* 2021; 60:98-110.

Möbus V, Reinisch M, Link T, Sinn B, Janni W, Denkert C, Furlanetto J, Engels K, Solbach C, Schmatloch S, Rey J, Burchardi N, Loibl S, Stickeler E, Huober J, Lück H, Ladda E, Klare P, Schmidt M, Schneeweiss A, Grischke E, Wachsmann G, Forstbauer H, Untch M, Marme F, Blohmer J, Jackisch C, GBG and AGO-B. Phase III randomised trial comparing intense dose-dense chemotherapy to tailored dose-dense chemotherapy in high-risk early breast cancer (GAIN-2). *Eur J Cancer* 2021; 156:138-148.

Denkert C, Huober J, Rhiem K, Marme F, Reimer T, Schmidt M, Sinn B, Janni W, Stickeler E, Michel L, Stötzer O, Hahnen E, Furlanetto J, Seiler S, Nekljudova V, Untch M, Solbach C, Lübke K, Seither F, Schneeweiss A, Link T, Blohmer J, Just M, Wimberger P, Forberger A, Tesch H, Jackisch C, Schmatloch S, Reinisch M, Solomayer E, Schmitt W, Hanusch C, Fasching P, Loibl S. Clinical and molecular characteristics of HER2-low-positive breast cancer: pooled analysis of individual patient data from four prospective, neoadjuvant clinical trials. *Lancet Oncol* 2021; 22:1151-1161.

Heil J, Friedrichs K, Wojcinski S, Joos S, Paepke S, Ditsch N, Rody A, Große R, van Mackelenbergh M, Reinisch M, Karsten M, Golatta M, Bekes I, Malter W, Hackmann J, Pfob A, Sinn H, Rauch G, Bach P, Thomas B, Schaeffgen B, Kuemmel S, Reimer T, Hahn M, Thill M, Blohmer J, RESPONDER Investigators. Diagnosing Pathologic Complete Response in the Breast After Neoadjuvant Systemic Treatment of Breast Cancer Patients by Minimal Invasive Biopsy: Oral Presentation at the San Antonio Breast Cancer Symposium on Friday, December 13, 2019, Program Number GS5-03. *Ann Surg* 2020

Laakmann E, Ingold-Heppner B, Huober J, Hanusch C, Jackisch C, Reinisch M, Untch M, von Minckwitz G, Nekljudova V, Müller V, Blohmer J, Zahm D, Witzel I, Fasching P, Rezai M, Schem C, Solbach C, Tesch H, Klare P, Schneeweiss A, Salat C, Loibl S. Development of central nervous system metastases as a first site of metastatic disease in breast cancer patients treated in the neoadjuvant trials GeparQuinto and GeparSixto. *Breast Cancer Res* 2019; 21:60.

Reinisch M, Nekljudova V V, Untch M, Lederer B, Rhiem K, Schneeweiss A, Kümmel S, Jackisch C, Hanusch C, Denkert C, Blohmer J, von Minckwitz G, Huober J, Loibl S. pCR rates in patients with bilateral breast cancer after neoadjuvant anthracycline-taxane based-chemotherapy - A retrospective pooled analysis of individual patients data of four German neoadjuvant trials. *Breast* 2017; 32:73-78.

Denkert C, von Minckwitz G, Tesch H, Hansmann M, Reinisch M, Engels K, Sinn B, Fasching P, Mehta K, Solbach C, Brase J, Darb-Esfahani S, Kronenwett R, Prinzler J, Loibl S, Huober J, Untch M. HER2 and ESR1 mRNA expression levels and response to neoadjuvant trastuzumab plus chemotherapy in patients with primary breast cancer. *Breast Cancer Res* 2013; 15:R11.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch