



**Ulrike Keim**

**Kontakt**

Ulrike Keim

## Publikationen (9)

Jasper S, Keim U, Leiter U, Amaral T, Flatz L, Forschner A. [Die Prognose des Melanoms im Kopf-Hals-Bereich im Stadium II hängt vom histologischen Subtyp ab]. *J Dtsch Dermatol Ges* 2023; 21:1137-1147.

Jasper S, Keim U, Leiter U, Amaral T, Flatz L, Forschner A. Prognosis in stage II melanoma of the head and neck depends on the histological subtype. *J Dtsch Dermatol Ges* 2023; 21:1137-1146.

Chatziioannou E, Roßner J, Aung T, Rimm D, Niessner H, Keim U, Serna-Higuita L, Bonzheim I, Kuhn Cuellar L, Westphal D, Steininger J, Meier F, Pop O, Forchhammer S, Flatz L, Eigentler T, Garbe C, Röcken M, Amaral T, Sinnberg T. Deep learning-based scoring of tumour-infiltrating lymphocytes is prognostic in primary melanoma and predictive to PD-1 checkpoint inhibition in melanoma metastases. *EBioMedicine* 2023; 93:104644.

Chatziioannou E, Leiter U, Thomas I, Keim U, Seeber O, Meiwes A, Boessenecker I, Gonzalez S, Torres F, Niessner H, Sinnberg T, Forschner A, Flatz L, Amaral T. Features and Long-Term Outcomes of Stage IV Melanoma Patients Achieving Complete Response Under Anti-PD-1-Based Immunotherapy. *Am J Clin Dermatol* 2023; 24:453-467.

Amaral T, Sinnberg T, Chatziioannou E, Niessner H, Leiter U, Keim U, Forschner A, Dwarkasing J, Tjien-Fooh F, Wever R, Flatz L, Eggermont A, Forchhammer S. Identification of stage I/II melanoma patients at high risk for recurrence using a model combining clinicopathologic factors with gene expression profiling (CP-GEP). *Eur J Cancer* 2022; 182:155-162.

Garbe C, Keim U, Amaral T, Berking C, Eigentler T, Flatz L, Gesierich A, Leiter U, Stadler R, Sunderkötter C, Tüting T, Utikal J, Wollina U, Zimmer L, Zouboulis C, Ascierto P, Eggermont A, Grob J, Hauschild A, Sekulovic L, Long G, Luke J, Michielin O, Peris K, Schadendorf D, Kirkwood J, Lorigan P, Central Malignant Melanoma Registry (CMMR). Prognosis of Patients With Primary Melanoma Stage I and II According to American Joint Committee on Cancer Version 8 Validated in Two Independent Cohorts: Implications for Adjuvant Treatment. *J Clin Oncol* 2022; 40:3741-3749.

Keim U, Gandini S, Amaral T, Katalinic A, Holleczek B, Flatz L, Leiter U, Whiteman D, Garbe C. Cutaneous melanoma attributable to UVR exposure in Denmark and Germany. *Eur J Cancer* 2021; 159:98-104.

Gassenmaier M, Hahn M, Metzler G, Bauer J, Yazdi A, Keim U, Garbe C, Wagner N, Forchhammer S. Diffuse PRAME Expression Is Highly Specific for Thin Melanomas in the Distinction from Severely Dysplastic Nevi but Does Not Distinguish Metastasizing from Non-Metastasizing Thin Melanomas. *Cancers (Basel)* 2021; 13

Garbe C, Leiter U, Flatz L, Martus P, Holleczek B, Katalinic A, Amaral T, Gandini S, Keim U, Whiteman D. Epidemiology of cutaneous melanoma and keratinocyte cancer in white populations 1943-2036. *Eur J Cancer* 2021; 152:18-25.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)