



C Schmid

Kontakt

C Schmid

Publikationen (15)

Huber G, Hüllner M, Schmid C, Brunner A, Sah B, Vetter D, Kaufmann P, von Schulthess G. Benefit of F-fluorocholine PET imaging in parathyroid surgery. *Eur Radiol* 2018

Meerwein C, Vital D, Greutmann M, Schmid C, Huber G. [Total thyroidectomy in patients with amiodarone-induced hyperthyroidism: when does the risk of conservative treatment exceed the risk of surgery?]. *HNO* 2014; 62:100-5.

Köhler S, Tschopp O, Sze L, Neidert M, Bernays R, Spanaus K, Wiesli P, Schmid C. Monitoring for potential residual disease activity by serum insulin-like growth factor 1 and soluble Klotho in patients with acromegaly after pituitary surgery: is there an impact of the genomic deletion of exon 3 in the growth hormone receptor (d3-GHR) gene on "safe" GH cut-off values?. *Gen Comp Endocrinol* 2013; 188:282-7.

Sze L, Bernays R, Zwimpfer C, Wiesli P, Brändle M, Schmid C. Excessively high soluble Klotho in patients with acromegaly. *J Intern Med* 2012; 272:93-7.

Locher R, Köhler S, Schwanda S, Schmid C. [Tiredness, hyperpigmentation, weight loss, nausea and vomiting. Polyglandular autoimmune syndrome (PAS) type 2]. *Praxis (Bern 1994)* 2010; 99:1223-8.

Wiesli P, Brändle M, Schwegler B, Lehmann R, Spinas G, Schmid C. A plasma glucose concentration below 2.5 mmol L⁻¹ is not an appropriate criterion to end the 72-h fast. *Journal of internal medicine* 2002; 252:504-9.

Brändle M, Pfammatter T, Spinas G, Lehmann R, Schmid C. Assessment of selective arterial calcium stimulation and hepatic venous sampling to localize insulin-secreting tumours. *Clinical endocrinology* 2001; 55:357-62.

Brändle M, Lehmann R, Maly F, Schmid C, Spinas G. Diminished insulin secretory response to glucose but normal insulin and glucagon secretory responses to arginine in a family with maternally inherited diabetes and deafness caused by mitochondrial tRNA(LEU(UUR)) gene mutation. *Diabetes care* 2001; 24:1253-8.

Clerici T, Schmid C, Komminoth P, Lange J, Spinas G, Brändle M. 10 Swiss kindreds with multiple endocrine neoplasia type 1: assessment of screening methods. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2001; 131:381-6.

Brändle M, Schlaeppi M, Schmid C. [Type 2A multiple endocrine neoplasia with cutaneous lichen amyloidosis]. *Schweiz Med Wochenschr* 2000; 130:861.

Schoch O, Speich R, Schmid C, Tschopp O, Russi E, Weder W, Boehler A. Osteonecrosis after lung transplantation: cystic fibrosis as a potential risk factor. *Transplantation* 2000; 69:1629-32.

Brändle M, Schmid C. Galactorrhoea and pituitary mass: a typical prolactinoma?. *Postgraduate medical journal* 2000; 76:232-4.

Eggenberger C, Brändle M, Galeazzi R, Spinas G, Schmid C. [Cushing syndrome due to ectopic ACTH secretion: an uncommon case presentation, diagnosis and therapy]. *Schweizerische medizinische Wochenschrift* 1999; 129:890-5.

Brändle M, Galeazzi R, Diener P, Schmid C. Medullary thyroid carcinoma in Graves' disease. *Clinical endocrinology* 1999; 50:545-6.

Brändle M, Ammann P, Spinas G, Dutly F, Galeazzi R, Schmid C, Altwegg M. Relapsing Whipple's disease presenting with hypopituitarism. Clinical endocrinology 1999; 50:399-403.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch