



**Sascha Mueller**

## **Kontakt**

Sascha Mueller

## **Bereiche**

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie

## Publikationen (25)

Ukegjini K, Zadnikar M, Warschkow R, Mueller S, Schmied B, Marti L. Baseline mortality-adjusted survival in colon cancer patients. *Langenbecks Arch Surg* 2016; 401:633-41.

Kruse C, Tarantino I, Schmied B, Sulz M, Marti L, Brunner W, Luethi C, Warschkow R, Mueller S, Beutner U. Does caffeine reduce postoperative bowel paralysis after elective laparoscopic colectomy? (CaCo trial): study protocol for a randomized controlled trial. *Trials* 2016; 17:186.

Wilhelm A, Mueller S, Steffen T, Schmied B, Beutner U, Warschkow R. Patients with Adenocarcinoma of the Small Intestine with 9 or More Regional Lymph Nodes Retrieved Have a Higher Rate of Positive Lymph Nodes and Improved Survival. *J Gastrointest Surg* 2015

Beutner U, Schmied B, Büchler M, Wente M, Pahernik S, Tarantino I, Luethi C, Bork U, Leowardi C, Mueller S. Survival after renal cell carcinoma metastasis to the thyroid: single center experience and systematic review of the literature. *Thyroid* 2015; 25:314-24.

Tarantino I, Mueller S, Warschkow R, Kulu Y, Schmied B, Büchler M, Ulrich A. Baseline mortality-adjusted survival in resected rectal cancer patients. *J Gastrointest Surg* 2014; 18:1837-1844.

Mueller S, Warschkow R, Beutner U, Luethi C, Ukegjini K, Schmied B, Tarantino I. Use of human fibrin glue (Tisseel) versus staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty (TISTA): a randomized controlled trial (NCT01641718). *BMC Surg* 2014; 14:18.

Tarantino I, Beutner U, Kolb W, Mueller S, Luethi C, Lüthi A, Schmied B, Clerici T, Warschkow R. Study protocol for a randomized, double-blind, placebo-controlled trial of a single preoperative steroid dose to prevent nausea and vomiting after thyroidectomy: the tPONV study. *BMC Anesthesiol* 2013; 13:19.

Käppeli R, Schmied B, Zadnikar M, Wilhelm A, Fornaro J, Müller P, Kruse C, Hummel B, Mueller S, Tarantino I. IPMN: surgical treatment. *Langenbecks Arch Surg* 2013; 398:1029-1037.

Mueller S, Schmied B, Schemmer P, Tarantino I, Fonouni H, Leowardi C, Elbers H, Warschkow R, Rahbari N, Mehrabi A, Büchler M. Allogeneic Blood Transfusion Does Not Affect Outcome After Curative Resection for Advanced Cholangiocarcinoma. *Ann Surg Oncol* 2013; 21:155-164.

Tarantino I, Ukegjini K, Warschkow R, Schmied B, Steffen T, Ulrich A, Mueller S. Blood transfusion does not adversely affect survival after elective colon cancer resection: a propensity score analysis. *Langenbecks Arch Surg* 2013; 398:841-9.

Mueller S, Tarantino I, Corazza M, Pianka F, Fornaro J, Beutner U, Luethi C, Schmied B. A rapid and accurate new bedside test to assess maximal liver function: a case report. *Patient Saf Surg* 2013; 7:11.

Warschkow R, Gueller U, Köberle D, Mueller S, Steffen T, Thurnheer M, Schmied B, Tarantino I. Perioperative Blood Transfusions Do Not Impact Overall and Disease-Free Survival After Curative Rectal Cancer Resection: A Propensity Score Analysis. *Ann Surg* 2013; 259:131-138.

Warschkow R, Tarantino I, Ukegjini K, Beutner U, Gueller U, Schmied B, Mueller S, Schultes B, Thurnheer M. Concomitant cholecystectomy during laparoscopic Roux-en-Y gastric bypass in obese patients is not justified: a meta-analysis. *Obes Surg* 2013; 23:397-407.

Mueller S, Käppeli R, Fornaro J, Schmied B, Tarantino I. LiMAX-Test: einfache und verlässliche Leberfunktionsmessung. *Leading Opinions Gastroenterologie* 2013; 13:50–52.

Corazza M, Mueller S. Kaffee. *Coach* 2013; 2:14-16.

Mueller S, Rahbari N, Schmied B, Büchler M. Can postoperative coffee perk up recovery time after colon surgery?. *Expert Rev Gastroenterol Hepatol* 2013; 7:91-93.

Mueller S, Schmied B, Bege H, Büchler M, Dralle H, Lerch M, Malfertheiner P, Mössner J, Riemann J. Technik der Nieren- und Pankreastransplantation und der alleinigen Pankreastransplantation. In: Erkrankungen des Pankreas: Evidenz in Diagnostik, Therapie und Langzeitverlauf. Heidelberg: Springer, 2013. ISBN 978-3642379635. S. 476–480.

Mueller S, Schmied B, Weitz J, Bork U, von Frankenberg M, Simon T, Warschkow R, Schneider F, Rahbari N, Büchler M. Randomized clinical trial on the effect of coffee on postoperative ileus following elective colectomy. *Br J Surg* 2012; 99:1530-8.

Warschkow R, Beutner U, Steffen T, Mueller S, Schmied B, Gueller U, Tarantino I. Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients. *Ann Surg* 2012; 256:245-50.

Warschkow R, Ukegjini K, Tarantino I, Steffen T, Mueller S, Schmied B, Marti L. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after pancreatic surgery. *J Hepatobiliary Pancreat Sci* 2012; 19:492-500.

Tarantino I, Cerny T, Steffen T, Mueller S, Schmied B, Köberle D, Merati-Kashani K, Worni M, Warschkow R, Gueller U. Elevated preoperative CEA is associated with worse survival in stage I-III rectal cancer patients. *Br J Cancer* 2012; 107:266-74.

Mueller S, Bläuer K, Ergin G, Bergmann F, Z'graggen K, Schmied B, Ulrich A. Long-term in vitro culture of hamster pancreatic β-cells and induction of adenocarcinoma by treatment with N-nitrosobis(2-oxopropyl)amine. *Pancreatology* 2012; 12:380-7.

Warschkow R, Tarantino I, Ukegjini K, Beutner U, Mueller S, Schmied B, Steffen T. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after gastroesophageal cancer surgery. *Langenbecks Arch Surg* 2012; 397:727-36.

Mueller S, Tarantino I, Martin D, Schmied B. Pancreatic surgery: beyond the traditional limits. *Recent Results Cancer Res* 2012; 196:53-64.

Warschkow R, Steffen T, Beutner U, Mueller S, Schmied B, Tarantino I. Diagnostic accuracy of C-reactive protein and white blood cell counts in the early detection of inflammatory complications after open resection of colorectal cancer: a retrospective study of 1,187 patients. *Int J Colorectal Dis* 2011; 27:1377.

## Projekte (2)

**CaCo: Does caffeine intake reduce postoperative bowel paralysis after elective laparoscopic colectomy? - A randomized placebo controlled trial**

*Klinische Forschung - 01.08.2015 - 31.07.2022*

*Automatisch geschlossen*

**TISTA: Use of human fibrin glue (Tisseel) versus Staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty**

*Klinische Forschung - 01.08.2012 - 31.12.2015*

*Abgeschlossen*

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)