



Cornelia Luethi

Kontakt

Cornelia Luethi

Bereiche

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie

Publikationen (7)

Kruse C, Tarantino I, Schmied B, Sulz M, Marti L, Brunner W, Luethi C, Warschkow R, Mueller S, Beutner U. Does caffeine reduce postoperative bowel paralysis after elective laparoscopic colectomy? (CaCo trial): study protocol for a randomized controlled trial. *Trials* 2016; 17:186.

Tarantino I, Warschkow R, Beutner U, Kolb W, Lüthi A, Luethi C, Schmied B, Clerici T. Efficacy of a Single Preoperative Dexamethasone Dose to Prevent Nausea and Vomiting After Thyroidectomy (the tPONV Study): A Randomized, Double-blind, Placebo-controlled Clinical Trial. *Ann Surg* 2015; 262:934-940.

Steffen T, Ebinger S, Warschkow R, Luethi C, Schmied B, Clerici T. Long-Term Survival is not Impaired After the Complete Resection of Neuroendocrine Tumors of the Appendix. *World J Surg* 2015; 39:2670-6-2670.

Beutner U, Schmied B, Büchler M, Wente M, Pahernik S, Tarantino I, Luethi C, Bork U, Leowardi C, Mueller S. Survival after renal cell carcinoma metastasis to the thyroid: single center experience and systematic review of the literature. *Thyroid* 2015; 25:314-24.

Mueller S, Warschkow R, Beutner U, Luethi C, Ukegini K, Schmied B, Tarantino I. Use of human fibrin glue (Tisseel) versus staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty (TISTA): a randomized controlled trial (NCT01641718). *BMC Surg* 2014; 14:18.

Tarantino I, Beutner U, Kolb W, Mueller S, Luethi C, Lüthi A, Schmied B, Clerici T, Warschkow R. Study protocol for a randomized, double-blind, placebo-controlled trial of a single preoperative steroid dose to prevent nausea and vomiting after thyroidectomy: the tPONV study. *BMC Anesthesiol* 2013; 13:19.

Mueller S, Tarantino I, Corazza M, Pianka F, Fornaro J, Beutner U, Luethi C, Schmied B. A rapid and accurate new bedside test to assess maximal liver function: a case report. *Patient Saf Surg* 2013; 7:11.

Projekte (5)

VOYAGER PAD: An international, multicenter, randomized, double-blind, placebocontrolled

Klinische Forschung - 15.05.2016 - 15.01.2019

Automatisch geschlossen

CaCo: Does caffeine intake reduce postoperative bowel paralysis after elective laparoscopic colectomy? - A randomized placebo controlled trial

Klinische Forschung - 01.08.2015 - 31.07.2022

Automatisch geschlossen

TISTA: Use of human fibrin glue (Tisseel) versus Staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty

Klinische Forschung - 01.08.2012 - 31.12.2015

Abgeschlossen

tPONV: Randomized Controlled trial of preoperative single-dose steroid application for the treatment of nausea and vomiting after thyroid surgery

Klinische Forschung - 01.10.2010 - 01.07.2013

Abgeschlossen

SNM/PNS: Vergleich von Sakraler Nervenmodulation und Pudendus Nerv Stimulation zur Therapie der Stuhlinkontinenz

Klinische Forschung - 01.02.2010 - 31.12.2014

Abgeschlossen